

JC789 U.S. PTO
07/06/00

07-10-00

A

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (12/97) (modified)
Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

UTILITY
PATENT APPLICATION
TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	381092000721	Total Pages	105
First Named Inventor or Application Identifier			
Terrance P. Snutch and David L. Baillie			
Express Mail Label No.	EL518497669US		


JC542 U.S. PTO
09/611257

07/06/00

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mail Label No.: EL518497669US Date of Deposit: July 6, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.


Jeanne Brush

APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents.</i>	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
<p>1. <input checked="" type="checkbox"/> Fee Transmittal Form <i>(Submit an original, and a duplicate for fee processing)</i></p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages <input type="text" value="26"/>] <i>(preferred arrangement set forth below)</i></p> <ul style="list-style-type: none">- Descriptive title of the Invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the Invention- Brief Summary of the Invention- Brief Description of the Drawings <i>(if filed)</i>- Detailed Description- Claim(s)- Abstract of the Disclosure <p>3. <input checked="" type="checkbox"/> Drawing(s) (35 USC 113) [Total Sheets <input type="text" value="12"/>]</p> <p>4. <input type="checkbox"/> Oath or Declaration [Total Pages <input type="text"/>]</p> <ul style="list-style-type: none">a. <input type="checkbox"/> Newly executed (original or copy)b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d) <i>(for continuation/divisional with Box 17 completed)</i> [Note Box 5 below]i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b) <p>5. <input type="checkbox"/> Incorporation By Reference <i>(useable if Box 4b is checked)</i> The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.</p>	<p>6.* <input type="checkbox"/> Microfiche Computer Program <i>(Appendix)</i></p> <p>7.* Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, all necessary)</i></p> <ul style="list-style-type: none">a. <input type="checkbox"/> Computer Readable Copyb. <input checked="" type="checkbox"/> Paper Copy (identical to computer copy)c. <input checked="" type="checkbox"/> Statement verifying identity of above copies <p>8. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))</p> <p>9. <input type="checkbox"/> 37 CFR 3.73(b) Statement <input type="checkbox"/> Power of Attorney <i>(when there is an assignee)</i></p> <p>10. <input type="checkbox"/> English Translation Document <i>(if applicable)</i></p> <p>11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations</p> <p>12. <input type="checkbox"/> Preliminary Amendment</p> <p>13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i></p> <p>14. <input checked="" type="checkbox"/> Small Entity <input checked="" type="checkbox"/> Statement filed in prior application, Status still proper and desired</p> <p>15. <input type="checkbox"/> Certified Copy of Priority Document(s) <i>(if foreign priority is claimed)</i></p> <p>16. <input type="checkbox"/></p> <p>17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information: <input checked="" type="checkbox"/> Continuation-in-part (CIP) of prior application No: 09/346,794</p> <p>18. CORRESPONDENCE ADDRESS</p> <p>Kate H. Murashige Registration No. 29,959</p> <p>Morrison & Foerster LLP 2000 Pennsylvania Avenue, N.W. Washington, D.C. 20006-1888 Telephone: (858) 720-5112 Facsimile: (202) 887-0763</p>

- ☒ If a paper is untimely filed in the above-referenced application by applicant or his/her representative, the Assistant Commissioner is hereby petitioned under 37 C.F.R. § 1.136(a) for the minimum extension of time required to make said paper timely. In the event a petition for extension of time is made under the provisions of this paragraph, the Assistant Commissioner is hereby requested to charge any fee required under 37 C.F.R. § 1.17(a)-(d) to **Deposit Account No. 03-1952**. However, the Assistant Commissioner is **NOT** authorized to charge the cost of the issue fee to the Deposit Account.

The filing fee has been calculated as follows:

FOR	NUMBER FILED	NUMBER EXTRA	RATE	CALCULATIONS
TOTAL CLAIMS	20 - 20 =	0	x \$18.00	\$0
INDEPENDENT CLAIMS	4 - 3 =	1	x \$78.00	\$78.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$260.00	\$260.00
			BASIC FEE	\$690.00
			TOTAL OF ABOVE CALCULATIONS =	\$1028.00
Reduction by 1/2 for filing by small entity (Note 37 C.F.R. §§ 1.9, 1.27, 1.28). If applicable, verified statement must be attached.				\$514.00
Assignment Recording Fee (if enclosed)				\$40.00
			TOTAL =	\$514.00

- ☒ A check in the amount of \$514.00 is attached.
- ☐ Charge \$ to **Deposit Account No. 03-1952** referencing docket no. 381092000721.

Applicant(s) hereby petitions for any required relief including extensions of time and authorizes the Assistant Commissioner to charge the cost of such petitions and/or other fees or to credit any overpayment to **Deposit Account No. 03-1952** referencing docket no. 381092000721. A duplicate copy of this transmittal is enclosed, for that purpose.

Dated: July 6, 2000

Respectfully submitted,

By: Kate H. Murashige
Kate H. Murashige
Registration No. 29,959

Morrison & Foerster LLP
2000 Pennsylvania Avenue, N.W.
Washington, D.C. 20006-1888
Telephone: (858) 720-5112
Facsimile: (202) 887-0763

Applicant or Patentee: SNUTCH ET AL. Attorney's Docket No. NMED.P-001-US
 Serial or Patent No.: 09/030,482 Filed or Issued: 25 February 1998
 For: NOVEL HUMAN CALCIUM CHANNELS AND RELATED PROBES, CELL LINES AND METHODS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to
 act on behalf of the concern identified below:

NAME OF CONCERN NeuroMed Technologies Inc.

ADDRESS OF CONCERN 3963 W. 24th Avenue, Vancouver, Canada V6S 1M1

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above-captioned invention which is described in

- ☐ the specification filed herewith
☒ Application Serial No. 09/030,482, filed 25 February 1998
☐ Patent No. _____, issued _____

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *Note: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME _____

ADDRESS _____

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

NAME _____

ADDRESS _____

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Terrance P. Snutch TITLE President

ADDRESS OF PERSON SIGNING 3963 West 24th Ave, Vancouver BC V6S 1M1

SIGNATURE T.P. Snutch DATE May 27, 1997

MAMMALIAN T-TYPE CALCIUM CHANNELS

This application is a continuation-in-part of application No. 09/346,794 filed 2 July 1999 which is a continuation-in-part of application No. 09/030,428 filed 25 February 1998 which claims priority from Provisional Application No. 60/039,204 filed 28 February 1997. The disclosures of these applications are incorporated by reference herein.

TECHNICAL FIELD

The invention relates to T-type calcium channel encoding sequences, expression of these sequences, and methods to screen for compounds which antagonize calcium channel activity. The invention is also related to molecular tools derived from knowledge of the molecular structure of T-type calcium channels.

BACKGROUND OF THE INVENTION

The rapid entry of calcium into cells is mediated by a class of proteins called voltage-gated calcium channels. Calcium channels are a heterogeneous class of molecules that respond to depolarization by opening a calcium-selective pore through the plasma membrane. The entry of calcium into cells mediates a wide variety of cellular and physiological responses including excitation-contraction coupling, hormone secretion and gene expression. In neurons, calcium entry directly affects membrane potential and contributes to electrical properties such as excitability, repetitive firing patterns and pacemaker activity. Miller, R.J. (1987) "Multiple calcium channels and neuronal function." *Science* 235:46-52. Calcium entry further affects neuronal functions by directly regulating calcium-dependent ion channels and modulating the activity of calcium-dependent enzymes such as protein kinase C and calmodulin-dependent protein kinase II. An increase in calcium concentration at the presynaptic nerve terminal triggers the release of neurotransmitter. Calcium entry also plays a role in neurite outgrowth and growth cone migration in developing neurons and has been implicated in long-term changes in neuronal activity.

In addition to the variety of normal physiological functions mediated by calcium channels, they are also implicated in a number of human disorders. Recently, mutations identified in human and mouse calcium channel genes have been found to account for several disorders including, familial hemiplegic migraine, episodic ataxia type 2, cerebellar ataxia, absence epilepsy and seizures. Fletcher, *et al.* (1996) "Absence epilepsy in tottering mutant mice is associated with calcium channel defects." *Cell* 87:607-617; Burgess, *et al.* (1997) "Mutation of the Ca²⁺ channel β subunit gene Cchb4 is associated with ataxia and seizures in the lethargic (lh) mouse." *Cell* 88:385-392; Ophoff, *et al.* (1996) "Familial hemiplegic migraine and episodic ataxia type-2 are caused by mutations in the Ca²⁺ channel gene CACNL1A4." *Cell* 87:543-552; Zhuchenko, O., *et al.* (1997) "Autosomal dominant cerebellar ataxia (SCA6) associated with the small polyglutamine expansions in the α 1A-voltage- dependent calcium channel." *Nature Genetics* 15:62-69.

The clinical treatment of some disorders has been aided by the development of therapeutic calcium channel antagonists. Janis, *et al.* (1991) in *Calcium Channels: Their Properties, Functions, Regulation and Clinical Relevance*. CRC Press, London.

Native calcium channels have been classified by their electrophysiological and pharmacological properties as T, L, N, P and Q types (for reviews see McCleskey, *et al.* (1991) "Functional properties of voltage-dependent calcium channels." *Curr. Topics Membr.* 39: 295-326, and Dunlap, *et al.* (1995) "Exocytotic Ca²⁺ channels in mammalian central neurons." *Trends Neurosci.* 18:89-98.). T-type (or low voltage-activated) channels describe a broad class of molecules that activate at negative potentials and are highly sensitive to changes in resting potential. The L, N, P and Q-type channels activate at more positive potentials and display diverse kinetics and voltage-dependent properties. There is some overlap in biophysical properties of the high voltage-activated channels, consequently pharmacological profiles are useful to further distinguish them. L-type channels are sensitive to dihydropyridine (DHP) agonists and antagonists, N-type channels are blocked by the *Conus geographus* peptide toxin, ω -conotoxin GVIA, and P-type channels are blocked by the peptide ω -agatoxin IVA from the venom of the funnel web spider, *Agelenopsis aperta*. A fourth type of high voltage-activated Ca channel (Q-type) has been described, although whether the Q- and P-type channels are distinct molecular entities is controversial (Sather *et al.* (1993) "Distinctive biophysical and

pharmacological properties of class A (B1) calcium channel α_1 subunits.” *Neuron* 11:291-303; Stea, *et al.* (1994) “Localization and functional properties of a rat brain α_1A calcium channel reflect similarities to neuronal Q- and P-type channels.” *Proc Natl Acad Sci (USA)* 91:10576-10580; Bourinet, E., *et al.* (1999) *Nature Neuroscience* 2:407-415).
5 Several types of calcium conductances do not fall neatly into any of the above categories and there is variability of properties even within a category suggesting that additional calcium channels subtypes remain to be classified.

Biochemical analyses show that neuronal high-threshold calcium channels are heterooligomeric complexes consisting of three distinct subunits (α_1 , $\alpha_2\delta$ and β)
10 (reviewed by De Waard, *et al.* (1997) in *Ion Channels*, Volume 4, edited by Narahashi, T. Plenum Press, New York). The α_1 subunit is the major pore-forming subunit and contains the voltage sensor and binding sites for calcium channel antagonists. The mainly extracellular Alternatively, the α_2 subunit is disulphide-linked to the transmembrane δ subunit and both are derived from the same gene and are proteolytically
15 cleaved *in vivo*. The β subunit is a non-glycosylated, hydrophilic protein with a high affinity of binding to a cytoplasmic region of the α_1 subunit. A fourth subunit, γ , is unique to L-type Ca channels expressed in skeletal muscle T-tubules. The isolation and characterization of γ -subunit-encoding cDNAs is described in U.S. Patent No. 5,386,025 which is incorporated herein by reference.

20 Molecular cloning has revealed the cDNA and corresponding amino acid sequences of six different types of α_1 subunits (α_{1A} , α_{1B} , α_{1C} , α_{1D} , α_{1E} and α_{1S}) and four types of β subunits (β_1 , β_2 , β_3 and β_4) (reviewed in Stea, A., Soong, T.W. and Snutch, T.P. (1994) “Voltage-gated calcium channels.” in *Handbook of Receptors and Channels*. Edited by R.A. North, CRC Press). A comparison of the amino acid
25 sequences of these α_1 subunits is included in this publication, which is incorporated herein by reference. PCT Patent Publication WO 95/04144, which is incorporated herein by reference, discloses the sequence and expression of α_{1E} calcium channel subunits.

As described in Stea, A., *et al.* (1994) (*supra*), the α_1 subunits are generally of the order of 2000 amino acids in length, ranging from 1873 amino acids in α_{1S} derived from
30 rabbit to 2424 amino acids in α_{1A} derived from rabbit. Generally, these subunits contain 4 internal homologous repeats (I-IV) each having six putative alpha helical membrane

spanning segments (S1-S6) with one segment (S4) having positively charged residues every 3rd or 4th amino acid. There are a minority of a splice variant exceptions. Between domains II and III there is a cytoplasmic domain which is believed to mediate excitation-contraction coupling in α_{1S} and which ranges from 100-400 amino acid residues among the subtypes. The domains I-IV make up roughly 2/3 of the molecule and the carboxy terminus adjacent to the S6 region of domain IV is believed to be on the intracellular side of the calcium channel. There is a consensus motif (QQ-E-L-GY-WI-E) in all of the subunits cloned and described in Stea, A., *et al.* (supra) downstream from the domain I S6 transmembrane segment that is a binding site for the β subunit.

PCT publication WO 98/38301, which describes the work of the inventors herein, and which is incorporated herein by reference, reports the first description of the molecular composition of T-type calcium channel α_1 subunits. The present application describes full-length genes for 3 mammalian subtypes, α_{1G} , α_{1H} , and α_{1I} associated with T-type calcium channels.

In some expression systems the high threshold α_1 subunits alone can form functional calcium channels although their electrophysiological and pharmacological properties can be differentially modulated by coexpression with any of the four β subunits. Until recently, the reported modulatory affects of β subunit coexpression were to mainly alter kinetic and voltage- dependent properties. More recently it has been shown that β subunits also play crucial roles in modulating channel activity by protein kinase A, protein kinase C and direct G-protein interaction. (Bourinet, *et al.* (1994) "Voltage-dependent facilitation of a neuronal α_1C L-type calcium channel." *EMBO J.* 13: 5032-5039; Stea, *et al.* (1995) "Determinants of PKC- dependent modulation of a family of neuronal calcium channels." *Neuron* 15:929-940; Bourinet, *et al.* (1996) "Determinants of the G-protein-dependent opioid modulation of neuronal calcium channels." *Proc. Natl. Acad. Sci. (USA)* 93: 1486-1491.)

Because of the importance of calcium channels in cellular metabolism and human disease, it would be desirable to identify the remaining classes of α_1 subunits, and to develop expression systems for these subunits which would permit the study and characterization of these calcium channels, including the study of pharmacological modulators of calcium channel function.

DISCLOSURE OF THE INVENTION

5 The present invention provides sequences for a novel mammalian calcium
channel subunits of T-type calcium channels, which we have labeled as α_{1G} , α_{1H} and α_{1I}
subunits. Knowledge of the sequences of these calcium channel subunits may be used in
the development of probes for mapping the distribution and expression of the subunits in
target tissues. In addition, as the molecular structure of the α_1 subunits of these T-type
calcium channels has been elucidated, it is possible to identify those portions which
reside extracellularly and thus to design peptides to elicit antibodies which can be
employed to assess the location and level of expression of T-type calcium channels. In
10 addition, these subunits, either alone or assembled with other proteins, can produce
functional calcium channels, which can be evaluated in model cell lines to determine the
properties of the channels containing the subunits of the invention. These cell lines can
be used to evaluate the effects of pharmaceuticals and/or toxic substances on calcium
channels incorporating α_{1G} , α_{1H} and α_{1I} subunits. The resulting identified compounds are
15 useful in treating conditions where undesirable T-type calcium channel activity is present.
These conditions include epilepsy, sleep disorders, mood disorders, cardiac hypertrophy
and arrhythmia and hypertension, among others. In addition, antisense and triplex
nucleotide sequences can be designed to inhibit the production of T-type calcium
channels.

20 In a preferred embodiment the α_1 subunits are other than those encoded by
SEQ. ID. NO: 17; in another preferred embodiment the α_1 subunits are other than those
encoded by sequences that include SEQ. ID. NO: 19 and SEQ. ID. NO: 21. In another
preferred embodiment, probes representing portions of or all of SEQ. ID. NOS. 1-22
or 13-21 are excluded.

25 BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A and B show a comparison of the waveforms and current voltage
relationship for α_{1G} ;

Figs. 2A and B show a comparison of the waveforms and current voltage
relationship for α_{1I} calcium channels.

Fig. 3 shows a comparison of the steady state inactivation profiles of the α_{1G} and α_{1I} calcium channels.

Figs. 4A-C show a comparison of the inactivation kinetics of the α_{1G} and α_{1I} calcium channels.

5 Figures 5A and 5B show the construction of the human α_{1G} cDNA complete sequence from partial clones.

Figure 6 shows the nucleotide and deduced amino acid sequence of human T-type calcium channel α_{1G} .

10 Figure 7 shows a comparison of the waveforms and current voltage relationship for human α_{1G} calcium channel.

Figure 8 shows the characteristic pore pattern for T-type channels.

MODES OF CARRYING OUT THE INVENTION

The present invention includes the following aspects for which protection is sought:

15 (a) novel mammalian (including human) calcium channel subunits and DNA sequences encoding such subunits. Specifically, the invention encompasses an at least partially purified DNA molecule comprising a sequence of nucleotides that encodes an α_1 subunit of a T-type calcium channel, and such α subunits *per se*. It will be appreciated that polymorphic variations may be made or may exist in the DNA of some individuals
20 leading to minor deviations in the DNA or amino acids sequences from those shown which do not lead to any substantial alteration in the function of the calcium channel. Such variations, including variations which lead to substitutions of amino acids having similar properties are considered to be within the scope of the present invention. Thus, in one embodiment, the present application claims DNA molecules which encode α_1
25 subunits of mammalian T-type calcium channels, and which hybridize under conditions of medium (or higher) hybridization stringency with one or another of the specific sequences disclosed in this application. This level of hybridization stringency is generally sufficient given the length of the sequences involved to permit recovery of the subunits within the scope of the invention from mammalian DNA libraries.

Alternatively, the T-type calcium channels of the invention are recognized by their functional characteristic of low voltage gating along with defined structural characteristics which classify them as α_1 calcium channel subunits and also characterize them as of the T-type. By virtue of the present invention, these characteristics have been elucidated as follows:

One distinguishing feature of the α_{1G} , α_{1H} and α_{1I} T-type channels over other types of calcium channels and sodium channels is that the pore region (P-region) in each of the four structural domains contains a diagnostic amino acid sequence implicated in channel permeability. Figure 8 shows that the T-type channels contain the residues glutamate/glutamate/aspartate/aspartate (single letter amino acid code: EEDD) in the P-regions of domains I-IV. In contrast, figure 8 shows that in sodium (Na) channels the P-region of the four domains contains the residues: aspartate/glutamate/lysine/alanine (single letter amino acid code: DEKA), while high threshold calcium channels such as the L-type channel contain the residues: glutamate/glutamate/glutamate/glutamate (single letter amino acid code: EEEE). The α_{1G} , α_{1H} and α_{1I} T-type channels are also distinct in this region compared to other types of ion channels including the *C. elegans* C11D2.6 and C27F2.3 and the rat NIC-channel (Figure 8).

A second distinguishing characteristic of the α_{1G} , α_{1H} and α_{1I} T-type channels compared to other types of calcium channels is that they do not contain a β subunit binding consensus sequence in the cytoplasmic linker separating domains I and II. In contrast, all high threshold calcium channels contain a consensus sequence (single letter amino acid code: QQ-E--L-GY--WI---E) shown to physically interact with the calcium channel β subunit (Pragnell, M., De Waard, M., Mori, Y., Tanabe, T., Snutch, T.P. & Campbell, K.P., 1994, Nature 368:67-70). Thus it appears the presence of a β subunit does not modify activity, nor is its presence required.

A third distinguishing characteristic of the (α_{1G} , α_{1H} and α_{1I} T-type channels is that they do not possess an EF-hand calcium binding motif in the region carboxyl to domain IV S6. In contrast, all high threshold calcium channels contain a consensus sequence that is closely related to the EF-hand domain found in certain calcium binding

proteins (de Leon, M., Wang, Y., Jones, L., Perez-Reyes, E., Wei, X., Soong, T.W., Snutch, T.P. & Yue, D.T., 1995, Science270: 1502-1506).

Thus, as defined herein, "T-type calcium channel α_1 subunits" refers to subunits which contain these structural characteristics.

5 Alternatively, the T-type α_1 subunit molecules can be defined by homology to the human and rat nucleotide and amino acid sequences described herein. Thus, T-type α_1 subunits will typically have at least 50%, preferably 70% homology in terms of amino acid sequence or encoding nucleotide sequence to the sequences set forth in SEQ ID NOS. 23-28 herein or those shown in Figure 6. Preferably, the homology will be at least
10 80%, more preferably 90%, and most preferably 95%, 97%, 98% or 99%.

Relative homology may also be defined in terms of specific regions; as set forth above, certain regions of T-type channel α_1 subunits have very high homologies while other regions, such as the cytoplasmic region between domains II and III have less homology. Thus, T-type α_1 subunits will have over 75% homology; preferably over 85%
15 or over 95% homology, more preferably over 98% homology in domains I-IV to those of SEQ. ID. NOS. 23-28 or Figure 6. The degree of homology in the cytoplasmic region between domains II and III may be substantially less, *e.g.*, only 25% homology, preferably, 50% homology or more preferably 60% homology. Similarly, the intracellular region downstream of domain IV may be less homologous than within
20 domains I-IV.

(b) polynucleotide sequences useful as probes in screening human cDNA libraries for genes encoding these novel calcium channel subunits. These probes can also be used in histological assay to determine the tissue distribution of the novel calcium channel subunits.

25 As set forth above, the elucidation herein of the structural features of T-type subunits permits the selection of appropriate probes by selecting portions of the encoding nucleotide sequence that are particularly characteristic of this type. As set forth above, for example, T-type subunits have particular patterns of amino acids in the pore forming units as set forth in Figure 8. Alternatively, multiple probes might be used to distinguish
30 other subunits, such as probes which represent the β -binding domain missing from the T-

type α_1 subunits combined with a probe representing a consensus sequence for calcium channel α subunits in general.

(c) at least partially purified α_1 subunits and related peptides for mammalian T-type calcium channels. These proteins and peptides can be used to generate polyclonal or monoclonal antibodies to determine the cellular and subcellular distribution of T-type calcium channel subunits.

Again, by virtue of the elucidation of the amino acid sequence of T-type α_1 subunits, it is well within the ordinary skill in the art to determine which regions of the channel are displayed extracellularly and to select these regions for the generation of antibodies.

(d) eukaryotic cell lines expressing the novel calcium channel subunits. These cell lines can be used to evaluate compounds as pharmacological modifiers of the function of the novel calcium channel subunits.

(e) a method for evaluating compounds as pharmacological modifiers of the function of the novel calcium channel subunits using the cell lines expressing those subunits alone or in combination with other calcium channel subunits.

(f) Use of the compounds identified as set forth above for the treatment of conditions which are associated with undesired calcium channel activity.

These diseases include, but are not limited to; epilepsy, migraine, ataxia, schizophrenia, hypertension, arrhythmia, angina, depression, and Parkinson's disease; characterization of such associations and ultimately diagnosis of associated diseases can be carried out with probes which bind to the wild-type or defective forms of the novel calcium channels.

T-type channels in particular are responsible for rebound burst firing in central neurons and are implicated in normal brain functions such as slow-wave sleep and in neurological disorders such as epilepsy and mood disorders. They are also important in pacemaker activity in the heart, hormone secretion and fertilization, and are associated with disease states such as cardiac hypertrophy and hypertension.

As used in the specification and claims of this application, the term "T-type calcium channel" refers to a voltage-gated calcium channel having a low activation voltage, generally less than -50 mV, and most commonly less than -60 mV. T-type

calcium channels also exhibit comparatively negative steady-state inactivation properties and slow deactivation kinetics. The terms " α_1 subunit" or " α_1 calcium channel" refer to a protein subunit of a calcium channel which is responsible for pore formation and contains the voltage sensor and binding sites for calcium channel agonists and antagonists. Such subunits may be independently functional as calcium channels or may require the presence of other subunit types for complete functionality.

As used in the specification and claims of this application, the phrase "at least partially purified" refers to DNA or protein preparations in the which the specified molecule has been separated from adjacent cellular components and molecules with which it occurs in the natural state, either by virtue of performing a physical separation process or by virtue of making the DNA or protein molecule in a non-natural environment in the first place. The term encompasses cDNA molecules and expression vectors.

In accordance with the present invention, we have identified mammalian DNA sequences which code for novel T-type calcium channel α_1 subunits. These subunits are believed to represent new types of α_1 subunits of mammalian voltage-dependent calcium channels which have been designated as types α_{1G} , α_{1H} and α_{1I} .

A Bacterial Artificial Chromosome (BAC) sequence (bK206c7) was identified from sequences in Sanger Genome Sequencing Center (Cambridge, U.K.) and the Washington University Genome Sequencing Center (St. Louis, MO) that contains a nucleotide sequence encoding the α_{1I} subunit of human T-type calcium channel. The rationale for this identification is set forth in WO 98/38301, incorporated herein by reference. The relevant nucleotide sequence and the translated amino acid sequence containing 1854 amino acids are set forth in SEQ ID NOS:17 and 18.

As described in WO 98/38031, using PCR cloning techniques to identify relevant sequences within a human brain total RNA preparation, we confirmed that the novel α_{1I} calcium channel subunit is present in human brain. Subcloning of the 567 nt PCR product (SEQ. ID NO. 19, amino acids SEQ. ID NO. 20) and subsequent sequencing thereof showed that this product corresponds to the derived sequence from the bK206c7 BAC genomic sequence, the nucleotide sequence of which is given as SEQ ID NO. 17 (amino acid sequence SEQ. ID NO.18). The same experiment was performed using a rat

brain RNA preparation and resulted in recovery of a substantially identical PCR product. (SEQ ID. NO. 21). The protein encoded by the rat PCR product (SEQ ID NO. 22) is 96% identical to the human PCR product (SEQ. ID NO. 20).

These sequences, which encode a partial subunit were used as a basis for constructing full length human or rat α_{1I} clones. Briefly, the subcloned α_{1I} PCR product is radiolabeled by random hexamer priming according to standard methods (See, Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) *Molecular Cloning, A Laboratory Manual*. Cold Spring Harbor Press) and used to screen commercial human brain cDNA libraries (Stratagene, La Jolla, CA). The screening of cDNA libraries follows standard methods and includes such protocols as infecting bacteria with recombinant lambda phage, immobilizing lambda DNA to nitrocellulose filters and screening under medium hybridization stringency conditions with radiolabeled probe. cDNA clones homologous to the probe are identified by autoradiography. Positive clones are purified by sequential rounds of screening.

Following this protocol, most purified cDNA's are likely to be partial sequence clones due to the nature of the cDNA library synthesis. Full length clones are constructed from cDNA's which overlap in DNA sequence. Restriction enzyme sites which overlap between cDNAs are used to ligate the individual cDNA's to generate a full-length cDNA. For subsequent heterologous expression, the full-length cDNA is subcloned directly into an appropriate vertebrate expression vector, such as pcDNA-3 (Invitrogen, San Diego, CA) in which expression of the cDNA is under the control of a promoter such as the CMV major intermediate early promoter/enhancer. Other suitable expression vectors include, for example, pMT2, pRC/CMV, pcDNA3.1 and pCEP4.

Following these protocols, full length mammalian α_{1G} , α_{1H} and α_{1I} calcium channel subunit cDNAs were isolated by using the 567 base pair human fragment (SEQ. ID NO. 19) to screen a rat brain cDNA library. Sequencing of the recovered sequences identified the three distinct classes of calcium channel subunits which have been denominated herein as α_{1G} , α_{1H} and α_{1I} subunits. For each class of subunit, complete sequencing of the largest cDNA confirmed that it represented only a portion of the predicted calcium channel coding region. Complete sequences for the three new subunits were obtained by rescreening the rat brain cDNA library with probes derived from the

partial length cDNAs to obtain overlapping segments. These segments were combined to form a complete gene by restriction digestion and ligation. The complete cDNA sequences of the rat α_{1G} , α_{1H} and α_{1I} subunits are given by SEQ. ID NOS. 23, 25 and 27, respectively. Corresponding amino acid sequences are given by SEQ. ID NOS. 24, 26 and 28. The same techniques are employed to recover human sequences by screening of a human or other mammalian library. Thus, for example, partial length human sequences for α_{1G} and α_{1H} T-type calcium channels have been recovered using the same probe (SEQ. ID NO. 19) and the full length rat α_{1I} cDNA (SEQ. ID. NO. 27) has been used to recover a partial length DNA encoding a human α_{1I} T-type calcium channel. The DNA and amino acid sequences for these partial length human calcium channels are given by SEQ. ID NOS. 30-35. A complete coding sequence for human α_{1G} was also obtained and is set forth, along with the deduced amino acid reference, in Figure 6.

Once the full length cDNA is cloned into an expression vector, the vector is then transfected into a host cell for expression. Suitable host cells include *Xenopus* oocytes or mammalian cells such as human embryonic kidney cells as described in International Patent Publication No. WO 96/39512 which is incorporated herein by reference and Ltk cells as described in US Patent No. 5,386,025 which is incorporated herein by reference. Transfection into host cells may be accomplished by microinjection, lipofection, glycerol shock, electroporation calcium phosphate or particle-mediated gene transfer. The vector may also be transfected into host cells to provide coexpression of the novel α_1 subunits with other α subunits, such as an $\alpha_2\delta$ subunit or γ subunit.

To confirm that the three full length cDNAs (SEQ. ID NOS. 23, 25 and 27) encoded functional calcium channels, the α_{1G} and α_{1I} cDNAs were transiently transfected into human embryonic kidney cells and evaluated using electrophysiological recording techniques. The results are consistent with a role of these subunits in native T-type channels in nerve, muscle and endocrine cells. Similarly, a full length clone encoding human α_{1G} T-type subunit was recovered and verified to have the characteristic properties of T-type channels.

The resulting cell lines expressing functional calcium channels including the novel α_1 subunits of the invention can be used test compounds for pharmacological activity with respect to these calcium channels. Thus, the cell lines are useful for

screening compounds for pharmaceutical utility. Such screening can be carried out using several available methods for evaluation of the interaction, if any, between the test compound and the calcium channel. One such method involves the binding of radiolabeled agents that interact with the calcium channel and subsequent analysis of equilibrium binding measurements including but not limited to, on rates, off rates, K_d values and competitive binding by other molecules. Another such method involves the screening for the effects of compounds by electrophysiological assay whereby individual cells are impaled with a microelectrode and currents through the calcium channel are recorded before and after application of the compound of interest. Another method, high-throughput spectrophotometric assay, utilizes the loading the cell lines with a fluorescent dye sensitive to intracellular calcium concentration and subsequent examination of the effects of compounds on the ability of depolarization by potassium chloride or other means to alter intracellular calcium levels. Compounds to be tested as agonists or antagonists of the novel α_{1I} calcium channel subunits are combined with cells that are stably or transiently transformed with a DNA sequence encoding the α_{1G} , α_{1H} and α_{1I} calcium channel subunits of the invention and monitored using one of these techniques.

Compounds which are shown to modulate the activity of calcium channels can then be used in pharmaceutical compositions for the treatment associated with inappropriate T-type calcium channel activity. Such conditions may also include those with inappropriate calcium channel activity in general since such activity may be modified by enhancing or decreasing T-type channel activity. Conditions appropriate for such treatment include those set forth above. The compounds identified are formulated in conventional ways as set forth in Remington's "Pharmaceutical Sciences," latest edition, Mac Publishing Co., Easton, PA. Modes of administration are those appropriate for the condition to be treated and are within the ordinary skill of the practitioner.

In addition, the regulation of expression of T-type calcium channels can be achieved by constructing expression systems encoding antisense sequences or sequences designed for triplex binding to interrupt the expression of nucleotide sequences encoding the T-type calcium channels of the invention.

DNA fragments with sequences given by SEQ ID NOS. 13-17 and 19, or polynucleotides with the complete coding sequences as given by SEQ ID NOS. 23, 25

and 27 or Figure 6 or distinctive portions thereof which do not exhibit non-discriminatory levels of homology with other types of calcium channel subunits may also be used for mapping the distribution of α_{1G} , α_{1H} and α_{1I} calcium channel subunits within a tissue sample. This method follows normal histological procedures using a nucleic acid probe, and generally involves the steps of exposing the tissue to a reagent comprising a directly or indirectly detectable label coupled to a selected DNA fragment, and detecting reagent that has bound to the tissue. Suitable labels include fluorescent labels, enzyme labels, chromophores and radio-labels.

Heterologous Expression of Mammalian T-type Calcium Channels in Cells

A. Transient Transfection in Mammalian Cells

Host cells, such as human embryonic kidney cells, HEK 293 (ATCC# CRL 1573) are grown in standard DMEM medium supplemented with 2 mM glutamine and 10% fetal bovine serum. HEK 293 cells are transfected by a standard calcium-phosphate-DNA co-precipitation method using a full-length mammalian α_1 T-type calcium channel cDNA (for example, SEQ. ID. NO. 27) in a vertebrate expression vector (for example see Current protocols in Molecular Biology). The α_{1I} calcium channel cDNA may be transfected alone or in combination with other cloned subunits for mammalian calcium channels, such as $\alpha_{2\delta}$ and β or γ subunits, and also with clones for marker proteins such the jellyfish green fluorescent protein.

Electrophysiological Recording: After an incubation period of from 24 to 72 hrs the culture medium is removed and replaced with external recording solution (see below). Whole cell patch clamp experiments are performed using an Axopatch 200B amplifier (Axon Instruments, Burlingame, CA) linked to an IBM compatible personal computer equipped with pCLAMP software. Microelectrodes are filled with 3 M CsCl and have typical resistances from 0.5 to 2.5 Mohms. The external recording solution is 2 mM BaCl_2 , 1 mM MgCl_2 , 10 mM HEPES, 40 mM TEACl, 10 mM Glucose, 92 mM CsCl, (pH 7.2). The internal pipette solution is 105 mM CsCl, 25 mM TEACl, 1 mM CaCl_2 , 11 mM EGTA, 10 mM HEPES (pH 7.2). Currents are typically elicited from a holding potential of -100 mV to various test potentials. Data are filtered at 1 kHz and recorded directly on the hard-drive of a personal computer. Leak subtraction is carried out on-line

using a standard P/5 protocol. Currents are analyzed using pCLAMP versions 5.5 and 6.0. Macroscopic current-voltage relations are fitted with the equation $I = \frac{1}{1 + \exp(-(V_m - V_h)/S)} \times G - (V_m - E_{rev})$, where V_m is the test potential, V_h is the voltage at which half of the channels are activated, and S reflects the steepness of the activation curve and is an indication of the effective gating charge movement. Inactivation curves are normalized to 1 and fitted with $I = (1 / (1 + \exp((V_m - V_h)/S)))$ with V_m being the holding potential. Single channel recordings are performed in the cell-attached mode with the following pipette solution (in mM): 100 BaCl₂, 10 HEPES, pH 7.4 and bath solution: 100 KCl, 10 EGTA, 2 MgCl₂, 10 HEPES, pH 7.4.

B. Transient Transfection in Xenopus Oocytes

Stage V and VI Xenopus oocytes are prepared as described by Dascal, *et al* (1986), Expression and modulation of voltage-gated calcium channels after RNA injection into Xenopus oocytes. Science 231:1147-1150. After enzymatic dissociation with collagenase, oocytes nuclei are microinjected with the human α_{11} calcium channel cDNA expression vector construct (approximately 10 ng DNA per nucleus) using a Drummond nanoject apparatus. The α_{11} calcium channel may be injected alone, or in combination with other mammalian calcium channel subunit cDNAs, such as the α_2 - δ and β_{1b} and γ subunits. After incubation from 48 to 96 hrs macroscopic currents are recorded using a standard two microelectrode voltage-clamp (Axoclamp 2A, Axon Instruments, Burlingame, CA) in a bathing medium containing (in mM): 40 Ba(OH)₂, 25 TEA-OH, 25 NaOH, 2 CsOH, 5 HEPES (pH titrated to 7.3 with methane-sulfonic acid). Pipettes of typical resistance ranging from 0.5 to 1.5 Mohms are filled with 2.8M CsCl, 0.2M CsOH, 10mM HEPES, 10mM BAPTA free acid. Endogenous Ca (and Ba) - activated Cl currents are suppressed by systematically injecting 10-30 nl of a solution containing 100mM BAPTA-free acid, 10mM HEPES (pH titrated to 7.2 with CsOH) using a third pipette connected to a pneumatic injector. Leak currents and capacitive transients are subtracted using a standard P/5 procedure.

Construction of Stable Cell Lines Expressing Mammalian T-type Calcium Channels

Mammalian cell lines stably expressing human α_{11} calcium channels are constructed by transfecting the α_{11} calcium channel cDNA into mammalian cells such as HEK 293 and selecting for antibiotic resistance encoded for by an expression vector.

5 Briefly, a full-length mammalian T-type calcium channel α_1 subunit cDNA (for example SEQ. ID NO. 27) subcloned into a vertebrate expression vector with a selectable marker, such as the pcDNA3 (InvitroGen, San Diego, CA), is transfected into HEK 293 cells by calcium phosphate coprecipitation or lipofection or electroporation or other method according to well known procedures (Methods in Enzymology, Volume 185, Gene
10 Expression Technology (1990) Edited by Goeddel, D.V.). The α_{11} calcium channel may be transfected alone, or in combination with other mammalian calcium channel subunit cDNAs, such as the α_2 - δ and β_1 subunits, either in a similar expression vector or other type of vector using different selectable markers. After incubation for 2 days in nonselective conditions, the medium is supplemented with Geneticin (G418) at a
15 concentration of between 600 to 800 ug/ml. After 3 to 4 weeks in this medium, cells which are resistant to G418 are visible and can be cloned as isolated colonies using standard cloning rings. After growing up each isolated colony to confluency to establish cell lines, the expression of α_{11} calcium channels can be determined at with standard gene expression methods such as Northern blotting, RNase protection and reverse-transcriptase
20 PCR.

The functional detection of α_{11} calcium channels in stably transfected cells can be examined electrophysiologically, such as by whole patch clamp or single channel analysis (see above). Other means of detecting functional calcium channels include the use of radiolabeled ^{45}Ca uptake, fluorescence spectroscopy using calcium sensitive dyes
25 such as FURA-2, and the binding or displacement of radiolabeled ligands that interact with the calcium channel.

Example 1

Partial Rat and Human Subunits

In order to recover mammalian sequences for novel calcium channels, the 567 base pair partial length human brain α_{1I} cDNA described in WO 98/3801 was gel-purified, radio-labeled with ^{32}P dATP and dCTP by random priming (Feinberg, *et al.*, 1983, *Anal. Biochem.* 132: 6-13) and used to screen a rat brain cDNA library constructed in the phase vector Lambda Zapp II. (Snutch *et al.*, 1990, *Proc Natl Acad Sci (USA)* 87: 3391-3395). Screening was carried out at 62°C in 5XSSPE (1XSSPE= 0.18 M NaCl; 1mM EDTA; 10 mM sodium phosphate, pH=7.4 0.3% SDS, 0.2 mg/ml denatured salmon sperm DNA). Filters were washed at 62°C in 0.2X SSPE/0.1% SDS. After three rounds of screening and plaque purification, positive phages were transformed into Bluescript phagemids (Stratagene, La Jolla, CA) by *in vivo* excision.

Double stranded DNA sequencing on the recombinant phagemids was performed using a modified dideoxynucleotide protocol (Biggin *et al.*, 1983, *Proc Natl Acad Sci (USA)* 80:3963-3965) and Sequenase version 2.1 (United States Biochemical Corp.). DNA sequencing identified three distinct classes of calcium channel α_1 subunits: designated as α_{1G} , α_{1H} and α_{1I} calcium channel subunits.

For each class of calcium channel α_1 subunit, the largest cDNA was completely sequenced and determined to represent only a portion of the predicted calcium channel coding region. In order to isolate the remaining portions of α_{1G} and α_{1I} calcium channel subunits, the α_{1G} clone was digested with HindIII and SpeI. The resulting 540 base pair fragment was gel purified, radiolabeled with ^{32}P dATP and dCTP by random priming and used to rescreen the rat brain cDNA library as described above. The sequence of the 540 base pair α_{1G} screening probe used is given by SEQ. ID NO. 29. Other sequences spanning regions of distinctiveness within the sequences for the subunits could also be employed.

Double-stranded DNA sequencing of the purified recombinant phagemids showed that additional α_{1G} , α_{1H} and α_{1I} calcium channel subunit cDNAs overlapped with the original partial length cDNAs and together encoded complete protein coding regions as well as portions of their respective 5' and 3' non-coding untranslated regions.

To recover further human sequences for the novel α_{1G} and α_{1H} calcium channels, the 567 base pair partial length human brain α_{1I} cDNA (SEQ. ID. NO: 19) was radio-labeled with ^{32}P dATP and dCTP by random priming and used to screen a commercial human thalamus cDNA library (Clontech). Hybridization was performed overnight at 65°C in 6 X SSPE; 0.3% SDS; 5X Denhardt's. Filters were washed at 65°C in 0.1 X SSPE/ 0.3% SDS. After four rounds of screening and plaque purification, positive phages were selected, DNA prepared and the insert cDNA excised from the lambda vector by digestion with Eco R1 restriction enzyme. The excised cDNA was subcloned into the plasmid Bluescript KS (Stratagene, La Jolla, CA) and the DNA sequence determined using a modified dideoxynucleotide protocol and Sequence version 2.1. The partial length α_{1G} cDNA isolated consisted of 2212 base pairs of which 279 base pairs were 5' noncoding and 1,933 base pairs were coding region representing 644 amino acids (SEQ. ID NOS. 30, 31). The partial α_{1H} cDNA isolated consisted of 1,608 base pairs of which 53 base pairs were 5' noncoding and 1,555 were coding region representing 518 amino acids (SEQ. ID NOS. 32, 33).

To recover further human sequences for the novel α_{1I} calcium channel, the full-length rat brain α_{1I} cDNA (SEQ. ID. NO: 27) (See Example 2) was radio-labeled ^{32}P dATP and dCTP by random priming and used to screen a commercial human hippocampus cDNA library (Stratagene). Hybridization was performed overnight at 65 °C in 6 X SSPE; 0.3% SDS; 5X Denhardt's. Filters were washed at 65 °C in 0.1 X SSPE/ 0.3% SDS. After four rounds of screening and plaque purification, positive phages were transformed into Bluescript phagemids (Stratagene, LA Jolla, CA) by *in vitro* excision. The excised cDNA DNA sequence was determined using a modified dideoxynucleotide protocol and Sequenase version 2.1. The partial α_{1I} cDNA isolated consisted of 1,080 base pairs of coding region representing 360 amino acids (SEQ. ID NOS. 34, 35).

Example 2

Full Length Rat Subunits

Double-stranded DNA sequencing of the purified recombinant phagemids from rat brain showed that additional α_{1G} and α_{1I} calcium channel cDNAs overlapped with the original partial length cDNAs and together encoded complete protein coding regions as

well as portions of their respective 5' and 3' non-coding untranslated regions. (SEQ. ID NOS. 23 and 27, respectively) In addition to the α_{1G} and α_{1I} calcium channel classes, DNA sequencing of the recombinant phagemids also identified a third class of calcium channel α_1 subunit: designated as the α_{1H} calcium channel subunit. The partial length α_{1H} calcium channel cDNAs overlapped and together encoded a complete α_{1H} coding region as well as portions of the 5' and 3' untranslated regions (SEQ. ID. NO. 25).

Electrophysiological studies were performed on transiently-transfected human embryonic kidney cells (HEK-tsa201) prepared using the general protocol above. Transfection was carried out by standard calcium phosphate precipitation. (Okayama *et al.*, 1991, *Methods in Molec. Biol.*, Vol. 7, ed. Murray, E.J.). For maintenance, HEK-tsa201 cells were cultured until approximately 70% confluent, the media removed and cells dispersed with trypsin and gentle trituration. Cells were then diluted 1:10 in culture medium (10% FBS, DMEM plus L-glutamine, pen-stp) warmed to 37°C and plated onto tissue culture dishes. For transient transfection, 0.5 mM CaCl_2 was mixed with a total of 20 μg of DNA (consisting of 3 μg of either rat brain α_{1G} or α_{1I} calcium channel cDNA, 2 μg of CD8 plasmid marker, and 15 μg of Bluescript plasmid carrier DNA). The DNA mixture was mixed thoroughly and then slowly added dropwise to 0.5 ml of 2 times HeBS (274 mM NaCl, 20mM D-glucose, 10mM KCl, 1.4 mM Na_2HPO_4 , 40 mM Hepes (pH=7.05). After incubation at room temperature for 20 min, 100 μl of the DNA mixture was slowly added to each dish of HEK-tsa201 cells and then incubated at 37°C for 24 to 48 hours in a tissue culture incubator (5% CO_2).

Positive transfectant cells were identified visually by addition of 1 μl of mouse CD8 (Lyt2) Dynabeads directly to the recording solution and gentle swirling to mix. Whole cell patch clamp readings were carried out with an Axopatch 200A amplifier (Axon Instruments) as described previously. (Zamponi *et al.*, 1997, *Nature* 385: 442-446). The external recording solution was 2 mM CaCl_2 , 1 mM MgCl_2 , 10 mM HEPES, 40 mM TEA-Cl, 10 mM glucose, 92 mM CsCl, pH=7.2 with TEA-hydroxide. The internal pipette solutions was 105 mM CsCl, 25 mM TEA-Cl, 1mM CaCl_2 , 11 mM EGTA, 10 mM HEPES, pH 7.2 with NaOH.

For determination of current-voltage (I-V) relationships, cells were held at a resting potential of -100 mV and then stepped to various depolarizing test potentials. For

steady-state inactivation, cells were held at various potentials for 20 sec. and currents recorded during a subsequent test pulse to the peak potential of the I-V. Leak currents and capacitative transients were subtracted using a P/5 procedure.

Figs. 1-4 show the results obtained for HEK cells transfected with and expressing the cDNA of sequences ID Nos. 23 and 27, which correspond to the subunits designated as α_{1G} and α_{1I} . Figs. 1A and B and 2A and B shows a comparison of the waveforms and current-voltage relationship for the two channel subunit types. In the presence of recording solution containing 2mM Ca^{2+} , both the α_{1G} and α_{1I} channel subunits exhibit activation properties consistent with native T-type calcium currents. Figs. 1A and 2A show the subunit calcium current from a cell held at -120 mV and depolarized to a series of test potentials. Figs. 1B and 2B show the magnitude of the calcium current. From a holding potential of -110 mV, both channel first activate at approximately -70 mV and peak currents are obtained between -40 and -50 mV. Upon depolarization to various test potentials, the current waveforms of the α_{1G} and α_{1I} calcium channels exhibit an overlapping pattern characteristic of native T-type channels in nerve, muscle and endocrine cells.

Fig. 3 shows steady-state inactivation profiles for the α_{1G} and α_{1I} calcium channels in HEK 293 cells transiently transformed with full length cDNAs (SEQ ID NOS. 23 or 27) for α_{1G} or α_{1I} subunits. Steady state inactivation properties were determined by stepping from -120 mV to prepulse holding potentials between -120 mV and -50 mV for 15 sec., prior to a test potential of -30 mV. The data are plotted as normalized whole cell current versus prepulse holding potential and show that α_{1G} exhibits a V_{50} of approximately -85 mV and α_{1I} a V_{50} of approximately -93 mV. Thus, consistent with native T-type calcium channels, both of the α_{1G} and α_{1I} calcium channels exhibit pronounced steady-state inactivation at negative potentials.

Figs. 4A-C show a comparison of the voltage-dependent deactivation profiles of the α_{1G} and α_{1I} calcium channels. HEK 293 cells were transiently transfected with either an α_{1G} or α_{1I} subunit cDNA (SEQ. ID NO. 23 or 27). The deactivation properties of α_{1G} were determined by stepping from a holding potential of -100 mV to -40mV for 9 msec, and then to potentials between -120 mV and -45 mV. The deactivation properties of α_{1I} were determined by stepping from a holding potential of -100 mV to -40 mV for 20

msec, and then to potentials between -120 mV and -45 mV. Both channels exhibit slow deactivation kinetics compared to typical high-threshold channels, and is consistent with the α_{1G} and α_{1I} subunits being subunits for T-type calcium channels

Example 3

5 Cloning of a Full Length cDNA for the Human α_{1G} T-Type Calcium Channel Subunit

Materials and Methods:

A full length cDNA encoding the human α_{1G} subunit was constructed from 5 overlapping clones (Figure 1B) isolated from a human thalamus cDNA library constructed in λ gt11 vector (Clontech, Cat#HL5009b).s

10 Three λ gt11 cDNA clones were isolated by conventional filter hybridization.

Clone 1 was identified by hybridization to a 567 bp cDNA probe (SEQ. ID. NO: 19) containing the transmembrane region S4 to S6 of domain I of the previously cloned human neuronal α_{1I} T-type calcium channel subunit. Clones HG10-1112 and HG5-1211 were identified by hybridization to a 1265 bp cDNA probe of the rat α_{1H} T-type calcium channel subunit spanning domain II and part of the II-III intracellular loop. cDNA probes were 32 P-dCTP labeled by random priming using a Multiprime DNA labeling system (Amersham Pharmacia). Plaque lifts using H-bond nylon membranes were done in duplicate following the standard protocols supplied by manufacturer (Amersham Pharmacia). Hybridization was performed for at least 16 hrs at 65°C for clone 1 and for at least 16 hrs at 58°C, clones HG10-1112 and HG5-1211. Membranes were washed in 0.1X SSC/0.3% SDS at 62°C for clone 1 and 0.2X SSC/0.1% SDS at 58°C clones HG10-1112 and HG5-1211. Blots were exposed to BioMax MS Kodak film with Kodak HE intensifying screens for at least 48 hrs at -80°C. Double positive plaques were isolated and re-screened to isolate single clones according to the procedure above.

25 Bacteriophage DNA's were then isolated according to the λ gt11 library User Manual (Clontech). Clone 1 cDNA insert was excised with EcoRI (NEB) and subcloned into pBluescriptKS (Stratagene). Clones HG10-1112 and HG5-1211 cDNA inserts were excised from λ DNA with Not I (NEB) and subcloned into the Not I site of pBluescriptKS. Plasmids with cDNA inserts were transformed by electroporation into

XL-I *E. coli* host strain bacteria and sequenced using universal reverse and forward primers according to Sanger double stranded DNA sequencing method in combination with automatic sequencing ABI 100 PRISM model 377 Version 3.3 (PE Biosystems).

Clone 1 was identified as a human α_{1G} subunit containing the 5'UTR and 1933 bp of the in-frame coding region, including part of the intracellular I-II loop. Clone HG10-1112 was identified as a human α_{1G} subunit of 3915 bp, spanning DomainI (S5-S6) to the III-IV loop. Clone HG5-1211 was identified as human α_{1G} subunit of 3984 bp containing the I-II linker and C-terminus.

For expression in HEK cells, removal of 5' UTR from clone 1 was achieved by replacing 5'UTR DNA fragment flanked by Hind III/SacII restriction sites with 5' end - 291 bp cDNA fragment, containing translation start site and an incorporated Hind III site for subsequent cloning into pcDNA3.1 (Invitrogen). Following PCR conditions were used: 94°C -30 sec, 45°C -30 sec, 72°C -30 sec for 5 cycles and followed by 94°C -30 sec, 48°C -30 sec, 72°C -30 sec for 20 cycles (Bio-rad Gene Cyclor). The cDNA fragment was subcloned into p-Gem-T-Easy plasmid vector (Promega) and the DNA sequence determined.

The remaining region of the 3' α_{1G} subunit cDNA was obtained using the PCR method on a human thalamus cDNA library with primers MD19-sense (5'GCG TGG AGC TCT TTG GAG 3') and G26- antisense (5' GCA CCC AGT GGA GAA AGG TG 3'). The PCR protocol used was 94°C -30 sec, 58°C -30 sec, 72°C -30 sec for 25 cycles (Bio-rad Gene Cyclor). A cDNA fragment of 1617 bp was subcloned into p-Gem-T-Easy plasmid vector (Promega) and sequenced. The 3'PCR cDNA was identified as a human α_{1G} subunit spanning from Domain IV-S5 to the carboxyl terminus including the stop codon.

Unique restriction sites (Figures 5A and B) of the partial cDNA clones were used to construct the full length human α_{1G} T-type calcium channel in pcDNA3.1 Zeo (+) (Invitrogen) mammalian expression vector.

The complete nucleotide and amino acid sequences are shown in Figure 6.

In order to determine the functional properties of the human α_{1G} channel standard calcium-phosphate transfection was used to transiently express the channel in HEK ts201

cells. Cells were cultured in Dulbecco's modified eagle medium (DMEM) supplemented with 10% fetal bovine serum, 200 U/ml penicillin and 0.2 mg/ml streptomycin at 37°C with 5% CO₂. At 85% confluency cells were split with 0.25% trypsin/1 mM EDTA and plated at 10% confluency on glass coverslips. At 12 hours the medium was replaced and the cells transiently transfected using a standard calcium phosphate protocol and the α_{1G} calcium channel cDNA. Fresh DMEM was supplied and the cells transferred to 28°C/5% CO₂. Cells were incubated for 1 to 2 days prior to whole cell recording. Whole cell patch recordings were performed using an Axopatch 200B amplifier (Axon Instruments) linked to an IBM compatible personal computer equipped with pCLAMP version 7.0 software. The intrapipette solution contained (in mM): 105 CsCl, 25 CsCl, 1 CaCl₂, 11 EGTA, 10 HEPES, pH 7.2. The extracellular solution contained (in mM): 40 TEA-Cl, 2 CaCl₂, 1 MgCl₂, 92 CsCl, 10 glucose, 10 HEPES, pH 7.2.

Figure 7 shows that the human α_{1G} cDNA encodes a calcium channel with typical properties of a T-type current. The left panel illustrates representative current traces obtained from a holding potential of -100 mV to test pulses potentials of -90 mV to +20 mV. The traces show a typical crossover pattern and considerable inactivation during the test pulse, both of which are consistent with native T-type channels. The right panel shows a plot of the peak whole current at various test potentials and indicates that the human α_{1G} cDNA first activates near -60 mV with maximal current near -40 mV, which is also consistent with native low-threshold T-type calcium channels.

Claims

1. A DNA molecule which comprises an expression cassette wherein said expression cassette comprises a nucleotide sequence encoding a T-type calcium channel α_1 subunit, said encoding sequence operably linked to control sequences to effect its expression.

2. The DNA molecule of claim 1 wherein said α_1 subunit is α_{1G} , α_{1H} , or α_{1I} .

3. The DNA molecule of claim 2 wherein said α_1 subunit is derived from a mammal.

4. Recombinant host cells modified to contain the DNA molecule of any of claims 1-3.

5. The cells of claim 4 which are mammalian cells.

6. A method to effect production of a functional calcium channel which method comprises culturing the cells of claim 4 or 5 under conditions wherein said functional calcium channels are produced.

7. A method to identify a compound which is a modulator for T-type mammalian calcium channels, which method comprises contacting the cells employed in the method of claim 6 with said compound and assessing the effect of said compound on said cells.

8. A T-type calcium channel modulator identified by the method of claim 7.

9. A method to treat conditions characterized by undesirable levels of T-type calcium channel activity which method comprises administering to a subject in need of such treatment an effective amount of the modulator of claim 8.

10. The method of claim 9 wherein said condition is cardiac hypertrophy, cardiac arrhythmia, hypertension, a sleep disorder, or epilepsy.

11. A DNA molecule which comprises an expression system for a nucleotide sequence which is complementary to the nucleotide sequence encoding a T-type calcium channel α_1 subunit or which forms a triple helix with DNA comprising said encoding sequence.

12. A method to treat a condition characterized by an undesirable level of T-type calcium channel activity which method comprises administering to a subject in need of such treatment an effective amount of the DNA molecule of claim 11.

13. The method of claim 12 wherein said condition is cardiac hypertrophy, cardiac arrhythmia, hypertension, a sleep disorder, or epilepsy.

14. An oligonucleotide which consists essentially of a nucleotide sequence characteristic of a T-type calcium channel α_1 subunit, said oligonucleotide coupled to or comprising a detectable label.

15. A method to map the distribution of T-type calcium channels in a tissue which method comprises contacting said tissue with the oligonucleotide of claim 14.

16. Antibodies specifically immunoreactive with the extracellular portions of a T-type calcium channel.

17. A method to map the distribution of T-type calcium channels in a tissue which method comprises contacting said tissue with the antibodies of claim 16.

ABSTRACT OF THE DISCLOSURE

Sequences and partial sequences for three types of mammalian (human and rat sequences identified) T-type calcium channel subunits which we have labeled as the α_{1G} , α_{1H} and α_{1I} subunits are provided. Knowledge of the sequence of these calcium channel permits the localization and recovery of the complete sequence from human cells, and the development of cell lines which express the novel calcium channels of the invention. These cells may be used for identifying compounds capable of acting as agonists or antagonists to the calcium channels.

α_{1G}




Fig. 1A




Fig. 1B

α_{11}




Fig. 2A




Fig. 2 B

Steady-state inactivation




Fig. 3

009040-1960

Deactivation





Fig. 4A


α_{1I}

Fig. 4B



α_{1G}

Fig. 4C



5

Figure A. α 1G cDNA construct






Figure B. α 1G cDNA CLONES



Human $\alpha 1$ G T-type calcium channel cDNA

1 aagcttgcttgcccctctccggatcgcccggggccccggctggccagagg ATG GAC GAG GAG GAG GAT GGA 71
1 M D E E E D G 7
72 GCG GGC GCC GAG GAG TCG GGA CAG CCC CGG AGC TTC ATG CGG CTC AAC GAC CTG TCG GGG 131
8 A G A E E S G Q P R S F M R L N D L S G 27
132 GCC GGG GGC CGG CCG GGG CCG GGG TCA GCA GAA AAG GAC CCG GGC AGC GCG GAC TCC GAG 191
28 A G G R P G P G S A E K D P G S A D S E 47
192 GCG GAG GGG CTG CCG TAC CCG GCG CTG GCC CCG GTG GTT TTC TTC TAC TTG AGC CAG GAC 251
48 A E G L P Y P A L A P V V F F Y L S Q D 67
252 AGC CGC CCG CGG AGC TGG TGT CTC CGC ACG GTC TGT AAC CCC TGG TTT GAG CGC ATC AGC 311
68 S R P R S W C L R T V C N P W F E R I S 87
312 ATG TTG GTC ATC CTT CTC AAC TGC GTG ACC CTG GGC ATG TTC CGG CCA TGC GAG GAC ATC 371
88 M L V I L L N C V T L G M F R P C E D I 107
372 GCC TGT GAC TCC CAG CGC TGC CGG ATC CTG CAG GCC TTT GAT GAC TTC ATC TTT GCC TTC 431
108 A C D S Q R C R I L Q A F D D F I F A F 127
432 TTT GCC GTG GAG ATG GTG GTG AAG ATG GTG GCC TTG GGC ATC TTT GGG AAA AAG TGT TAC 491
128 F A V E M V V K M V A L G I F G K K C Y 147
492 CTG GGA GAC ACT TGG AAC CGG CTT GAC TTT TTC ATC GTC ATC GCA GGG ATG CTG GAG TAC 551
148 L G D T W N R L D F F I V I A G M L E Y 167
552 TCG CTG GAC CTG CAG AAC GTC AGC TTC TCA GCT GTC AGG ACA GTC CGT GTG CTG CGA CCG 611
168 S L D L Q N V S F S A V R T V R V L R P 187
612 CTC AGG GCC ATT AAC CGG GTG CCC AGC ATG CGC ATC CTT GTC ACG TTG CTG CTG GAT ACG 671
188 L R A I N R V P S M R I L V T L L L D T 207
672 CTG CCC ATG CTG GGC AAC GTC CTG CTG CTC TGC TTC TTC GTC TTC TTC ATC TTC GGC ATC 731
208 L P M L G N V L L L C F F V F F I F G I 227
732 GTC GGC GTC CAG CTG TGG GCA GGG CTG CTT CGG AAC CGA TGC TTC CTA CCT GAG AAT TTC 791
228 V G V Q L W A G L L R N R C F L P E N F 247
792 AGC CTC CCC CTG AGC GTG GAC CTG GAG CGC TAT TAC CAG ACA GAG AAC GAG GAT GAG AGC 851
248 S L P L S V D L E R Y Y Q T E N E D E S 267
852 CCC TTC ATC TGC TCC CAG CCA CGC GAG AAC GGC ATG CGG TCC TGC AGA AGC GTG CCC ACG 911
268 P F I C S Q P R E N G M R S C R S V P T 287
912 CTG CGC GGG GAC GGG GGC GGT GGC CCA CCT TGC GGT CTG GAC TAT GAG GCC TAC AAC AGC 971
288 L R G D G G G G P P C G L D Y E A Y N S 307
972 TCC AGC AAC ACC ACC TGT GTC AAC TGG AAC CAG TAC TAC ACC AAC TGC TCA GCG GGG GAG 1031
308 S S N T T C V N W N Q Y Y T N C S A G E 327
1032 CAC AAC CCC TTC AAG GGC GCC ATC AAC TTT GAC AAC ATT GGC TAT GCC TGG ATC GCC ATC 1091
328 H N P F K G A I N F D N I G Y A W I A I 347
1092 TTC CAG GTC ATC ACG CTG GAG GGC TGG GTC GAC ATC ATG TAC TTT GTG ATG GAT GCT CAT 1151
348 F Q V I T L E G W V D I M Y F V M D A H 367
1152 TCC TTC TAC AAT TTC ATC TAC TTC ATC CTC CTC ATC ATC GTG GGC TCC TTC TTC ATG ATC 1211
368 S F Y N F I Y F I L L I I V G S F F M I 387
1212 AAC CTG TGC CTG GTG GTG ATT GCC ACG CAG TTC TCA GAG ACC AAG CAG CGG GAA AGC CAG 1271
388 N L C L V V I A T Q F S E T K Q R E S Q 407
1272 CTG ATG CGG GAG CAG CGT GTG CGG TTC CTG TCC AAC GCC AGC ACC CTG GCT AGC TTC TCT 1331
408 L M R E Q R V R F L S N A S T L A S F S 427
1332 GAG CCC GGC AGC TGC TAT GAG GAG CTG CTC AAG TAC CTG GTG TAC ATC CTT CGT AAG GCA 1391
428 E P G S C Y E E L L K Y L V Y I L R K A 447

Figure 6

1392 GCC CGC AGG CTG GCT CAG GTC TCT CGG GCA GCA GGT GTG CGG GTT GGG CTG CTC AGC AGC 1451
448 A R R L A Q V S R A A G V R V G L L S S 467

1452 CCA GCA CCC CTC GGG GGC CAG GAG ACC CAG CCC AGC AGC AGC TGC TCT CGC TCC CAC CGC 1511
468 P A P L G G Q E T Q P S S S C S R S H R 487

1512 CGC CTA TCC GTC CAC CAC CTG GTG CAC CAC CAC CAC CAC CAT CAC CAC CAC TAC CAC CTG 1571
488 R L S V H H L V H H H H H H H H H Y H L 507

1572 GGC AAT GGG ACG CTC AGG GCC CCC CGG GCC AGC CCG GAG ATC CAG GAC AGG GAT GCC AAT 1631
508 G N G T L R A P R A S P E I Q D R D A N 527

1632 GGG TCC CGC AGG CTC ATG CTG CCA CCA CCC TCG ACG CCT GCC CTC TCC GGG GCC CCC CCT 1691
528 G S R R L M L P P P S T P A L S G A P P 547

1692 GGT GGC GCA GAG TCT GTG CAC AGC TTC TAC CAT GCC GAC TGC CAC TTA GAG CCA GTC CGC 1751
548 G G A E S V H S F Y H A D C H L E P V R 567

1752 TGC CAG GCG CCC CCT CCC AGG TCC CCA TCT GAG GCA TCC GGC AGG ACT GTG GGC AGC GGG 1811
568 C Q A P P P R S P S E A S G R T V G S G 587

1812 AAG GTG TAT CCC ACC GTG CAC ACC AGC CCT CCA CCG GAG ACG CTG AAG GAG AAG GCA CTA 1871
588 K V Y P T V H T S P P P E T L K E K A L 607

1872 GTA GAG GTG GCT GCC AGC TCT GGG CCC CCA ACC CTC ACC AGC CTC AAC ATC CCA CCC GGG 1931
608 V E V A A S S G P P T L T S L N I P P G 627

1932 CCC TAC AGC TCC ATG CAC AAG CTG CTG GAG ACA CAG AGT ACA GGT GCC TGC CAA AGC TCT 1991
628 P Y S S M H K L L E T Q S T G A C Q S S 647

1992 TGC AAG ATC TCC AGC CCT TGC TTG AAA GCA GAC AGT GGA GCC TGT GGT CCA GAC AGC TGC 2051
648 C K I S S P C L K A D S G A C G P D S C 667

2052 CCC TAC TGT GCC CGG GCC GGG GCA GGG GAG GTG GAG CTC GCC GAC CGT GAA ATG CCT GAC 2111
668 P Y C A R A G A G E V E L A D R E M P D 687

2112 TCA GAC AGC GAG GCA GTT TAT GAG TTC ACA CAG GAT GCC CAG CAC AGC GAC CTC CGG GAC 2171
688 S D S E A V Y E F T Q D A Q H S D L R D 707

2172 CCC CAC AGC CGG CGG CAA CGG AGC CTG GGC CCA GAT GCA GAG CCC AGC TCT GTG CTG GCC 2231
708 P H S R R Q R S L G P D A E P S S V L A 727

2232 TTC TGG AGG CTA ATC TGT GAC ACC TTC CGA AAG ATT GTG GAC AGC AAG TAC TTT GGC CGG 2291
728 F W R L I C D T F R K I V D S K Y F G R 747

2292 GGA ATC ATG ATC GCC ATC CTG GTC AAC ACA CTC AGC ATG GGC ATC GAA TAC CAC GAG CAG 2351
748 G I M I A I L V N T L S M G I E Y H E Q 767

2352 CCC GAG GAG CTT ACC AAC GCC CTA GAA ATC AGC AAC ATC GTC TTC ACC AGC CTC TTT GCC 2411
768 P E E L T N A L E I S N I V F T S L F A 787

2412 CTG GAG ATG CTG CTG AAG CTG CTT GTG TAT GGT CCC TTT GGC TAC ATC AAG AAT CCC TAC 2471
788 L E M L L K L L V Y G P F G Y I K N P Y 807

2472 AAC ATC TTC GAT GGT GTC ATT GTG GTC ATC AGC GTG TGG GAG ATC GTG GGC CAG CAG GGG 2531
808 N I F D G V I V V I S V W E I V G Q Q G 827

2532 GGC GGC CTG TCG GTG CTG CGG ACC TTC CGC CTG ATG CGT GTG CTG AAG CTG GTG CGC TTC 2591
828 G G L S V L R T F R L M R V L K L V R F 847

2592 CTG CCG GCG CTG CAG CGG CAG CTG GTG GTG CTC ATG AAG ACC ATG GAC AAC GTG GCC ACC 2651
848 L P A L Q R Q L V V L M K T M D N V A T 867

2652 TTC TGC ATG CTG CTT ATG CTC TTC ATC TTC ATC TTC AGC ATC CTG GGC ATG CAT CTC TTC 2711
868 F C M L L M L F I F I F S I L G M H L F 887

2712 GGC TGC AAG TTT GCC TCT GAG CGG GAT GGG GAC ACC CTG CCA GAC CGG AAG AAT TTT GAC 2771
888 G C K F A S E R D G D T L P D R K N F D 907

2772 TCC TTG CTC TGG GCC ATC GTC ACT GTC TTT CAG ATC CTG ACC CAG GAG GAC TGG AAC AAA 2831
908 S L L W A I V T V F Q I L T Q E D W N K 927

2832 GTC CTC TAC AAT GGT ATG GCC TCC ACG TCG TCC TGG GCG GCC CTT TAT TTC ATT GCC CTC 2891
928 V L Y N G M A S T S S W A A L Y F I A L 947

2892 ATG ACC TTC GGC AAC TAC GTG CTC TTC AAT TTG CTG GTC GCC ATT CTG GTG GAG GGC TTC 2951

sd-7045

4452	AAC	TTT	GAC	AAC	CTT	GGC	CAG	GCC	CTG	ATG	TCC	CTG	TTC	GTT	TTG	GCC	TCC	AAG	GAT	GGT	4511
1468	N	F	D	N	L	G	Q	A	L	M	S	L	F	V	L	A	S	K	D	G	1487
4512	TGG	GTG	GAC	ATC	ATG	TAC	GAT	GGG	CTG	GAT	GCT	GTG	GGC	GTG	GAC	CAG	CAG	CCC	ATC	ATG	4571
1488	W	V	D	I	M	Y	D	G	L	D	A	V	G	V	D	Q	Q	P	I	M	1507
4572	AAC	CAC	AAC	CCC	TGG	ATG	CTG	CTG	TAC	TTC	ATC	TCG	TTC	CTG	CTC	ATT	GTG	GCC	TTC	TTT	4631
1508	N	H	N	P	W	M	L	L	Y	F	I	S	F	L	L	I	V	A	F	F	1527
4632	GTC	CTG	AAC	ATG	TTT	GTG	GGT	GTG	GTG	GTG	GAG	AAC	TTC	CAC	AAG	TGT	AGG	CAG	CAC	CAG	4691
1528	V	L	N	M	F	V	G	V	V	V	E	N	F	H	K	C	R	Q	H	Q	1547
4692	GAG	GAA	GAG	GAG	GCC	CGG	CGG	CGG	GAG	GAG	AAG	CGC	CTA	CGA	AGA	CTG	GAG	AAA	AAG	AGA	4751
1548	E	E	E	E	A	R	R	R	E	E	K	R	L	R	R	L	E	K	K	R	1567
4752	AGG	AAA	GCC	CAG	TGC	AAA	CCT	TAC	TAC	TCC	GAC	TAC	TCC	CGC	TTC	CGG	CTC	CTC	GTC	CAC	4811
1568	R	K	A	Q	C	K	P	Y	Y	S	D	Y	S	R	F	R	L	L	V	H	1587
4812	CAC	TTG	TGC	ACC	AGC	CAC	TAC	CTG	GAC	CTC	TTC	ATC	ACA	GGT	GTC	ATC	GGG	CTG	AAC	GTG	4871
1588	H	L	C	T	S	H	Y	L	D	L	F	I	T	G	V	I	G	L	N	V	1607
4872	GTC	ACC	ATG	GCC	ATG	GAG	CAC	TAC	CAG	CAG	CCC	CAG	ATT	CTG	GAT	GAG	GCT	CTG	AAG	ATC	4931
1608	V	T	M	A	M	E	H	Y	Q	Q	P	Q	I	L	D	E	A	L	K	I	1627
4932	TGC	AAC	TAC	ATC	TTC	ACT	GTC	ATC	TTT	GTC	TTG	GAG	TCA	GTT	TTC	AAA	CTT	GTG	GCC	TTT	4991
1628	C	N	Y	I	F	T	V	I	F	V	L	E	S	V	F	K	L	V	A	F	1647
4992	GGT	TTC	CGT	CGG	TTC	TTC	CAG	GAC	AGG	TGG	AAC	CAG	CTG	GAC	CTG	GCC	ATT	GTG	CTG	CTG	5051
1648	G	F	R	R	F	F	Q	D	R	W	N	Q	L	D	L	A	I	V	L	L	1667
5052	TCC	ATC	ATG	GGC	ATC	ACG	CTG	GAG	GAA	ATC	GAG	GTC	AAC	GCC	TCG	CTG	CCC	ATC	AAC	CCC	5111
1668	S	I	M	G	I	T	L	E	E	I	E	V	N	A	S	L	P	I	N	P	1687
5112	ACC	ATC	ATC	CGC	ATC	ATG	AGG	GTG	CTG	CGC	ATT	GCC	CGA	GTG	CTG	AAG	CTG	CTG	AAG	ATG	5171
1688	T	I	I	R	I	M	R	V	L	R	I	A	R	V	L	K	L	L	K	M	1707
5172	GCT	GTG	GGC	ATG	CGG	GCG	CTG	CTG	GAC	ACG	GTG	ATG	CAG	GCC	CTG	CCC	CAG	GTG	GGG	AAC	5231
1708	A	V	G	M	R	A	L	L	D	T	V	M	Q	A	L	P	Q	V	G	N	1727
5232	CTG	GGA	CTT	CTC	TTC	ATG	TTG	TTG	TTT	TTC	ATC	TTT	GCA	GCT	CTG	GGC	GTG	GAG	CTC	TTT	5291
1728	L	G	L	L	F	M	L	L	F	F	I	F	A	A	L	G	V	E	L	F	1747
5292	GGA	GAC	CTG	GAG	TGT	GAC	GAG	ACA	CAC	CCC	TGT	GAG	GGC	CTG	GGC	CGT	CAT	GCC	ACC	TTT	5351
1748	G	D	L	E	C	D	E	T	H	P	C	E	G	L	G	R	H	A	T	F	1767
5352	CGG	AAC	TTT	GGC	ATG	GCC	TTC	CTA	ACC	CTC	TTC	CGA	GTC	TCC	ACA	GGT	GAC	AAT	TGG	AAT	5411
1768	R	N	F	G	M	A	F	L	T	L	F	R	V	S	T	G	D	N	W	N	1787
5412	GGC	ATT	ATG	AAG	GAC	ACC	CTC	CGG	GAC	TGT	GAC	CAG	GAG	TCC	ACC	TGC	TAC	AAC	ACG	GTC	5471
1788	G	I	M	K	D	T	L	R	D	C	D	Q	E	S	T	C	Y	N	T	V	1807
5472	ATC	TCG	CCT	ATC	TAC	TTT	GTG	TCC	TTC	GTG	CTG	ACG	GCC	CAG	TTC	GTG	CTA	GTC	AAC	GTG	5531
1808	I	S	P	I	Y	F	V	S	F	V	L	T	A	Q	F	V	L	V	N	V	1827
5532	GTG	ATC	GCC	GTG	CTG	ATG	AAG	CAC	CTG	GAG	GAG	AGC	AAC	AAG	GAG	GCC	AAG	GAG	GAG	GCC	5591
1828	V	I	A	V	L	M	K	H	L	E	E	S	N	K	E	A	K	E	E	A	1847
5592	GAG	CTA	GAG	GCT	GAG	CTG	GAG	CTG	GAG	ATG	AAG	ACC	CTC	AGC	CCC	CAG	CCC	CAC	TCG	CCA	5651
1848	E	L	E	A	E	L	E	L	E	M	K	T	L	S	P	Q	P	H	S	P	1867
5652	CTG	GGC	AGC	CCC	TTC	CTC	TGG	CCT	GGG	GTC	GAG	GGC	CCC	GAC	AGC	CCC	GAC	AGC	CCC	AAG	5711
1868	L	G	S	P	F	L	W	P	G	V	E	G	P	D	S	P	D	S	P	K	1887
5712	CCT	GGG	GCT	CTG	CAC	CCA	GCG	GCC	CAC	GCG	AGA	TCA	GCC	TCC	CAC	TTT	TCC	CTG	GAG	CAC	5771
1888	P	G	A	L	H	P	A	A	H	A	R	S	A	S	H	F	S	L	E	H	1907
5772	CCC	ACG	ATG	CAG	CCC	CAC	CCC	ACG	GAG	CTG	CCA	GGA	CCA	GAC	TTA	CTG	ACT	GTG	CGG	AAG	5831
1908	P	T	M	Q	P	H	P	T	E	L	P	G	P	D	L	L	T	V	R	K	1927
5832	TCT	GGG	GTC	AGC	CGA	ACG	CAC	TCT	CTG	CCC	AAT	GAC	AGC	TAC	ATG	TGT	CGG	CAT	GGG	AGC	5891
1928	S	G	V	S	R	T	H	S	L	P	N	D	S	Y	M	C	R	H	G	S	1947
5892	ACT	GCC	GAG	GGG	CCC	CTG	GGA	CAC	AGG	GGC	TGG	GGG	CTC	CCC	AAA	GCT	CAG	TCA	GGC	TCC	5951
1948	T	A	E	G	P	L	G	H	R	G	W	G	L	P	K	A	Q	S	G	S	1967

5952	GTC	TTG	TCC	GTT	CAC	TCC	CAG	CCA	GCA	GAT	ACC	AGC	TAC	ATC	CTG	CAG	CTT	CCC	AAA	GAT	6011
1968	V	L	S	V	H	S	Q	P	A	D	T	S	Y	I	L	Q	L	P	K	D	1987
6012	GCA	CCT	CAT	CTG	CTC	CAG	CCC	CAC	AGC	GCC	CCA	ACC	TGG	GGC	ACC	ATC	CCC	AAA	CTG	CCC	6071
1988	A	P	H	L	L	Q	P	H	S	A	P	T	W	G	T	I	P	K	L	P	2007
6072	CCA	CCA	GGA	CGC	TCC	CCT	TTG	GCT	CAG	AGG	CCA	CTC	AGG	CGC	CAG	GCA	GCA	ATA	AGG	ACT	6131
2008	P	P	G	R	S	P	L	A	Q	R	P	L	R	R	Q	A	A	I	R	T	2027
6132	GAC	TCC	TTG	GAC	GTT	CAG	GGT	CTG	GGC	AGC	CGG	GAA	GAC	CTG	CTG	GCA	GAG	GTG	AGT	GGG	6191
2028	D	S	L	D	V	Q	G	L	G	S	R	E	D	L	L	A	E	V	S	G	2047
6192	CCC	TCC	CCG	CCC	CTG	GCC	CGG	GCC	TAC	TCT	TTC	TGG	GGC	CAG	TCA	AGT	ACC	CAG	GCA	CAG	6251
2048	P	S	P	P	L	A	R	A	Y	S	F	W	G	Q	S	S	T	Q	A	Q	2067
6252	CAG	CAC	TCC	CGC	AGC	CAC	AGC	AAG	ATC	TCC	AAG	CAC	ATG	ACC	CCG	CCA	GCC	CCT	TGC	CCA	6311
2068	Q	H	S	R	S	H	S	K	I	S	K	H	M	T	P	P	A	P	C	P	2087
6312	GGC	CCA	GAA	CCC	AAC	TGG	GGC	AAG	GGC	CCT	CCA	GAG	ACC	AGA	AGC	AGC	TTA	GAG	TTG	GAC	6371
2088	G	P	E	P	N	W	G	K	G	P	P	E	T	R	S	S	L	E	L	D	2107
6372	ACG	GAG	CTG	AGC	TGG	ATT	TCA	GGA	GAC	CTC	CTG	CCC	CCT	GGC	GGC	CAG	GAG	GAG	CCC	CCA	6431
2108	T	E	L	S	W	I	S	G	D	L	L	P	P	G	G	Q	E	E	P	P	2127
6432	TCC	CCA	CGG	GAC	CTG	AAG	AAG	TGC	TAC	AGC	GTG	GAG	GCC	CAG	AGC	TGC	CAG	CGC	CGG	CCT	6491
2128	S	P	R	D	L	K	K	C	Y	S	V	E	A	Q	S	C	Q	R	R	P	2147
6492	ACG	TCC	TGG	CTG	GAT	GAG	CAG	AGG	AGA	CAC	TCT	ATC	GCC	GTC	AGC	TGC	CTG	GAC	AGC	GGC	6551
2148	T	S	W	L	D	E	Q	R	R	H	S	I	A	V	S	C	L	D	S	G	2167
6552	TCC	CAA	CCC	CAC	CTG	GGC	ACA	GAC	CCC	TCT	AAC	CTT	GGG	GGC	CAG	CCT	CTT	GGG	GGG	CCT	6611
2168	S	Q	P	H	L	G	T	D	P	S	N	L	G	G	Q	P	L	G	G	P	2187
6612	GGG	AGC	CGG	CCC	AAG	AAA	AAA	CTC	AGC	CCG	CCT	AGT	ATC	ACC	ATA	GAC	CCC	CCC	GAG	AGC	6671
2188	G	S	R	P	K	K	K	L	S	P	P	S	I	T	I	D	P	P	E	S	2207
6672	CAA	GGT	CCT	CGG	ACC	CCG	CCC	AGC	CCT	GGT	ATC	TGC	CTC	CGG	AGG	AGG	GCT	CCG	TCC	AGC	6731
2208	Q	G	P	R	T	P	P	S	P	G	I	C	L	R	R	R	A	P	S	S	2227
6732	GAC	TCC	AAG	GAT	CCC	TTG	GCC	TCT	GGC	CCC	CCT	GAC	AGC	ATG	GCT	GCC	TCG	CCC	TCC	CCA	6791
2228	D	S	K	D	P	L	A	S	G	P	P	D	S	M	A	A	S	P	S	P	2247
6792	AAG	AAA	GAT	GTG	CTG	AGT	CTC	TCC	GGT	TTA	TCC	TCT	GAC	CCA	GCA	GAC	CTG	GAC	CCC	TGA	6851
2248	K	K	D	V	L	S	L	S	G	L	S	S	D	P	A	D	L	D	P	*	2267
6852	gtcctgccccacttttcccactcaccttttctccaactgggtgc																				6892

00641257-070600

α_{1G} human 2 mM Ca^{2+}




Figure 7
006167
070600

COMPARISON OF P-REGIONS

I	II	III	IV	
LAASE E GWVYV	QIITQ E GWTDF	ETLSF K GWNVI	RCLTG E DWNDI	NIC-1 (C11D2.6)
LAASQ E GWVYV	QIITQ E GWTDV	ETLSY K GWNVV	RSVTG E DWNDI	NIC-2 (C27F2.3)
EASSQ E GWVFL	QILTQ E GWVDV	EVLSL K GWVEV	RIVTG E DWNKI	Rat-NIC
QCITM E GWTDV	QILTG E DWNSV	TVSTF E GWPEL	RCATG E AWQDI	L-Type Ca Channel
QVITL E GWVDI	QILTQ E DWNKV	VLASK D GWVDI	RVSTG D NWNGI	T-Type Ca Channel
RLMTQ D FWENL	RVLCG E WIETM	QVATF K GWMDI	QITTS A GWDGL	Na Channels

Fig. 8

SEQUENCE LISTING

<110> Snutch, Terry P.
Baillie, David L.

<120> NOVEL HUMAN CALCIUM CHANNELS AND RELATED PROBES, CELL
LINES AND METHODS

<130> NMED.P-001-2 (CIP)

<140>

<141>

<150> 09/030,482

<151> 1998-02-25

<150> 60/039,204

<151> 1997-02-28

<160> 35

<170> PatentIn Ver. 2.0

<210> 1

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 1

gtcaaaactc aggccttcta ctgg

24

<210> 2

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 2

aacgtgttct tggctatcgc ggtg

24

<210> 3

<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 3
gtgaaagcac agagcttcta ctgg

24

<210> 4
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 4
aacgttttct tggccattgc tgtg

24

<210> 5
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 5
gttaaatacca acgtcttcta ctgg

24

<210> 6
<211> 24
<212> DNA
<213> rat

<220>
<223> oligonucleotide probe for locating calcium channel
genes

<400> 6
aatgtgttct tggccattgc ggtg

24

<210> 7

<211> 24
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 7

gtgaagtctg tcacgtttta ctgg

24

<210> 8

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 8

aagctcttct tggccattgc tgta

24

<210> 9

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 9

gtcaagtcgc aagtgttcta ctgg

24

<210> 10

<211> 24

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 10

aatgtattct tggctatcgc tgtg

24

<210> 11

<211> 21
<212> DNA
<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 11

atctaygcyr tsatyggsat g

21

<210> 12

<211> 20

<212> DNA

<213> rat

<220>

<223> oligonucleotide probe for locating calcium channel
genes

<400> 12

atggacaayt tygastaytc

20

<210> 13

<211> 168

<212> DNA

<213> HUMAN

<220>

<223> expressed sequence tag H55225

<400> 13

gtgatcactc tggaaggctg ggtggagatc atgtactacg tgatggatgc tcactccttc 60
tacaacttca tctacttcat cctgcttata ataccctct tgccttgac cccatatggt 120
cttcccagag tgagctcatc cacctcgta tgcctgactc gacgttca 168

<210> 14

<211> 98

<212> DNA

<213> HUMAN

<220>

<223> expressed sequence tag H55617

<400> 14

gatggtcgag tactccctgg accttcagaa catcaacctg tcagccatcc gcaccgtgcg 60
cgtcctgagg cccctcaaag ccatcaaccg cgtgcccc 98

<210> 15
<211> 94
<212> DNA
<213> HUMAN

<220>
<223> expressed sequence tag H55223

<400> 15
catgctggtg atcctgctga actgctgac acttggcatg taccagccgt gcgacgacat 60
ggactgcctg tccgaccgct gcaagatcct gcag 94

<210> 16
<211> 123
<212> DNA
<213> HUMAN

<220>
<223> expressed sequence tag H55544

<400> 16
gtatctctgg ttacttttagt agccaacact cttggctact cagaccttgg tcccattaaa 60
tccctgcgaa ccttgagagc actaagacct ctaagagctt tgtctagatt tgaaggaatg 120
agg 123

<210> 17
<211> 5562
<212> DNA
<213> HUMAN

<220>
<223> human alpha-I partial sequence from BAC bK206c7

<400> 17
atgttttttcg tctcagccaa tccctgggtg agtttcacca gttttgattt aaacgtggcc 60
aatatggaca acttcttcgc ccccgttttc accatgggca aatattatac gcaaggcgac 120
aaggtgctga tgccgctggc gattcaggct ctgaaacagc tgatgttcaa attggtggcc 180
actgttgctc gaacacatgc tacaccgtca cacatcacgg gtggctcctgg aacagggatg 240
cacacgggca ccttccagga aggagctgag cctgggttcat ctcagcacc tgaggcacag 300
gccacgtata cagcagggtg caccacagcc cccacgggcg atcccacctg ctgctttgtc 360
cttgacttgg tgtgcacgtg gtttgaatgt gtcagcatgc tggatgaccc gctgaactgc 420
gtgacacttg gcatgtacca gccgtgagc gacatggact gcctgtccga ccgctgcaag 480
atcctgcagg tctttgatga cttcatcttt atcttctttg ccatggagat ggtgctcaag 540
atggtggccc tggggatttt tggcaagaag tgctacctcg gggacacatg gaaccgcctg 600
gatttcttca tcgtcatggc aggcaacatc aacctgtcag ccatccgcac cgtgcgcgtc 660
ctgaggcccc tcaaagccat caaccgcgtg cccagtatgc ggatcctggg gaacctgctc 720
ctggacacac tgcccatgct ggggaatgtc ctgctgctct gcttctttgt cttcttcac 780
tttggcatca taggtgtgca gctctgggcg ggcctgctgc gtaaccgctg cttcctggag 840

gagaacttca ccatacaagg ggatgtggcc ttgcccccat actaccagcc ggaggaggat 900
 gatgagatgc ccttcatctg ctccctgtcg ggcgacaatg ggataatggg ctgccatgag 960
 atccccccgc tcaaggagca gggccgtgag tgctgcctgt ccaaggacga cgtctacgac 1020
 tttggggcgg ggcgccagga cctcaatgcc agcggcctct gtgtcaactg gaaccgttac 1080
 tacaatgtgt gccgcacggg cagcgccaac cccacaagg gtgccatcaa ctttgacaac 1140
 atcggttatg cttggattgt catcttccag gtgatcactc tggaaggctg ggtggagatc 1200
 atgtactacg tgatggatgc tcaactcttc tacaacttca tctacttcat cctgcttata 1260
 ataagtgagc tcatccacct cgtcatgcct gactgcagct tcagcacagc acagtcccca 1320
 aaatgtcaag gtgattcact cccaggagtc gctgctgaat cctgctgct gcgagactct 1380
 agctcctcag tcatcactga tgaggctgca gccatggaga acctcctggc gggcacctcc 1440
 aagggggatg aaagctatct gctcaggctg gccggcagcc aagttcactc ccaggctcag 1500
 caaatgctgg ggagggggct gggccctgaa agcctggaaa ctggagagga gcccactcg 1560
 tggagccctc gggccacaag gagatgggat cccaatgcc aaccaggga gcctctcccc 1620
 cttcatttca tgcaagcaca ggtgggctcc ttcttcatga tcaacctgtg cctcgttggtc 1680
 atagcgaccc agttctcgga gaccaagcaa cgggagcacc ggctgatgct ggagcagcgg 1740
 cagcgtacc tgtcctccag cacggtggcc agctacgccg agcctggcga ctgctacgag 1800
 gagatcttcc agtatgtctg ccacatcctg cgcaaggcca agcgccgcgc cctgggcctc 1860
 taccaggccc tgcagagccg gcgccaggcc ctggggcccg agggcccgcc ccccgccaaa 1920
 cctgggcccc acgccaagga gcccggcac taccctctca cagtctggga atcgattctt 1980
 gggaggcaag cagaagaatg cacgctcaga gctgccgcc acctgcctc ggtgcccagc 2040
 catccaggcg tgggctcgga ggaggcccca gagctgtgcc cgcaacatag cccctggat 2100
 gcgacgcccc acacctggt gcagcccatc cccgccagc tggcttccga tcccgccagc 2160
 tgcccttgct gccagcatga ggacggccgg cggccctcgg gcctgggcag caccgactcg 2220
 ggccaggagg gctcgggctc cgggagctcc gctggtggcg aggacgaggc ggatggggac 2280
 ggggcccgga gcagcgagga cggagcctcc tcagaactgg ggaaggagga ggaggaggag 2340
 gagcaggcgg atggggcggt ctggctgtgc ggggatgtgt ggcgggagac gcgagccaag 2400
 ctgcgcggca tcgtggacag caagtacttc aaccggggca tcatgatggc catcctgggtc 2460
 aacaccgtca gcatgggcat cgagcaccac gagcaggcca gtgcagcgca gccgggcccgg 2520
 gcctgcggga gaggacaaaa tccagacctt tgcattgacc tcaaggcccc ttgtctctgt 2580
 cacaacgtcc cttcaccagg ccagggtgtc ctgtcccatc cagtactcc accccataca 2640
 gcccctatgg gcatggagac aggaaagcag ggacacggat gtgaagaagg accaggacaa 2700
 cgaagcagtg acatgtttgc cctggagatg atcctgaagc tggctgcatt tgggctcttc 2760
 gactacctgc gtaaccctca caacatcttc gacagcatca ttgtcatcat cagcatctgg 2820
 gagatcgtgg ggcaggcgga cgggtgggctg tcggtgctgc ggaccttccg gctgctgcgc 2880
 gtgctgaaac tgggtgcgctt catgcctgcc ctgcggcgcc agctcgtggt gctcatgaag 2940
 accatggaca acgtggccac cttctgcatg ctgctcatgc tcttcatctt catcttcagc 3000
 atccttggga tgcataatctt tggctgcaag ttcagcctcc gcacggacac tggagacacg 3060
 gtgcccagca ggaagaactt cgactccctg ctgtgggcca tcgtcactgt gttccagatc 3120
 ctacccagg aggactggaa cgtcgttctc tacaatggca tggcctccac ttctccctgg 3180
 gcctccctct actttgtcgc cctcatgacc ttcggcaact atgtgctctt caacctgctg 3240
 gtggccatcc tgggtggaggg ctccagggcg gaggtgactg tggctcttggc agaggaagca 3300
 cccccacagg gcctgcgaaa gactgggcga gggagagggt gcctggatgg gggagggctg 3360
 caattcaaac ttctagcagg caacctatcc cttaaaggagg ggggtgctga tgaggtgggt 3420
 gacgccaatc gctcctactc ggacgaggac cagagctcat ccaacataga agagtttgat 3480
 aagctccagg aaggcctgga cagcagcgga gatcccaagc tctgcccatt ccccatgacc 3540
 cccaatgggc acctggaccc cagtctccca ctgggtgggc acctaggctc tgctggggct 3600
 gcgggacctg ccccccagct ctactgcag ccggacccca tgctggtggc cctgggctcc 3660
 cgaaagagca gcgtcatgtc tctagggagg atgagctatg accagcgtc cctggtgggt 3720

```

ggctcttagag ccacagcggg ggtgcaggct gcctttgggc acctggtgcc ccagccgtgg 3780
gtgtgcctgt ggggcgctga cccgaacggg aactccttcc agtccagctc ccggagctcc 3840
tactacgggc catggggccg cagcgcggcc tgggccagcc gtcgctccag ctggaacagc 3900
ctcaagcaca agccgccgtc ggccggagcat gagtccctgc tctctgcgga gcgcggcggc 3960
ggcgcccggg tctgcgaggt tgccgcggac gaggggcccgc cgcgggcccgc acccctgcac 4020
acccacacag cccaccacgt tcatcacggg ccccatctgg cgcaccgcca ccgccaccac 4080
cgccggacgc tgtccctcga caacagggac tcggtggacc tggccgagct ggtgcccgcg 4140
gtgggcgccc acccccgggc cgcttgagg gcggcaggcc cggcccccg gcatgaggac 4200
tgcaatggca ggatgccag catcgccaaa gacgtcttca ccaagatggg cgaccgcggg 4260
gatcgcgggg aggatgagga ggaaatcgac tacgtgagtg ggggcggggc cgaaggggac 4320
ctgaccctgt gcttccgct cgcgaagatg atcgacgtct ataagcccga ctggtgagag 4380
gtccgcgaag actggtctgt ctacctcttc tctcccgaga acaggctcag ggatctgggc 4440
tgggtaagcc tcgagtgcc gggaaagggt ggtgacctcg tgggtgtgggt gtatggtcag 4500
aggaggcagc gccagaccat tattgccac aaactcttcg actacgtcgt cctggccttc 4560
atctttctca actgcatcac catcgccctg gagcggcctc agatcgaggc cggcagcacc 4620
gaacgcatct ttctcaccgt gtccaactac atcttcacgg ccatcttcgt gggcgagatg 4680
acattgaagg tagtctcgct gggcctgtac ttcggcgagc aggcgtacct acgcagcagc 4740
tggaacgtgc tggatggctt tcttgtcttc gtgtccatca tcgacatcgt ggtgtccctg 4800
gcctcagccg ggggagccaa gatcttgggg gtctccgag tcttgcggt cctgcgcacc 4860
ctacgcccc tgctgtcat cagccgggcg ccgggcctga agctgggtgg ggagacactc 4920
atctcctccc tcaagcccat cggcaacatc gtgctcatct gctgtgcctt cttcatcatc 4980
tttggcatcc tgggagtgc gctcttcaag ggcaagtctt accactgtct gggcgtggac 5040
acccgcaaca tcaccaaccg ctccgactgc atggccgcca actaccgctg ggtccatcac 5100
aaatacaact tcgacaacct gggccaggct ctgatgtccc tctttgtcct ggcattccaag 5160
gatggttggg tgaacatcat gtacaatgga ctggatgctg ttgctgtgga ccagcagcct 5220
gtgaccaacc acaaccctg gatgctgctg tacttcatct cttcctgct catcgtcagc 5280
ttctttgtgc tcaacatgtt tgtgggtgtc gtggtggaga acttccacaa gtgccggcag 5340
caccaggagg ctgaagaggc acggcggcgt gaggagaagc ggctgcggcg cctggagaag 5400
aagcgccgga aggccagcg gctgccctac tatgccacct attgtcacac ccggtgctc 5460
atccactcca tgtgcaccag ccactacctg gacatcttca tcaccttcat catctgcctc 5520
aacgtggtca ccatgtccct ggagcactac aatcagccca cg 5562

```

<210> 18

<211> 1854

<212> PRT

<213> HUMAN

<220>

<223> human alpha-I partial sequence from BAC bK206c7

<400> 18

```

Met Phe Phe Val Ser Ala Asn Pro Trp Val Ser Phe Thr Ser Phe Asp
  1             5             10             15

```

```

Leu Asn Val Ala Asn Met Asp Asn Phe Phe Ala Pro Val Phe Thr Met
      20             25             30

```

```

Gly Lys Tyr Tyr Thr Gln Gly Asp Lys Val Leu Met Pro Leu Ala Ile

```

000007079900

35	40	45
Gln Ala Leu Lys Gln Leu Met Phe Lys Leu Val Ala Thr Val Ala Arg		
50	55	60
Thr His Ala Thr Pro Ser His Ile Thr Gly Gly Pro Gly Thr Gly Met		
65	70	75 80
His Thr Gly Thr Phe Gln Glu Gly Ala Glu Pro Gly Ser Ser Gln His		
	85	90 95
Pro Glu Ala Gln Ala Thr Tyr Thr Ala Gly Cys Thr Pro Ala Pro Thr		
	100	105 110
Gly Asp Pro Thr Cys Cys Phe Val Leu Asp Leu Val Cys Thr Trp Phe		
	115	120 125
Glu Cys Val Ser Met Leu Val Ile Leu Leu Asn Cys Val Thr Leu Gly		
	130	135 140
Met Tyr Gln Pro Cys Asp Asp Met Asp Cys Leu Ser Asp Arg Cys Lys		
145	150	155 160
Ile Leu Gln Val Phe Asp Asp Phe Ile Phe Ile Phe Phe Ala Met Glu		
	165	170 175
Met Val Leu Lys Met Val Ala Leu Gly Ile Phe Gly Lys Lys Cys Tyr		
	180	185 190
Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val Met Ala Gly		
	195	200 205
Asn Ile Asn Leu Ser Ala Ile Arg Thr Val Arg Val Leu Arg Pro Leu		
	210	215 220
Lys Ala Ile Asn Arg Val Pro Ser Met Arg Ile Leu Val Asn Leu Leu		
225	230	235 240
Leu Asp Thr Leu Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe		
	245	250 255
Val Phe Phe Ile Phe Gly Ile Ile Gly Val Gln Leu Trp Ala Gly Leu		
	260	265 270
Leu Arg Asn Arg Cys Phe Leu Glu Glu Asn Phe Thr Ile Gln Gly Asp		
	275	280 285
Val Ala Leu Pro Pro Tyr Tyr Gln Pro Glu Glu Asp Asp Glu Met Pro		

290		295		300
Phe Ile Cys Ser Leu Ser Gly Asp Asn Gly Ile Met Gly Cys His Glu				
305		310		315
Ile Pro Pro Leu Lys Glu Gln Gly Arg Glu Cys Cys Leu Ser Lys Asp				
	325		330	335
Asp Val Tyr Asp Phe Gly Ala Gly Arg Gln Asp Leu Asn Ala Ser Gly				
	340		345	350
Leu Cys Val Asn Trp Asn Arg Tyr Tyr Asn Val Cys Arg Thr Gly Ser				
	355		360	365
Ala Asn Pro His Lys Gly Ala Ile Asn Phe Asp Asn Ile Gly Tyr Ala				
	370		375	380
Trp Ile Val Ile Phe Gln Val Ile Thr Leu Glu Gly Trp Val Glu Ile				
385		390		395
Met Tyr Tyr Val Met Asp Ala His Ser Phe Tyr Asn Phe Ile Tyr Phe				
	405		410	415
Ile Leu Leu Ile Ile Ser Glu Leu Ile His Leu Val Met Pro Asp Cys				
	420		425	430
Ser Phe Ser Thr Ala Gln Ser Pro Lys Cys Gln Gly Asp Ser Leu Pro				
	435		440	445
Gly Val Ala Ala Glu Ser Leu Leu Leu Arg Asp Ser Ser Ser Ser Val				
	450		455	460
Ile Thr Asp Glu Ala Ala Ala Met Glu Asn Leu Leu Ala Gly Thr Ser				
465		470		475
Lys Gly Asp Glu Ser Tyr Leu Leu Arg Leu Ala Gly Ser Gln Val His				
	485		490	495
Ser Gln Ala Gln Gln Met Leu Gly Arg Gly Leu Gly Pro Glu Ser Leu				
	500		505	510
Glu Thr Gly Glu Glu Pro His Ser Trp Ser Pro Arg Ala Thr Arg Arg				
	515		520	525
Trp Asp Pro Gln Cys Gln Pro Gly Gln Pro Leu Pro Leu His Phe Met				
	530		535	540
Gln Ala Gln Val Gly Ser Phe Phe Met Ile Asn Leu Cys Leu Val Val				

545		550		555		560
Ile Ala Thr Gln Phe Ser Glu Thr Lys Gln Arg Glu His Arg Leu Met						
	565		570		575	
Leu Glu Gln Arg Gln Arg Tyr Leu Ser Ser Ser Thr Val Ala Ser Tyr						
	580		585		590	
Ala Glu Pro Gly Asp Cys Tyr Glu Glu Ile Phe Gln Tyr Val Cys His						
	595		600		605	
Ile Leu Arg Lys Ala Lys Arg Arg Ala Leu Gly Leu Tyr Gln Ala Leu						
	610		615		620	
Gln Ser Arg Arg Gln Ala Leu Gly Pro Glu Ala Pro Ala Pro Ala Lys						
	625		630		635	640
Pro Gly Pro His Ala Lys Glu Pro Arg His Tyr Pro Leu Thr Val Trp						
		645		650		655
Glu Ser Ile Leu Gly Arg Gln Ala Glu Glu Cys Thr Leu Arg Ala Ala						
	660		665		670	
Ala His Pro Ser Ser Gly Ala Ser His Pro Gly Val Gly Ser Glu Glu						
	675		680		685	
Ala Pro Glu Leu Cys Pro Gln His Ser Pro Leu Asp Ala Thr Pro His						
	690		695		700	
Thr Leu Val Gln Pro Ile Pro Ala Thr Leu Ala Ser Asp Pro Ala Ser						
	705		710		715	720
Cys Pro Cys Cys Gln His Glu Asp Gly Arg Arg Pro Ser Gly Leu Gly						
		725		730		735
Ser Thr Asp Ser Gly Gln Glu Gly Ser Gly Ser Gly Ser Ser Ala Gly						
	740		745		750	
Gly Glu Asp Glu Ala Asp Gly Asp Gly Ala Arg Ser Ser Glu Asp Gly						
	755		760		765	
Ala Ser Ser Glu Leu Gly Lys Glu Glu Glu Glu Glu Glu Gln Ala Asp						
	770		775		780	
Gly Ala Val Trp Leu Cys Gly Asp Val Trp Arg Glu Thr Arg Ala Lys						
	785		790		795	800
Leu Arg Gly Ile Val Asp Ser Lys Tyr Phe Asn Arg Gly Ile Met Met						

	805		810		815
Ala Ile Leu Val Asn Thr Val Ser Met Gly Ile Glu His His Glu Gln					
	820		825		830
Ala Ser Ala Ala Gln Pro Gly Arg Ala Cys Gly Arg Gly Gln Asn Pro					
	835		840		845
Asp Leu Cys Met Thr Leu Lys Ala Pro Cys Leu Cys His Asn Val Pro					
	850		855		860
Ser Pro Gly Gln Gly Val Leu Ser His Pro Val Thr Pro Pro His Thr					
	865		870		875
					880
Ala Pro Trp Arg Met Glu Thr Gly Lys Gln Gly His Gly Cys Glu Glu					
	885		890		895
Gly Pro Gly Gln Arg Ser Ser Asp Met Phe Ala Leu Glu Met Ile Leu					
	900		905		910
Lys Leu Ala Ala Phe Gly Leu Phe Asp Tyr Leu Arg Asn Pro Tyr Asn					
	915		920		925
Ile Phe Asp Ser Ile Ile Val Ile Ile Ser Ile Trp Glu Ile Val Gly					
	930		935		940
Gln Ala Asp Gly Gly Leu Ser Val Leu Arg Thr Phe Arg Leu Leu Arg					
	945		950		955
					960
Val Leu Lys Leu Val Arg Phe Met Pro Ala Leu Arg Arg Gln Leu Val					
	965		970		975
Val Leu Met Lys Thr Met Asp Asn Val Ala Thr Phe Cys Met Leu Leu					
	980		985		990
Met Leu Phe Ile Phe Ile Phe Ser Ile Leu Gly Met His Ile Phe Gly					
	995		1000		1005
Cys Lys Phe Ser Leu Arg Thr Asp Thr Gly Asp Thr Val Pro Asp Arg					
	1010		1015		1020
Lys Asn Phe Asp Ser Leu Leu Trp Ala Ile Val Thr Val Phe Gln Ile					
	1025		1030		1035
					1040
Leu Thr Gln Glu Asp Trp Asn Val Val Leu Tyr Asn Gly Met Ala Ser					
	1045		1050		1055
Thr Ser Pro Trp Ala Ser Leu Tyr Phe Val Ala Leu Met Thr Phe Gly					

1060	1065	1070
Asn Tyr Val Leu Phe Asn Leu Leu Val Ala Ile Leu Val Glu Gly Phe 1075	1080	1085
Gln Ala Glu Val Thr Val Val Leu Ala Glu Glu Ala Pro Pro Gln Gly 1090	1095	1100
Leu Arg Lys Thr Gly Arg Gly Arg Gly Gly Leu Asp Gly Gly Gly Leu 1105	1110	1115 1120
Gln Phe Lys Leu Leu Ala Gly Asn Leu Ser Leu Lys Glu Gly Val Ala 1125	1130	1135
Asp Glu Val Gly Asp Ala Asn Arg Ser Tyr Ser Asp Glu Asp Gln Ser 1140	1145	1150
Ser Ser Asn Ile Glu Glu Phe Asp Lys Leu Gln Glu Gly Leu Asp Ser 1155	1160	1165
Ser Gly Asp Pro Lys Leu Cys Pro Ile Pro Met Thr Pro Asn Gly His 1170	1175	1180
Leu Asp Pro Ser Leu Pro Leu Gly Gly His Leu Gly Pro Ala Gly Ala 1185	1190	1195 1200
Ala Gly Pro Ala Pro Arg Leu Ser Leu Gln Pro Asp Pro Met Leu Val 1205	1210	1215
Ala Leu Gly Ser Arg Lys Ser Ser Val Met Ser Leu Gly Arg Met Ser 1220	1225	1230
Tyr Asp Gln Arg Ser Leu Val Gly Gly Leu Arg Ala Thr Ala Gly Val 1235	1240	1245
Gln Ala Ala Phe Gly His Leu Val Pro Gln Pro Trp Val Cys Leu Trp 1250	1255	1260
Gly Ala Asp Pro Asn Gly Asn Ser Phe Gln Ser Ser Ser Arg Ser Ser 1265	1270	1275 1280
Tyr Tyr Gly Pro Trp Gly Arg Ser Ala Ala Trp Ala Ser Arg Arg Ser 1285	1290	1295
Ser Trp Asn Ser Leu Lys His Lys Pro Pro Ser Ala Glu His Glu Ser 1300	1305	1310
Leu Leu Ser Ala Glu Arg Gly Gly Gly Ala Arg Val Cys Glu Val Ala		

1315	1320	1325
Ala Asp Glu Gly Pro Pro Arg Ala Ala Pro Leu His Thr Pro His Ala		
1330	1335	1340
His His Val His His Gly Pro His Leu Ala His Arg His Arg His His		
1345	1350	1355 1360
Arg Arg Thr Leu Ser Leu Asp Asn Arg Asp Ser Val Asp Leu Ala Glu		
1365	1370	1375
Leu Val Pro Ala Val Gly Ala His Pro Arg Ala Ala Trp Arg Ala Ala		
1380	1385	1390
Gly Pro Ala Pro Gly His Glu Asp Cys Asn Gly Arg Met Pro Ser Ile		
1395	1400	1405
Ala Lys Asp Val Phe Thr Lys Met Gly Asp Arg Gly Asp Arg Gly Glu		
1410	1415	1420
Asp Glu Glu Glu Ile Asp Tyr Val Ser Gly Gly Gly Ala Glu Gly Asp		
1425	1430	1435 1440
Leu Thr Leu Cys Phe Arg Val Arg Lys Met Ile Asp Val Tyr Lys Pro		
1445	1450	1455
Asp Trp Cys Glu Val Arg Glu Asp Trp Ser Val Tyr Leu Phe Ser Pro		
1460	1465	1470
Glu Asn Arg Leu Arg Asp Leu Gly Trp Val Ser Leu Glu Cys Gln Gly		
1475	1480	1485
Lys Val Gly Asp Leu Val Val Trp Val Tyr Gly Gln Arg Arg Gln Arg		
1490	1495	1500
Gln Thr Ile Ile Ala His Lys Leu Phe Asp Tyr Val Val Leu Ala Phe		
1505	1510	1515 1520
Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro Gln Ile Glu		
1525	1530	1535
Ala Gly Ser Thr Glu Arg Ile Phe Leu Thr Val Ser Asn Tyr Ile Phe		
1540	1545	1550
Thr Ala Ile Phe Val Gly Glu Met Thr Leu Lys Val Val Ser Leu Gly		
1555	1560	1565
Leu Tyr Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp Asn Val Leu		

[illegible]

1825 1830 1835 1840

Asn Val Val Thr Met Ser Leu Glu His Tyr Asn Gln Pro Thr
1845 1850

<210> 19
<211> 567
<212> DNA
<213> HUMAN

<220>
<223> human alpha-I partial sequence

<400> 19
atgcggatcc tgggtgaacct gctcctggac acactgcccc tgctggggaa tgccttgctg 60
ctctgcttct ttgtcttctt cacctttggc atcatagggtg tgcagctctg ggcgggcctg 120
ctgcgtaacc gctgcttcct ggaggagaac ttcaccatac aaggggatgt ggccttgccc 180
ccatactacc agccggagga ggatgatgag atgcccttca tctgctccct gtcgggacgac 240
aatgggataa tgggctgcca tgagatcccc ccgctcaagg agcagggccg tgagtgtctg 300
ctgtccaagg acgacgtcta cgactttggg gcggggcgcc aggacctcaa tgccagcggc 360
ctctgtgtca actggaaccg ttactacaat gtgtgccgca cgggcagcgc caacccccac 420
aaggggtgcca tcagctttga caacatcggg tatgcttgga ttgtcatctt ccagggtgatc 480
actctggaag gctgggtggc gatcatgtac tacgtgatgg atgctctctc cttctacaac 540
ttcgtctact tcactctgct tatcata 567

<210> 20
<211> 189
<212> PRT
<213> HUMAN

<220>
<223> human alpha-I partial sequence

<400> 20
Met Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly
1 5 10 15
Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Thr Phe Gly Ile Ile
20 25 30
Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu
35 40 45
Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln
50 55 60
Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Ser Gly Asp

65		70		75		80
Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly						
	85		90		95	
Arg Glu Cys Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly						
	100		105		110	
Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr						
	115		120		125	
Tyr Asn Val Cys Arg Thr Gly Ser Ala Asn Pro His Lys Gly Ala Ile						
	130		135		140	
Ser Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile						
145		150		155		160
Thr Leu Glu Gly Trp Val Ala Ile Met Tyr Tyr Val Met Asp Ala Leu						
	165		170		175	
Ser Phe Tyr Asn Phe Val Tyr Phe Ile Leu Leu Ile Ile						
	180		185			

<210> 21
 <211> 567
 <212> DNA
 <213> rat

<220>
 <223> rat alpha-I partial sequence

<400> 21
 atgcggatcc tgggtgaacct gctgctcgac acgctgccc tgcctggggaa cgtgctcctg 60
 ctctgtttct tcgtcttctt catcttcggc atcattggcg tgcagctctg ggcaggcctg 120
 ctacggaacc gctgcttcct ggaagaaaac ttcaccatac aaggggatgt ggccttgccc 180
 ccttattacc aaccagagga ggatgacgag atgcccttta tctgctccct gactggggac 240
 aatggcatca tgggctgcca cgagatcccc ccactgaagg agcagggccg ggaatgctgc 300
 ctgtccaaag atgatgtgta tgacttcggg gcggggcgcc aggacctcaa cgccagcggt 360
 ctgtgctgca actggaaccg ctactacaac gtctgccgca cgggcaacgc caaccctcac 420
 aagggcgcca tcaactttga caacattggc tatgcctgga ttgtgatattt ccaggtgatc 480
 actctggaag gctgggtgga gatcatgtac tatgtgatgg acgcacattc tttctacaac 540
 ttcactact tcactcctgct tatcata 567

<210> 22
 <211> 189
 <212> PRT
 <213> rat

<220>

<223> rat alpha-I partial sequence

<400> 22

Met Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly
1 5 10 15

Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile Phe Gly Ile Ile
20 25 30

Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu
35 40 45

Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln
50 55 60

Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Thr Gly Asp
65 70 75 80

Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly
85 90 95

Arg Glu Cys Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly
100 105 110

Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr
115 120 125

Tyr Asn Val Cys Arg Thr Gly Asn Ala Asn Pro His Lys Gly Ala Ile
130 135 140

Asn Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile
145 150 155 160

Thr Leu Glu Gly Trp Val Glu Ile Met Tyr Tyr Val Met Asp Ala His
165 170 175

Ser Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile
180 185

<210> 23

<211> 7540

<212> DNA

<213> rat

<400> 23

csgtctctgg	cgcgagagcg	gacgatgctg	accccttaga	tcctgctcca	gctgcgcccga	60
gggaagaggg	ggcgccccctc	cccggacccc	cgccctccat	cggttgggccc	ctttttttttc	120
tcttctctctc	gggggctgct	tcgcccgaagg	tagcgctgt	tacgggcaac	cggagcctgg	180
gcgcgaacga	agaagccgga	acaaagttag	gggaagccgc	ccggctagtc	ggggagcccc	240
cggaaccca	ggggaagcgg	gactctacgc	caggcggggc	ttccctgaga	cccggcgccc	300
cgcgggcagc	atgccctgag	ggcaggggga	gctgagctga	actggccctc	ctggggactc	360
agcaagctct	ctagagcccc	ccacatgctc	ccccaccggg	ttccccgttg	cgtgaggaca	420
cctcctctga	ggggctccgc	tcgccccctc	tcggaccccc	cggggccccg	gctggccaga	480
ggatggacga	ggaggaggat	ggagcggggc	ccgaggagtc	gggacagccc	cgtagcttca	540
cgcagctcaa	cgacctgtcc	ggggccgggg	gcggcagggg	ccgggtcgac	ggaaaaggac	600
ccgggcagcg	cggactccga	ggcgaggagg	ctgccgtacc	cggcgctagc	cccgggtggt	660
ttcttctact	tgagccagga	cagccgcccg	cggagctggt	gtctccgcac	ggtctgtaac	720
ccgtgggttcg	agcgagtcag	tatgctggtc	attcttctca	actgtgtgac	tctgggtatg	780
ttcaggccgt	gtgaggacat	tgctgtgac	tcccagcgct	gccggatcct	gcaggccttc	840
gatgacttca	tctttgcctt	ctttgctgtg	gaaatggtgg	tgaagatggt	ggccttgggc	900
atctttggga	agaaatgtta	cctgggagac	acttgaacc	ggcttgactt	tttcattgtc	960
attgcaggga	tgctggagta	ttcgctggac	ctgcagaacg	tcagcttctc	cgcagtcagg	1020
acagtccgtg	tgctgcgacc	gctcaggggc	attaaccggg	tgcccagcat	gcgcattctc	1080
gtcacattac	tgctggacac	cttgccctatg	ctgggcaacg	tcctgctgct	ctgtttcttc	1140
gtctttttca	tctttggcat	cgtggggcgtc	cagctgtggg	caggactgct	tcgcaaccgg	1200
tgcttcctcc	ccgagaactt	cagcctcccc	ctgagcgtgg	acctggagcc	ttattaccag	1260
acagagaatg	aggacgagag	ccccttcate	tgctctcagc	ctcgggagaa	tggcatgaga	1320
tcctgcagga	gtgtgcccac	actgcgtggg	gaaggcggtg	gtggcccacc	ctgcagtctg	1380
gactatgaga	cctataacag	ttccagcaac	accacctgtg	tcaactggaa	ccagtactat	1440
accaactgct	ctgcggggcg	gcacaacccc	ttcaaaggcg	ccatcaactt	tgacaacatt	1500
ggctatgcct	ggatcgccat	cttccaggtc	atcacactgg	agggtggtg	cgcacatcatg	1560
tacttcgtaa	tggacgctca	ctccttctac	aacttcatct	acttcattct	tctcatcatc	1620
gtgggctcct	tcttcatgat	caacctgtgc	ctggtggtga	ttgccacgca	gttctccgag	1680
accaaacagc	gggagagtca	gctgatgcgg	gagcagcgtg	tacgattcct	gtccaatgct	1740
agcaccctgg	caagcttctc	tgagccaggc	agctgctatg	aggagctact	caagtacctg	1800
gtgtacatcc	tccgaaaagc	agcccgaagg	ctggcccagg	tctctagggc	tataggcgtg	1860
cgggctgggc	tgctcagcag	cccagtggcc	cgtagtgggc	aggagcccca	gcccagtggc	1920
agctgcactc	gctcacaccg	tcgtctgtct	gtccaccacc	tgggtccacca	ccatcaccac	1980
caccatcacc	actaccacct	gggtaatggg	acgctcagag	ttccccgggc	cagcccagag	2040
atccaggaca	gggatgccaa	tgggtctcgc	cggctcatgc	taccaccacc	ctctacaccc	2100
actccctctg	ggggccctcc	gaggggtgcg	gagtctgtac	acagcttcta	ccatgctgac	2160
tgccacttgg	agccagtccg	ttgccaggca	ccccctccca	gatgcccata	ggaggcatct	2220
ggtaggactg	tgggtagtgg	gaagggtgtac	cccactgtgc	ataccagccc	tccaccagag	2280
atactgaagg	ataaagcact	agtggagggtg	gccccagccc	ctgggcccc	caccctcacc	2340
agcttcaaca	tcccacctgg	gcccttcagc	tccatgcaca	agctcctgga	gacacagagt	2400
acgggagcct	gccatagctc	ctgcaaaaac	tccagccctt	gctccaaggc	agacagtgga	2460
gcctgcgggc	cggacagttg	tccctactgt	gcccggacag	gagcaggaga	gccagagtcc	2520
gctgaccatg	tcatgcctga	ctcagacagc	gaggctgtgt	atgagttcac	acaggacgct	2580
cagcacagtg	acctccggga	tccccacagc	cggcgggcgac	agcggagcct	gggcccagat	2640
gcagagccta	gttctgtgct	ggctttcttg	aggctgatct	gtgacacatt	ccggaagatc	2700
gtagatagca	aatactttgg	ccggggaatc	atgatcgcca	tcctggtcaa	tacactcagc	2760
atgggcatcg	agtaccacga	gcagcccagag	gagctcacca	acgccctgga	aatcagcaac	2820
atcgtcttca	ccagcctctt	cgccttggag	atgctgctga	aactgcttgt	ctacgggtccc	2880


```

ctgaccctct tccgagtctc cactggtgac aactggaatg gtattatgaa ggacccttcc 5820
cgggactgtg accaggagtc cacctgctac aacactgtca tctcccctat ctactttgtg 5880
tccttcgtgc tgacggccca gtttgtgctg gtcaacgtgg tcatagctgt gctgatgaag 5940
cacctggaag aaagcaacaa agaggccaag gaggaggccg agctcgaggc cgagctggag 6000
ctggagatga agacgctcag cccgcagccc cactccccgc tgggcagccc cttcctctgg 6060
cccggggttg aggggtgtcaa cagtactgac agccctaagc ctggggctcc acacaccact 6120
gccacattg gagcagcctc gggcttctcc cttgagcacc ccacgatggg accccacccc 6180
gaggaggtgc cagtccccct aggaccagac ctgctgactg tgaggaagtc tgggtgtcagc 6240
cggacgcact ctctgccccaa tgacagctac atgtgccgca atgggagcac tgctgagaga 6300
tccttaggac acaggggctg ggggctcccc aaagcccagt caggctccat cttgtccggt 6360
cactcccaac cagcagacac cagctgcac cctacagcttc ccaaagatgt gcactatctg 6420
ctccagcctc atggggctcc cacctggggc gccatcccta aactaccccc acctggccgc 6480
tcccctctgg ctgagaggcc tctcaggcgc caggcagcaa taaggactga ctccctggat 6540
gtgcagggcc tgggtagccg ggaagacctg ttgtcagagg tgagtgggcc ctctgccct 6600
ctgacccggt cctcatcctt ctggggcggg tcgagcatcc aggtgcagca gcgttccggc 6660
atccagagca aagtctccaa gcacatccgc ctgccagccc cttgcccagg cctggaacct 6720
agctgggcca aggacctcc agagaccaga agcagcttag agctggacac ggagctgagc 6780
tggatttcag gagacctcct tcccagcagc caggaagaac ccctgttccc acgggacctg 6840
aagaagtgtc acagtgtaga gaccagagc tgcaggcgca ggcctgggtt ctggctagat 6900
gaacagcgga gacactccat tgctgtcagc tgtctggaca gcggctcca accccgccta 6960
tgtccaagcc cctcaagcct cgggggcca cctcttgggg gtcctgggag ccggcctaag 7020
aaaaaactca gccacccag tatctctata gaccccccg agagccaggg ctctcggccc 7080
ccatgcagtc ctggtgtctg cctcaggagg agggcgccg ccagtgactc taaggatccc 7140
tcggtctcca gccccttga cagcacggct gcctcacct ccccaaagaa agacacgctg 7200
agtctctctg gtttgtcttc tgaccaaca gacatggacc cctgagtcct accactctc 7260
ccccatcacc tttctccacc ggggtgcagat cctacgtccg cctcctgggc agcgtttctg 7320
aaaagtcca cgtaagcagc aagcagccac gaggcacctc acctgccttc ttcagtggct 7380
gggtgggatg acgagcagaa cttccggaga gtcgatctga agagaacaca gccctggagc 7440
ccctgcctcc gggaagaagg aaaaggagaa gccagtggtg gccaaggctc ccgacaccag 7500
gagctgttgg gagaagcaat acgtttgtgc agaattctcta 7540

```

<210> 24

<211> 2287

<212> PRT

<213> rat

<400> 24

```

Met Leu Pro His Arg Val Pro Arg Cys Val Arg Thr Pro Pro Leu Arg
  1             5             10             15

```

```

Gly Ser Ala Arg Pro Ser Ser Asp Pro Pro Gly Pro Arg Leu Ala Arg
          20             25             30

```

```

Gly Trp Thr Arg Arg Arg Met Glu Arg Ala Pro Arg Ser Arg Asp Ser
          35             40             45

```

```

Pro Val Ala Ser Arg Ser Ser Thr Thr Cys Pro Gly Pro Gly Ala Ala
          50             55             60

```

Gly Ala Gly Ser Thr Glu Lys Asp Pro Gly Ser Ala Asp Ser Glu Ala
65 70 75 80

Glu Gly Leu Pro Tyr Pro Ala Leu Ala Pro Val Val Phe Phe Tyr Leu
85 90 95

Ser Gln Asp Ser Arg Pro Arg Ser Trp Cys Leu Arg Thr Val Cys Asn
100 105 110

Pro Trp Phe Glu Arg Val Ser Met Leu Val Ile Leu Leu Asn Cys Val
115 120 125

Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Ile Ala Cys Asp Ser Gln
130 135 140

Arg Cys Arg Ile Leu Gln Ala Phe Asp Asp Phe Ile Phe Ala Phe Phe
145 150 155 160

Ala Val Glu Met Val Val Lys Met Val Ala Leu Gly Ile Phe Gly Lys
165 170 175

Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val
180 185 190

Ile Ala Gly Met Leu Glu Tyr Ser Leu Asp Leu Gln Asn Val Ser Phe
195 200 205

Ser Ala Val Arg Thr Val Arg Val Leu Arg Pro Leu Arg Ala Ile Asn
210 215 220

Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu Asp Thr Leu
225 230 235 240

Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile
245 250 255

Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg
260 265 270

Cys Phe Leu Pro Glu Asn Phe Ser Leu Pro Leu Ser Val Asp Leu Glu
275 280 285

Pro Tyr Tyr Gln Thr Glu Asn Glu Asp Glu Ser Pro Phe Ile Cys Ser
290 295 300

Gln Pro Arg Glu Asn Gly Met Arg Ser Cys Arg Ser Val Pro Thr Leu
305 310 315 320

Arg Gly Glu Gly Gly Gly Gly Pro Pro Cys Ser Leu Asp Tyr Glu Thr
 325 330 335
 Tyr Asn Ser Ser Ser Asn Thr Thr Cys Val Asn Trp Asn Gln Tyr Tyr
 340 345 350
 Thr Asn Cys Ser Ala Gly Glu His Asn Pro Phe Lys Gly Ala Ile Asn
 355 360 365
 Phe Asp Asn Ile Gly Tyr Ala Trp Ile Ala Ile Phe Gln Val Ile Thr
 370 375 380
 Leu Glu Gly Trp Val Asp Ile Met Tyr Phe Val Met Asp Ala His Ser
 385 390 395 400
 Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile Val Gly Ser Phe
 405 410 415
 Phe Met Ile Asn Leu Cys Leu Val Val Ile Ala Thr Gln Phe Ser Glu
 420 425 430
 Thr Lys Gln Arg Glu Ser Gln Leu Met Arg Glu Gln Arg Val Arg Phe
 435 440 445
 Leu Ser Asn Ala Ser Thr Leu Ala Ser Phe Ser Glu Pro Gly Ser Cys
 450 455 460
 Tyr Glu Glu Leu Leu Lys Tyr Leu Val Tyr Ile Leu Arg Lys Ala Ala
 465 470 475 480
 Arg Arg Leu Ala Gln Val Ser Arg Ala Ile Gly Val Arg Ala Gly Leu
 485 490 495
 Leu Ser Ser Pro Val Ala Arg Ser Gly Gln Glu Pro Gln Pro Ser Gly
 500 505 510
 Ser Cys Thr Arg Ser His Arg Arg Leu Ser Val His His Leu Val His
 515 520 525
 His His His His His His His His Tyr His Leu Gly Asn Gly Thr Leu
 530 535 540
 Arg Val Pro Arg Ala Ser Pro Glu Ile Gln Asp Arg Asp Ala Asn Gly
 545 550 555 560
 Ser Arg Arg Leu Met Leu Pro Pro Pro Ser Thr Pro Thr Pro Ser Gly
 565 570 575

Gly Pro Pro Arg Gly Ala Glu Ser Val His Ser Phe Tyr His Ala Asp
 580 585 590
 Cys His Leu Glu Pro Val Arg Cys Gln Ala Pro Pro Pro Arg Cys Pro
 595 600 605
 Ser Glu Ala Ser Gly Arg Thr Val Gly Ser Gly Lys Val Tyr Pro Thr
 610 615 620
 Val His Thr Ser Pro Pro Pro Glu Ile Leu Lys Asp Lys Ala Leu Val
 625 630 635 640
 Glu Val Ala Pro Ser Pro Gly Pro Pro Thr Leu Thr Ser Phe Asn Ile
 645 650 655
 Pro Pro Gly Pro Phe Ser Ser Met His Lys Leu Leu Glu Thr Gln Ser
 660 665 670
 Thr Gly Ala Cys His Ser Ser Cys Lys Ile Ser Ser Pro Cys Ser Lys
 675 680 685
 Ala Asp Ser Gly Ala Cys Gly Pro Asp Ser Cys Pro Tyr Cys Ala Arg
 690 695 700
 Thr Gly Ala Gly Glu Pro Glu Ser Ala Asp His Val Met Pro Asp Ser
 705 710 715 720
 Asp Ser Glu Ala Val Tyr Glu Phe Thr Gln Asp Ala Gln His Ser Asp
 725 730 735
 Leu Arg Asp Pro His Ser Arg Arg Arg Gln Arg Ser Leu Gly Pro Asp
 740 745 750
 Ala Glu Pro Ser Ser Val Leu Ala Phe Trp Arg Leu Ile Cys Asp Thr
 755 760 765
 Phe Arg Lys Ile Val Asp Ser Lys Tyr Phe Gly Arg Gly Ile Met Ile
 770 775 780
 Ala Ile Leu Val Asn Thr Leu Ser Met Gly Ile Glu Tyr His Glu Gln
 785 790 795 800
 Pro Glu Glu Leu Thr Asn Ala Leu Glu Ile Ser Asn Ile Val Phe Thr
 805 810 815
 Ser Leu Phe Ala Leu Glu Met Leu Leu Lys Leu Leu Val Tyr Gly Pro
 820 825 830

Phe Gly Tyr Ile Lys Asn Pro Tyr Asn Ile Phe Asp Gly Val Ile Val
 835 840 845
 Val Ile Ser Val Trp Glu Ile Val Gly Gln Gln Gly Gly Gly Leu Ser
 850 855 860
 Val Leu Arg Thr Phe Arg Leu Met Arg Val Leu Lys Leu Val Arg Phe
 865 870 875 880
 Leu Pro Ala Leu Gln Arg Gln Leu Val Val Leu Met Lys Thr Met Asp
 885 890 895
 Asn Val Ala Thr Phe Cys Met Leu Leu Met Leu Phe Ile Phe Ile Phe
 900 905 910
 Ser Ile Leu Gly Met His Leu Phe Gly Cys Lys Phe Ala Ser Glu Arg
 915 920 925
 Asp Gly Asp Thr Leu Pro Asp Arg Lys Asn Phe Asp Ser Leu Leu Trp
 930 935 940
 Ala Ile Val Thr Val Phe Gln Ile Leu Thr Gln Glu Asp Trp Asn Lys
 945 950 955 960
 Val Leu Tyr Asn Gly Met Ala Ser Thr Ser Ser Trp Ala Ala Leu Tyr
 965 970 975
 Phe Ile Ala Leu Met Thr Phe Gly Asn Tyr Val Leu Phe Asn Leu Leu
 980 985 990
 Val Ala Ile Leu Val Glu Gly Phe Gln Ala Glu Gly Asp Ala Thr Lys
 995 1000 1005
 Ser Glu Ser Glu Pro Asp Phe Phe Ser Pro Ser Val Asp Gly Asp Gly
 1010 1015 1020
 Asp Arg Lys Lys Arg Leu Ala Leu Val Ala Leu Gly Glu His Ala Glu
 1025 1030 1035 1040
 Leu Arg Lys Ser Leu Leu Pro Pro Leu Ile Ile His Thr Ala Ala Thr
 1045 1050 1055
 Pro Met Ser His Pro Lys Ser Ser Ser Thr Gly Val Gly Glu Ala Leu
 1060 1065 1070
 Gly Ser Gly Ser Arg Arg Thr Ser Ser Ser Gly Ser Ala Glu Pro Gly
 1075 1080 1085

Ala Ala His His Glu Met Lys Cys Pro Pro Ser Ala Arg Ser Ser Pro
 1090 1095 1100
 His Ser Pro Trp Ser Ala Ala Ser Ser Trp Thr Ser Arg Arg Ser Ser
 1105 1110 1115 1120
 Arg Asn Ser Leu Gly Arg Ala Pro Ser Leu Lys Arg Arg Ser Pro Ser
 1125 1130 1135
 Gly Glu Arg Arg Ser Leu Leu Ser Gly Glu Gly Gln Glu Ser Gln Asp
 1140 1145 1150
 Glu Glu Glu Ser Ser Glu Glu Asp Arg Ala Ser Pro Ala Gly Ser Asp
 1155 1160 1165
 His Arg His Arg Gly Ser Leu Glu Arg Glu Ala Lys Ser Ser Phe Asp
 1170 1175 1180
 Leu Pro Asp Thr Leu Gln Val Pro Gly Leu His Arg Thr Ala Ser Gly
 1185 1190 1195 1200
 Arg Ser Ser Ala Ser Glu His Gln Asp Cys Asn Gly Lys Ser Ala Ser
 1205 1210 1215
 Gly Arg Leu Ala Arg Thr Leu Arg Thr Asp Asp Pro Gln Leu Asp Gly
 1220 1225 1230
 Asp Asp Asp Asn Asp Glu Gly Asn Leu Ser Lys Gly Glu Arg Ile Gln
 1235 1240 1245
 Ala Trp Val Arg Ser Arg Leu Pro Ala Cys Cys Arg Glu Arg Asp Ser
 1250 1255 1260
 Trp Ser Ala Tyr Ile Phe Pro Pro Gln Ser Arg Phe Arg Leu Leu Cys
 1265 1270 1275 1280
 His Arg Ile Ile Thr His Lys Met Phe Asp His Val Val Leu Val Ile
 1285 1290 1295
 Ile Phe Leu Asn Cys Ile Thr Ile Ala Met Glu Arg Pro Lys Ile Asp
 1300 1305 1310
 Pro His Ser Ala Glu Arg Ile Phe Leu Thr Leu Ser Asn Tyr Ile Phe
 1315 1320 1325
 Thr Ala Val Phe Leu Ala Glu Met Thr Val Lys Val Val Ala Leu Gly
 1330 1335 1340

Trp Cys Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp Asn Val Leu
 1345 1350 1355 1360
 Asp Gly Leu Leu Val Leu Ile Ser Val Ile Asp Ile Leu Val Ser Met
 1365 1370 1375
 Val Ser Asp Ser Gly Thr Lys Ile Leu Gly Met Leu Arg Val Leu Arg
 1380 1385 1390
 Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Gln Gly
 1395 1400 1405
 Leu Lys Leu Val Val Glu Thr Leu Met Ser Ser Leu Lys Pro Ile Gly
 1410 1415 1420
 Asn Ile Val Val Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile Leu
 1425 1430 1435 1440
 Gly Val Gln Leu Phe Lys Gly Lys Phe Phe Val Cys Gln Gly Glu Asp
 1445 1450 1455
 Thr Arg Asn Ile Thr Asn Lys Ser Asp Cys Ala Glu Ala Ser Tyr Arg
 1460 1465 1470
 Trp Val Arg His Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu Met
 1475 1480 1485
 Ser Leu Phe Val Leu Ala Ser Lys Asp Gly Trp Val Asp Ile Met Tyr
 1490 1495 1500
 Asp Gly Leu Asp Ala Val Gly Val Asp Gln Gln Pro Ile Met Asn His
 1505 1510 1515 1520
 Asn Pro Trp Met Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val Ala
 1525 1530 1535
 Phe Phe Val Leu Asn Met Phe Val Gly Val Val Val Glu Asn Phe His
 1540 1545 1550
 Lys Cys Arg Gln His Gln Glu Glu Glu Glu Ala Arg Arg Arg Glu Glu
 1555 1560 1565
 Lys Arg Leu Arg Arg Leu Glu Lys Lys Arg Arg Ser Lys Glu Lys Gln
 1570 1575 1580
 Met Ala Glu Ala Gln Cys Lys Pro Tyr Tyr Ser Asp Tyr Ser Arg Phe
 1585 1590 1595 1600

Arg Leu Leu Val His His Leu Cys Thr Ser His Tyr Leu Asp Leu Phe
 1605 1610 1615
 Ile Thr Gly Val Ile Gly Leu Asn Val Val Thr Met Ala Met Glu His
 1620 1625 1630
 Tyr Gln Gln Pro Gln Ile Leu Asp Glu Ala Leu Lys Ile Cys Asn Tyr
 1635 1640 1645
 Ile Phe Thr Val Ile Phe Val Phe Glu Ser Val Phe Lys Leu Val Ala
 1650 1655 1660
 Phe Ala Phe Arg Arg Phe Phe Gln Asp Arg Trp Asn Gln Leu Asp Leu
 1665 1670 1675 1680
 Ala Ile Val Leu Leu Ser Ile Met Gly Ile Thr Leu Glu Glu Ile Glu
 1685 1690 1695
 Val Asn Leu Ser Leu Pro Ile Asn Pro Thr Ile Ile Arg Ile Met Arg
 1700 1705 1710
 Val Leu Arg Ile Ala Arg Val Leu Lys Leu Leu Lys Met Ala Val Gly
 1715 1720 1725
 Met Arg Ala Leu Leu His Thr Val Met Gln Ala Leu Pro Gln Val Gly
 1730 1735 1740
 Asn Leu Gly Leu Leu Phe Met Leu Leu Phe Phe Ile Phe Ala Ala Leu
 1745 1750 1755 1760
 Gly Val Glu Leu Phe Gly Asp Leu Glu Cys Asp Glu Thr His Pro Cys
 1765 1770 1775
 Glu Gly Leu Gly Arg His Ala Thr Phe Arg Asn Phe Gly Met Ala Phe
 1780 1785 1790
 Leu Thr Leu Phe Arg Val Ser Thr Gly Asp Asn Trp Asn Gly Ile Met
 1795 1800 1805
 Lys Asp Pro Ser Arg Asp Cys Asp Gln Glu Ser Thr Cys Tyr Asn Thr
 1810 1815 1820
 Val Ile Ser Pro Ile Tyr Phe Val Ser Phe Val Leu Thr Ala Gln Phe
 1825 1830 1835 1840
 Val Leu Val Asn Val Val Ile Ala Val Leu Met Lys His Leu Glu Glu
 1845 1850 1855

Ser Asn Lys Glu Ala Lys Glu Glu Ala Glu Leu Glu Ala Glu Leu Glu
1860 1865 1870

Leu Glu Met Lys Thr Leu Ser Pro Gln Pro His Ser Pro Leu Gly Ser
1875 1880 1885

Pro Phe Leu Trp Pro Gly Val Glu Gly Val Asn Ser Thr Asp Ser Pro
1890 1895 1900

Lys Pro Gly Ala Pro His Thr Thr Ala His Ile Gly Ala Ala Ser Gly
1905 1910 1915 1920

Phe Ser Leu Glu His Pro Thr Met Val Pro His Pro Glu Glu Val Pro
1925 1930 1935

Val Pro Leu Gly Pro Asp Leu Leu Thr Val Arg Lys Ser Gly Val Ser
1940 1945 1950

Arg Thr His Ser Leu Pro Asn Asp Ser Tyr Met Cys Arg Asn Gly Ser
1955 1960 1965

Thr Ala Glu Arg Ser Leu Gly His Arg Gly Trp Gly Leu Pro Lys Ala
1970 1975 1980

Gln Ser Gly Ser Ile Leu Ser Val His Ser Gln Pro Ala Asp Thr Ser
1985 1990 1995 2000

Cys Ile Leu Gln Leu Pro Lys Asp Val His Tyr Leu Leu Gln Pro His
2005 2010 2015

Gly Ala Pro Thr Trp Gly Ala Ile Pro Lys Leu Pro Pro Pro Gly Arg
2020 2025 2030

Ser Pro Leu Ala Gln Arg Pro Leu Arg Arg Gln Ala Ala Ile Arg Thr
2035 2040 2045

Asp Ser Leu Asp Val Gln Gly Leu Gly Ser Arg Glu Asp Leu Leu Ser
2050 2055 2060

Glu Val Ser Gly Pro Ser Cys Pro Leu Thr Arg Ser Ser Ser Phe Trp
2065 2070 2075 2080

Gly Gly Ser Ser Ile Gln Val Gln Gln Arg Ser Gly Ile Gln Ser Lys
2085 2090 2095

Val Ser Lys His Ile Arg Leu Pro Ala Pro Cys Pro Gly Leu Glu Pro
2100 2105 2110

009907070960

Ser Trp Ala Lys Asp Pro Pro Glu Thr Arg Ser Ser Leu Glu Leu Asp
 2115 2120 2125
 Thr Glu Leu Ser Trp Ile Ser Gly Asp Leu Leu Pro Ser Ser Gln Glu
 2130 2135 2140
 Glu Pro Leu Phe Pro Arg Asp Leu Lys Lys Cys Tyr Ser Val Glu Thr
 2145 2150 2155 2160
 Gln Ser Cys Arg Arg Arg Pro Gly Phe Trp Leu Asp Glu Gln Arg Arg
 2165 2170 2175
 His Ser Ile Ala Val Ser Cys Leu Asp Ser Gly Ser Gln Pro Arg Leu
 2180 2185 2190
 Cys Pro Ser Pro Ser Ser Leu Gly Gly Gln Pro Leu Gly Gly Pro Gly
 2195 2200 2205
 Ser Arg Pro Lys Lys Lys Leu Ser Pro Pro Ser Ile Ser Ile Asp Pro
 2210 2215 2220
 Pro Glu Ser Gln Gly Ser Arg Pro Pro Cys Ser Pro Gly Val Cys Leu
 2225 2230 2235 2240
 Arg Arg Arg Ala Pro Ala Ser Asp Ser Lys Asp Pro Ser Val Ser Ser
 2245 2250 2255
 Pro Leu Asp Ser Thr Ala Ala Ser Pro Ser Pro Lys Lys Asp Thr Leu
 2260 2265 2270
 Ser Leu Ser Gly Leu Ser Ser Asp Pro Thr Asp Met Asp Pro Glx
 2275 2280 2285

<210> 25
 <211> 8447
 <212> DNA
 <213> rat

<400> 25
 cgggataatt ctgtctcatt accataggca cacaataaaa catctttacc atttctctaa 60
 actcagccat tggccaaagc cagaaggaag acctgtgcat ttgcatctgg ggatccgata 120
 ctgactgatg ctctaggttg ctgcgtatac agtggaggag actgtgagaa aggaccatag 180
 tagtcaagga agaaagcatc ctgggacaga gccacaatca cgagatgatt cctaccaatg 240
 aacctcttcg gactgggtcc cagtgcacag gccgcccggg ctatgccacg gggacgccgc 300
 tagccaccgg agcgaggtga gatgcggagg gtacgcgcgc ttactgcgcg cctgggaccc 360
 tttgaacttg agctctgtgg gctccgagcc cctagggctc ccgcaaccct tcgcctcggc 420

cttgggggtg	gggctgccag	gctttgccgg	cgggaggggg	cggggggcgc	atthgtctct	480
aataaggaga	gacaaagaca	tcccgggcgc	cgcggctgtt	cccgcagctc	cgctccgcct	540
gaggcggggc	gggggctcgc	ttcctggggc	agggtcacct	cctgccctct	ctccgcaggt	600
gctgccctcc	gccacccatga	ccgagggcac	gctggcagcg	gacgaagtcc	gggtgccctt	660
gggcgcttcg	ccgcccggccc	ctgcagcgcc	ggtgagagct	tccccagcga	gccctggggc	720
gccggggcgc	gaggagcagg	gaggatccgg	gtcgggagtg	ttggctcccg	agagcccagg	780
gaccgagtgt	ggtgcggacc	tgggcgcgcga	cgaggaacag	ccggtcccat	acccagctct	840
ggctgccaca	gtctttcttct	gcctcgggca	aaccacgcgg	ccgcgcagct	ggtgcctccg	900
actggtttgt	aaccctgtgt	tcgagcacgt	cagcatgctg	gtcatcatgc	tgaactgcgt	960
gacactgggc	atgttcaggc	cctgtgagga	tgttgagtgc	cgctccgaac	gttgacagcat	1020
cttggaggcc	ttcgacgact	tcattctttgc	cttcttcgcg	gtggagatgg	tgatcaagat	1080
ggtggctttg	gggctgtttg	ggcaaaaatg	ctacctgggt	gacacctgga	acaggctgga	1140
cttcttcatt	gtcatggcgg	gcattgatgga	gtactctctg	gacggacaca	aggtgagcct	1200
ctctgccatc	cgaaccgtgc	gtgtgctgcg	gcccctccgc	gccatcaacc	gagtccccag	1260
tatgcggatc	ctggctactc	tgctgctgga	cacgctgccc	atgcttgga	atgtcctcct	1320
cctctgcttc	ttcgtcttct	tcattcttcgg	cattgttggg	gtccagctct	gggctggcct	1380
gcttcggaac	cgatgcttcc	tggacagcgc	cttcgtcagg	aacaacaacc	tgaccttctt	1440
gcggccatac	taccagacgg	aggaggggtga	ggagaaccct	ttcatctgct	cctcccgcgc	1500
tgacaacggc	atgcagaagt	gctcgcacat	ccccagccgc	cgtgagcttc	gagtgcagtg	1560
cacactcggc	tgggaggcct	atgggcagcc	acaggctgag	gatgggggtg	ctggccgcaa	1620
cgcttgtatc	aactggaacc	agtattacaa	cgtgtgccgc	tcgggggaat	tcaaccctca	1680
caacggtgcc	atcaacttcg	acaacattgg	ctacgcttgg	attgccatct	tccaggctcat	1740
cacactggag	ggctgggtgg	acatcatgta	ctacgtcatg	gatgcccact	cgcttctacaa	1800
cttcatctac	ttcactctcc	tcattcattat	gggctccttc	ttcatgatca	acctgtgcct	1860
ggtggtgata	gccacacagt	tctcagagac	aaagcaaagg	gaaaaccagc	tgatgcgaga	1920
acagcggggc	cgtatctctg	ccaacgacag	cactctggcc	agcttctcag	agcccggcag	1980
ctgctacgag	gagctcctca	agtatgtagg	ccacatcttc	cggagggtta	aacgccgtag	2040
cctgcgtctt	tatgcccgct	ggcagagccg	ctggcgtaag	aagggtggatc	ccagcagtac	2100
cgtgcatggc	caaggccctg	ggcggcggcc	acgacgggca	ggcaggcgta	cagcttcagt	2160
gcaccatctg	gtctaccacc	accaccacca	ccatcaccac	cattaccact	ttagccacgg	2220
tggcccacgc	aggcccagcc	cagagccagg	tgctggtgac	aacagggttg	tcagggcctg	2280
tgcgccaccc	tcgccgccat	ccccaggcca	tgggccacca	gactctgagt	ctgtgcacag	2340
tatctaccat	gctgactgcc	acgtggaggg	gccgcaggaa	cgagcccag	tggcacactc	2400
catagccact	gctgctagcc	tcaagctggc	ctcagggttg	ggtaccatga	actacccac	2460
catcctacct	tcaggaacag	tcaacagcaa	aggtggcacc	agctcacgac	ccaaggggct	2520
acgaggtgct	ggcgccccag	gggctgcagt	acacagccct	ctgagcctgg	gaagccccag	2580
accctatgag	aagatccagg	atgtgggtgg	agaacaagga	ctaggccgag	cctctagcca	2640
cctgtcaggc	ctgagtgtgc	cttgccccct	gcccagcccc	caggctggca	cgctgacctg	2700
tgagctgaag	agctgcccac	attgtgccag	cgccctggag	gaccccaggt	ttgaattcag	2760
tggctcagag	agcggggact	cggatgccca	cggagtctat	gagtttacct	aggatgtacg	2820
gcatggggat	tgtcgggacc	ctgtgcagca	gccccatgaa	gtgggcacac	caggccacag	2880
caatgagcgg	cggcggacac	cactgcggaa	ggcctcacia	ccaggaggga	taggccacct	2940
ctgggcatcc	ttcagtggca	agctacgtcg	cattgtagac	agcaagtact	tcaaccgagg	3000
catcatggca	gccatcctcg	tcaatactct	gagcatgggc	gttgagtatc	atgaacagcc	3060
tgaggagctg	accaacgccc	tggagataag	caacatcgtg	ttcaccagca	tgtttgctt	3120
ggagatgcta	ctgaagctgc	tggcctgcgg	cccactggga	tacatccgga	accctacaa	3180
catcttcgat	ggcattgttg	tcgtcataag	tgtctggggg	atcgtggggc	aggcagacgg	3240
tggccagctc	gtgctgcgca	ccttcaggct	gctgcgggtg	ctgaagctgg	tgcgcttct	3300


```

ggtcaatgtg gtggtggccg tgctcatgaa gcacctggag gagagcaaca aggaggcccc 6240
cgaggatgca gagatggacg ccgagatcga gctggagatg gcacaggggt ccacagccca 6300
gccccacct acagcacagg aaagccaagg taccagcca gacaccccga acctcctggg 6360
cgtgcgaaaa gtatctgtgt ccaggatgct ctcgctgccc aatgacagct acatgttcag 6420
gccggtggct cccgcggtcg cccacattc ccacccactg caggaagtgg agatggagac 6480
ctacacaggc ccggtcacct ctgctcactc gccacccctg gagccccgcg cctctttcca 6540
ggtcccatca gccgctcct cccagccag ggtcagtgc cccctttgtg ccctttcacc 6600
ccgggggtaca cccgctctc tgagtctctc acggatactc tgcagacagg aggccatgca 6660
ctctgagtcc ctggaagggg aggttgatga tgttgaggga gacagcatcc cagactacac 6720
agagcctgct gaaaatatgt ccacgagcca ggcatcaaca ggtgccccga ggtcccctcc 6780
gtgctccccg cgacctgcca gcgtccgtac ccgcaagcac acgtttgggc aacgctgcat 6840
ctccagccgc cctcccaccc tgggaggaga tgaggctgaa gcagcagacc cagcagatga 6900
ggaggtcagc cacatcacca gctcagccca cccctggccg gctacagagc cccacagccc 6960
tgaggcctcc ccaacagcct ctctgtgaa aggcacaatg ggcagtgggc gggaccacg 7020
caggttctgc agtgtagatg ctgagagctt cctggacaaa ccaggctcggc cagatgcaca 7080
acggtggtec tcagtggaac tggataacgg agaaagccac ctagagtccg gggagtggag 7140
gggcccggcc tcagagctcg aaccagctct tgggtcacga aggaagaaga agatgagccc 7200
tccctgcac tccattgaac ctcccactaa ggatgagggc tcttcccggc cccctgcagc 7260
cgaaggaggc aacactaccc tgaggcgccg aaccccatcc tgtgaggctg ccctccatag 7320
ggactgcca gagcctacag aaggcccagg caccggaggg gaccctgtag ccaagggtga 7380
gcgctggggc caggcctctt gccgagcaga gcatctgact gtccccaact ttgcctttga 7440
gcctctggac atgggcggac ctggtggaga ctgtttcttg gacagtgacc aaagtgtgac 7500
cccagaaccc agagtcttct ctttgggggc tatagtgcct ctgatactag aaactgaact 7560
ttctatgcc tctcctgact gccagagaa ggaacaagga ctgtacctca ctgtgcccc 7620
gaccccttg aagaaaccag ggtctacccc agccactcct gcccagatg acagtggaga 7680
tgagcctgtg tagatggggc tgcgtgtcca cagggtcttg gcattgaggt tgttggctcc 7740
tgcagggtgg tagggccatg agtggaccct gcttagggcc cactaaggca gagggaccgg 7800
gagataacca tcccaggaga ggcagcagac atcccgtctc tgcaccatga cacaggagca 7860
gcctcggggc ccacgagcct cctcgtggg gattcagggt tgggttttcc tgagttttaa 7920
ccaccaccag aagctgtacc aggaccagg catcagtctc aggaggagag gctgtgtcct 7980
gggaaggacc agtaattcct cacaggcacc acagctccat ccatgtgaca cacaggtttc 8040
cgacagggag tacagcttga gcctgtgtac attgggtcct gcagccaccg cacccaatat 8100
caccttcggt cacagtcctg tttctgtcca ccactcggca tccttccctc tcacagtgcc 8160
cctcccccat tccatccct tagatgggtc agaactttgc agtgaccctg ggaagtactg 8220
acccatgcaa taagacattg cagtcccaac tgagggtggg cttcccatcc attccaggct 8280
gttgggctca acattcattt gacatccatt tgctttatgt catccgtttc taaaaattca 8340
ggttaaattg tgcaataatc tgatgcagaa aacttggctt cctaagtcaa agctgagggg 8400
aggggagggg aggggcaagg caaatctgaa taaacactaa cttattg 8447

```

<210> 26
 <211> 2359
 <212> PRT
 <213> rat

<400> 26
 Met Thr Glu Gly Thr Leu Ala Ala Asp Glu Val Arg Val Pro Leu Gly
 1 5 10 15

Ala Ser Pro Pro Ala Pro Ala Ala Pro Val Arg Ala Ser Pro Ala Ser
 20 25 30
 Pro Gly Ala Pro Gly Arg Glu Glu Gln Gly Gly Ser Gly Ser Gly Val
 35 40 45
 Leu Ala Pro Glu Ser Pro Gly Thr Glu Cys Gly Ala Asp Leu Gly Ala
 50 55 60
 Asp Glu Glu Gln Pro Val Pro Tyr Pro Ala Leu Ala Ala Thr Val Phe
 65 70 75 80
 Phe Cys Leu Gly Gln Thr Thr Arg Pro Arg Ser Trp Cys Leu Arg Leu
 85 90 95
 Val Cys Asn Pro Trp Phe Glu His Val Ser Met Leu Val Ile Met Leu
 100 105 110
 Asn Cys Val Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Val Glu Cys
 115 120 125
 Arg Ser Glu Arg Cys Ser Ile Leu Glu Ala Phe Asp Asp Phe Ile Phe
 130 135 140
 Ala Phe Phe Ala Val Glu Met Val Ile Lys Met Val Ala Leu Gly Leu
 145 150 155 160
 Phe Gly Gln Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe
 165 170 175
 Phe Ile Val Met Ala Gly Met Met Glu Tyr Ser Leu Asp Gly His Lys
 180 185 190
 Val Ser Leu Ser Ala Ile Arg Thr Val Arg Val Leu Arg Pro Leu Arg
 195 200 205
 Ala Ile Asn Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu
 210 215 220
 Asp Thr Leu Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val
 225 230 235 240
 Phe Phe Ile Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu
 245 250 255
 Arg Asn Arg Cys Phe Leu Asp Ser Ala Phe Val Arg Asn Asn Asn Leu
 260 265 270

Thr Phe Leu Arg Pro Tyr Tyr Gln Thr Glu Glu Gly Glu Glu Asn Pro
 275 280 285
 Phe Ile Cys Ser Ser Arg Arg Asp Asn Gly Met Gln Lys Cys Ser His
 290 295 300
 Ile Pro Ser Arg Arg Glu Leu Arg Val Gln Cys Thr Leu Gly Trp Glu
 305 310 315 320
 Ala Tyr Gly Gln Pro Gln Ala Glu Asp Gly Gly Ala Gly Arg Asn Ala
 325 330 335
 Cys Ile Asn Trp Asn Gln Tyr Tyr Asn Val Cys Arg Ser Gly Glu Phe
 340 345 350
 Asn Pro His Asn Gly Ala Ile Asn Phe Asp Asn Ile Gly Tyr Ala Trp
 355 360 365
 Ile Ala Ile Phe Gln Val Ile Thr Leu Glu Gly Trp Val Asp Ile Met
 370 375 380
 Tyr Tyr Val Met Asp Ala His Ser Phe Tyr Asn Phe Ile Tyr Phe Ile
 385 390 395 400
 Leu Leu Ile Ile Met Gly Ser Phe Phe Met Ile Asn Leu Cys Leu Val
 405 410 415
 Val Ile Ala Thr Gln Phe Ser Glu Thr Lys Gln Arg Glu Asn Gln Leu
 420 425 430
 Met Arg Glu Gln Arg Ala Arg Tyr Leu Ser Asn Asp Ser Thr Leu Ala
 435 440 445
 Ser Phe Ser Glu Pro Gly Ser Cys Tyr Glu Glu Leu Leu Lys Tyr Val
 450 455 460
 Gly His Ile Phe Arg Lys Val Lys Arg Arg Ser Leu Arg Leu Tyr Ala
 465 470 475 480
 Arg Trp Gln Ser Arg Trp Arg Lys Lys Val Asp Pro Ser Ser Thr Val
 485 490 495
 His Gly Gln Gly Pro Gly Arg Arg Pro Arg Arg Ala Gly Arg Arg Thr
 500 505 510
 Ala Ser Val His His Leu Val Tyr His His His His His His His His
 515 520 525

His Tyr His Phe Ser His Gly Gly Pro Arg Arg Pro Ser Pro Glu Pro
 530 535 540
 Gly Ala Gly Asp Asn Arg Leu Val Arg Ala Cys Ala Pro Pro Ser Pro
 545 550 555 560
 Pro Ser Pro Gly His Gly Pro Pro Asp Ser Glu Ser Val His Ser Ile
 565 570 575
 Tyr His Ala Asp Cys His Val Glu Gly Pro Gln Glu Arg Ala Arg Val
 580 585 590
 Ala His Ser Ile Ala Thr Ala Ala Ser Leu Lys Leu Ala Ser Gly Leu
 595 600 605
 Gly Thr Met Asn Tyr Pro Thr Ile Leu Pro Ser Gly Thr Val Asn Ser
 610 615 620
 Lys Gly Gly Thr Ser Ser Arg Pro Lys Gly Leu Arg Gly Ala Gly Ala
 625 630 635 640
 Pro Gly Ala Ala Val His Ser Pro Leu Ser Leu Gly Ser Pro Arg Pro
 645 650 655
 Tyr Glu Lys Ile Gln Asp Val Val Gly Glu Gln Gly Leu Gly Arg Ala
 660 665 670
 Ser Ser His Leu Ser Gly Leu Ser Val Pro Cys Pro Leu Pro Ser Pro
 675 680 685
 Gln Ala Gly Thr Leu Thr Cys Glu Leu Lys Ser Cys Pro Tyr Cys Ala
 690 695 700
 Ser Ala Leu Glu Asp Pro Glu Phe Glu Phe Ser Gly Ser Glu Ser Gly
 705 710 715 720
 Asp Ser Asp Ala His Gly Val Tyr Glu Phe Thr Gln Asp Val Arg His
 725 730 735
 Gly Asp Cys Arg Asp Pro Val Gln Gln Pro His Glu Val Gly Thr Pro
 740 745 750
 Gly His Ser Asn Glu Arg Arg Arg Thr Pro Leu Arg Lys Ala Ser Gln
 755 760 765
 Pro Gly Gly Ile Gly His Leu Trp Ala Ser Phe Ser Gly Lys Leu Arg
 770 775 780

Arg Ile Val Asp Ser Lys Tyr Phe Asn Arg Gly Ile Met Ala Ala Ile
 785 790 795 800
 Leu Val Asn Thr Leu Ser Met Gly Val Glu Tyr His Glu Gln Pro Glu
 805 810 815
 Glu Leu Thr Asn Ala Leu Glu Ile Ser Asn Ile Val Phe Thr Ser Met
 820 825 830
 Phe Ala Leu Glu Met Leu Leu Lys Leu Leu Ala Cys Gly Pro Leu Gly
 835 840 845
 Tyr Ile Arg Asn Pro Tyr Asn Ile Phe Asp Gly Ile Val Val Val Ile
 850 855 860
 Ser Val Trp Glu Ile Val Gly Gln Ala Asp Gly Gly Gln Ser Val Leu
 865 870 875 880
 Arg Thr Phe Arg Leu Leu Arg Val Leu Lys Leu Val Arg Phe Leu Pro
 885 890 895
 Ala Leu Arg Arg Gln Leu Val Val Leu Met Arg Thr Met Asp Asn Val
 900 905 910
 Ala Thr Phe Cys Met Leu Leu Met Leu Phe Ile Phe Ile Phe Ser Ile
 915 920 925
 Leu Gly Met His Leu Phe Gly Cys Lys Phe Ser Leu Lys Thr Asp Ser
 930 935 940
 Gly Asp Thr Val Pro Asp Arg Lys Asn Phe Asp Ser Leu Leu Trp Ala
 945 950 955 960
 Ile Val Thr Val Phe Gln Ile Leu Thr Gln Glu Asp Trp Asn Val Val
 965 970 975
 Leu Tyr Asn Gly Met Ala Ser Thr Ser Ser Trp Ala Ala Leu Tyr Phe
 980 985 990
 Val Ala Leu Met Thr Phe Gly Asn Tyr Val Leu Phe Asn Leu Leu Val
 995 1000 1005
 Ala Ile Leu Val Glu Gly Phe Gln Ala Glu Gly Asp Ala Thr Arg Ser
 1010 1015 1020
 Asp Thr Asp Glu Asp Lys Thr Ser Thr Gln Leu Glu Gly Asp Phe Asp
 1025 1030 1035 1040

Lys Leu Arg Asp Leu Arg Ala Thr Glu Met Lys Met Tyr Ser Leu Ala
 1045 1050 1055
 Val Thr Pro Asn Gly His Leu Glu Gly Arg Gly Ser Leu Pro Pro Pro
 1060 1065 1070
 Leu Ile Thr His Thr Ala Ala Thr Pro Met Pro Thr Pro Lys Ser Ser
 1075 1080 1085
 Pro Asn Leu Asp Val Ala His Ala Leu Leu Asp Ser Arg Arg Ser Ser
 1090 1095 1100
 Ser Gly Ser Val Asp Pro Gln Leu Gly Asp Gln Lys Ser Leu Ala Ser
 1105 1110 1115 1120
 Leu Arg Ser Ser Pro Cys Thr Pro Trp Gly Pro Asn Ser Ala Gly Ser
 1125 1130 1135
 Ser Arg Arg Ser Ser Trp Asn Ser Leu Gly Arg Ala Pro Ser Leu Lys
 1140 1145 1150
 Arg Arg Ser Gln Cys Gly Glu Arg Glu Ser Leu Leu Ser Gly Glu Gly
 1155 1160 1165
 Lys Gly Ser Thr Asp Asp Glu Ala Glu Asp Ser Arg Pro Ser Thr Gly
 1170 1175 1180
 Thr His Pro Gly Ala Ser Pro Gly Pro Arg Ala Thr Pro Leu Arg Arg
 1185 1190 1195 1200
 Ala Glu Ser Leu Asp His Arg Ser Thr Leu Asp Leu Cys Pro Pro Arg
 1205 1210 1215
 Pro Ala Pro Pro Ala Val Gln Val His Asp Cys Asn Gly Gln Met Val
 1220 1225 1230
 Ala Leu Pro Ser Glu Phe Phe Leu Arg Ile Asp Ser His Lys Glu Asp
 1235 1240 1245
 Ala Ala Glu Phe Asp Asp Asp Ile Glu Asp Ser Cys Cys Phe Arg Leu
 1250 1255 1260
 His Lys Val Leu Glu Pro Tyr Ala Pro Gln Trp Cys Arg Ser Arg Glu
 1265 1270 1275 1280
 Ser Trp Ala Leu Tyr Leu Phe Pro Pro Gln Asn Arg Leu Arg Val Ser
 1285 1290 1295

Cys Gln Lys Val Ile Ala His Lys Met Phe Asp His Val Val Leu Val
 1300 1305 1310
 Phe Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro Asp Ile
 1315 1320 1325
 Asp Pro Gly Ser Thr Glu Arg Ala Phe Leu Ser Val Ser Asn Tyr Ile
 1330 1335 1340
 Phe Thr Ala Ile Phe Val Val Glu Met Met Val Lys Val Val Ala Leu
 1345 1350 1355 1360
 Gly Leu Leu Trp Gly Glu His Ala Tyr Leu Gln Ser Ser Trp Asn Val
 1365 1370 1375
 Leu Asp Gly Leu Leu Val Leu Val Ser Leu Val Asp Ile Ile Val Ala
 1380 1385 1390
 Met Ala Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg Val Val
 1395 1400 1405
 Arg Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg Ala Pro
 1410 1415 1420
 Gly Leu Lys Leu Val Val Glu Thr Leu Ile Ser Ser Leu Arg Pro Ile
 1425 1430 1435 1440
 Gly Asn Ile Val Leu Ile Cys Cys Ala Phe Phe Ile Ile Phe Gly Ile
 1445 1450 1455
 Leu Gly Val Gln Leu Phe Lys Gly Lys Phe Tyr Tyr Cys Glu Gly Thr
 1460 1465 1470
 Asp Thr Arg Asn Ile Thr Thr Lys Ala Glu Cys His Ala Ala His Tyr
 1475 1480 1485
 Arg Trp Val Arg Arg Lys Tyr Asn Phe Asp Asn Leu Gly Gln Ala Leu
 1490 1495 1500
 Met Ser Leu Phe Val Leu Ser Ser Lys Asp Gly Trp Val Asn Ile Met
 1505 1510 1515 1520
 Tyr Asp Gly Leu Asp Ala Val Gly Ile Asp Gln Gln Pro Val Gln Asn
 1525 1530 1535
 His Asn Pro Trp Met Leu Leu Tyr Phe Ile Ser Phe Leu Leu Ile Val
 1540 1545 1550

Ser Thr Gly Asp Asn Trp Asn Gly Ile Met Lys Asp Thr Leu Arg Glu
 1810 1815 1820

Cys Thr Arg Glu Asp Lys His Cys Leu Ser Tyr Leu Pro Ala Leu Ser
 1825 1830 1835 1840

Pro Val Tyr Phe Val Thr Phe Met Leu Val Ala Gln Phe Val Leu Val
 1845 1850 1855

Asn Val Val Val Ala Val Leu Met Lys His Leu Glu Glu Ser Asn Lys
 1860 1865 1870

Glu Ala Arg Glu Asp Ala Glu Met Asp Ala Glu Ile Glu Leu Glu Met
 1875 1880 1885

Ala Gln Gly Ser Thr Ala Gln Pro Pro Pro Thr Ala Gln Glu Ser Gln
 1890 1895 1900

Gly Thr Gln Pro Asp Thr Pro Asn Leu Leu Val Val Arg Lys Val Ser
 1905 1910 1915 1920

Val Ser Arg Met Leu Ser Leu Pro Asn Asp Ser Tyr Met Phe Arg Pro
 1925 1930 1935

Val Ala Pro Ala Ala Ala Pro His Ser His Pro Leu Gln Glu Val Glu
 1940 1945 1950

Met Glu Thr Tyr Thr Gly Pro Val Thr Ser Ala His Ser Pro Pro Leu
 1955 1960 1965

Glu Pro Arg Ala Ser Phe Gln Val Pro Ser Ala Ala Ser Ser Pro Ala
 1970 1975 1980

Arg Val Ser Asp Pro Leu Cys Ala Leu Ser Pro Arg Gly Thr Pro Arg
 1985 1990 1995 2000

Ser Leu Ser Leu Ser Arg Ile Leu Cys Arg Gln Glu Ala Met His Ser
 2005 2010 2015

Glu Ser Leu Glu Gly Lys Val Asp Asp Val Gly Gly Asp Ser Ile Pro
 2020 2025 2030

Asp Tyr Thr Glu Pro Ala Glu Asn Met Ser Thr Ser Gln Ala Ser Thr
 2035 2040 2045

Gly Ala Pro Arg Ser Pro Pro Cys Ser Pro Arg Pro Ala Ser Val Arg
 2050 2055 2060

Thr Arg Lys His Thr Phe Gly Gln Arg Cys Ile Ser Ser Arg Pro Pro
 2065 2070 2075 2080
 Thr Leu Gly Gly Asp Glu Ala Glu Ala Ala Asp Pro Ala Asp Glu Glu
 2085 2090 2095
 Val Ser His Ile Thr Ser Ser Ala His Pro Trp Pro Ala Thr Glu Pro
 2100 2105 2110
 His Ser Pro Glu Ala Ser Pro Thr Ala Ser Pro Val Lys Gly Thr Met
 2115 2120 2125
 Gly Ser Gly Arg Asp Pro Arg Arg Phe Cys Ser Val Asp Ala Gln Ser
 2130 2135 2140
 Phe Leu Asp Lys Pro Gly Arg Pro Asp Ala Gln Arg Trp Ser Ser Val
 2145 2150 2155 2160
 Glu Leu Asp Asn Gly Glu Ser His Leu Glu Ser Gly Glu Val Arg Gly
 2165 2170 2175
 Arg Ala Ser Glu Leu Glu Pro Ala Leu Gly Ser Arg Arg Lys Lys Lys
 2180 2185 2190
 Met Ser Pro Pro Cys Ile Ser Ile Glu Pro Pro Thr Lys Asp Glu Gly
 2195 2200 2205
 Ser Ser Arg Pro Pro Ala Ala Glu Gly Gly Asn Thr Thr Leu Arg Arg
 2210 2215 2220
 Arg Thr Pro Ser Cys Glu Ala Ala Leu His Arg Asp Cys Pro Glu Pro
 2225 2230 2235 2240
 Thr Glu Gly Pro Gly Thr Gly Gly Asp Pro Val Ala Lys Gly Glu Arg
 2245 2250 2255
 Trp Gly Gln Ala Ser Cys Arg Ala Glu His Leu Thr Val Pro Asn Phe
 2260 2265 2270
 Ala Phe Glu Pro Leu Asp Met Gly Gly Pro Gly Gly Asp Cys Phe Leu
 2275 2280 2285
 Asp Ser Asp Gln Ser Val Thr Pro Glu Pro Arg Val Ser Ser Leu Gly
 2290 2295 2300
 Ala Ile Val Pro Leu Ile Leu Glu Thr Glu Leu Ser Met Pro Ser Pro
 2305 2310 2315 2320

Asp Cys Pro Glu Lys Glu Gln Gly Leu Tyr Leu Thr Val Pro Gln Thr
2325 2330 2335

Pro Leu Lys Lys Pro Gly Ser Thr Pro Ala Thr Pro Ala Pro Asp Asp
2340 2345 2350

Ser Gly Asp Glu Pro Val Glx
2355

<210> 27
<211> 5735
<212> DNA
<213> rat

<400> 27
ccggcttcgg cgccgtgccc ggccacgtcc atgccaaggg ctccctgctc cacgctgaca 60
tggctgacag caacttaccg ccctcatctg cagcagcccc ggcccccgag ccgggaatca 120
ctgagcagcc ggggccccgg agtccccctc catccccctc aggcctggag gagccattgg 180
aaggaaccaa ccctgacgtc ccacatccag acctgggtcc tgttgctttc ttctgcctgc 240
gccagaccac gagcccacgg aactgggtgca tcaagatggg ttgtaacccg tggttcgagt 300
gtgtgagcat gctgggttatt ctgctgaact gtgtgaccct gggcatgtac cagccatgtg 360
atgacatgga gtgcctgtcg gaccgttgca agatcctgca ggtcttcgat gacttcatct 420
tcatcttctt tgccatggag atggtgctta agatgggtggc cctggggcatt tttggcaaga 480
agtgtacct cggagacaca tggaaccgcc tggatttctt cattgtcatg gcagggatgg 540
ttgagtactc tctggaccta cagaacatca acctgtcagc catccgcact gtgcgtgtcc 600
tgaggcctct caaagccatc aaccgtgtac ccagcctgcg gatcctgggtg aacctgctgc 660
tcgacacgct gcccatgctg gggaaacgtgc tctgtctctg tttcttcgctc ttcttcatct 720
tcggcatcat tggcgtgcag ctctggggcag gcctgtctacg gaaccgctgc ttcttggaag 780
aaaacttcac catacaaggg gatgtggccc tgccccctta ttaccaacca gaggaggatg 840
acgagatgcc ctttatctgc tccctgactg gggacaatgg catcatgggc tgccacgaga 900
tccccccact gaaggagcag ggccgggaag tctgcctgtc caaagatgat gtgtatgact 960
tcggggcgagg gcgccaggac ctcaacgcca gcggtctgtg cgtcaactgg aaccgctact 1020
acaacgtctg ccgcacgggc aacgccaacc ctcaacaagg cgccatcaac tttgacaaca 1080
ttggctatgc ctggattgtg attttccagg tgatcactct ggaaggctgg gtggagatca 1140
tgtactatgt gatggacgca cattctttct acaacttcat tctgtctcat atagtgggct 1200
ccttcttcat gatcaacttg tgcctcgttc tcatagcaac ccagttctct gagaccaagc 1260
aacggaacca ccggctgatg ctggagcaac gccagcgcta cctgtcctcc agcacgggtg 1320
ccagttacgc tgagcccggg gattgctatg aggagatctt ccaatatgtc tgtcacatcc 1380
ttcgcaaagc caagcgccgt gccctaggcc tctaccaggc cctgcagaac cggcgccagg 1440
ccatggggccc ggggacacca gccctgcca agcctggggc ccatgccaaag gagcccagcc 1500
actcgaagct gtgcccacga cacagcccc tggacccac tccccacaca ctggtgcagc 1560
ccatctctgc cattctggcc tcttacccca gcagctgccc tctactgccag cacgaggcag 1620
gcaggcggcc ctctggcctg ggcagcactg actcaggcca ggaaggctca gggttctggtg 1680
gctctgcaga ggccgaagcc aatgggggatg gactccagag cagagaggat ggggtctcct 1740
cggacctggg gaaggaggag gaacaggagg acggggcagc ccgactgtgt ggggatgtat 1800
ggcgcgagac acgaaaaaag ctgcggggca tcgtggacag caagtacttc aacagaggta 1860
tcatgatggc tatcctgggtg aacacagtca gcatgggcat cgagcaccac gaacagcccc 1920

aggagctgac	caacatcctg	gagatctgca	atgtggtctt	caccagtatg	tttgccctgg	1980
agatgatcct	gaaactggcc	gcctttgggc	tcttcgacta	cctgcggaac	ccttacaaca	2040
tctttgacag	catcatcgtc	atcatcagca	tctgggaaat	cgtggggcag	gcggacagtg	2100
gcctgtctgt	gctgcgcact	tcccggttgc	tgccgggtgct	gaagctagtg	cgcttcatgc	2160
cggcgctgcg	ccagctcgtg	gtgctcatga	agaccatgga	caacgtggcc	accttctgca	2220
tgctactcat	gctgttcatc	ttcatcttca	gcatccttgg	gatcgatatc	tttggctgca	2280
aattcagcct	ccgcacggac	acgggagaca	ccgttcctga	caggaagaac	ttcgattcct	2340
tactgtgggc	catcgtcaca	gtgttccaga	tcctcactca	ggaggactgg	aacgttgtcc	2400
tgtacaatgg	catggcctcc	accaccccct	gggcctccct	ctattttgtt	gccctcatga	2460
cctttggcaa	ctacgtttctc	ttcaatctcc	tgggtggctat	cctggtagag	ggtttccagg	2520
ctgaggggtga	tgctaatacgt	tcctactctg	atgaggacca	gagctcatcc	aatttagagg	2580
agttagacaa	gctcccagag	ggcctggaca	acaggagaga	tctcaagctc	tgcccaatac	2640
ccatgacacc	caatggacac	ctggacccta	gcctccctct	gggtgcgcat	ctgggtcctg	2700
ctgggtaccat	gggtactgcc	ccccgcctct	cactgcagcc	agacccggta	ctgggtggccc	2760
gggactctcg	gaaaagcagt	tactggctcc	tgggcaggat	gagctatgat	cagcgatcct	2820
tgtccagctc	ccggagctcc	tactacggcc	ctggggggccg	cagtgggacc	tgggctagcc	2880
gccgctccag	ctggaacagc	ctgaaacaca	agccgccttc	agctgagcat	gagtccttac	2940
tgtctgggga	gggtggaggt	agctgcgtca	gggcctgtga	aggcgcccgg	gaggaggcgc	3000
caactcgcac	cgcacccctg	catgctccac	accggcacca	cgcgcaccat	ggaccccacc	3060
tggcacaccg	tcaccgacac	caccgcccga	ctctgtccct	cgataccagg	gactctgttg	3120
acctgggaga	gctgggtgcc	gtgggtgggtg	cccactcacg	ggccgcttgg	agggggggcgg	3180
gtcaggcccc	tgggcacgag	gactgcaatg	gcagaatgcc	caacatggcc	aaggatgtct	3240
tcaccaagat	ggatgaccgc	cgcgaccgcg	gggaggacga	ggaggagatc	gactataccc	3300
tgtgtttccg	ggtccgcaag	atgatttgct	gtgtgtacaa	gccggactgg	tgccaagtcc	3360
gcgaggactg	gtcgggtctac	ctcttctccc	ccgagaacaa	gttccggatc	ctgtgtcaga	3420
ctatcattgc	tcacaagctt	tttgactacg	tgggtcttggc	ctttatcttc	ctcaactgta	3480
tcaccattgc	tctggagaga	ccccagattg	aagctggtag	cactgagcgc	atcttcctca	3540
cgggtgtctaa	ctacatcttc	acagccatct	tcgtggggcga	gatgacactg	aagggtggttt	3600
ctctgggcct	gtactttgggt	gagcaggcgt	acctgcgtac	ggactggaat	gtactggatg	3660
gtttcctgggt	ctttgtgtcc	atcatcgata	tcgtagtgtc	cgtggcctct	gctgggggag	3720
ccaagattct	gggggtcctg	cggctcctgc	gtaccttacg	tcctttgaga	gttatcagcc	3780
gggcccctgg	gctgaagctg	gtggtagaga	cgctcatctc	ctccctcaag	cccattggga	3840
acatcgctct	catctgctgt	gccttcttca	tcattcttcgg	catcctgggg	gtgcagcttt	3900
tcaaaggcaa	gttctaccat	tgtttgggag	tggacacccg	aaacatcacc	aaccgatctg	3960
actgcgtggc	ggccaactac	cgctgggtgc	atcacaaata	caactttgac	aacctgggcc	4020
aggcattgat	gtccctcttt	gtcttggcct	ccaaggacgg	ctgggtgaac	atcatgtata	4080
atggattaga	tgctgttgct	gtggaccagc	agcccgtgac	gaaccacaac	ccctggatgc	4140
tactgtactt	catttcgttc	ctgctcatcg	tcagcttctt	tgtgctcaac	atgtttgtgg	4200
gcgtggctcg	ggagaacttc	cacaagtgcc	ggcagcacca	ggaggctgag	gaggcgcgga	4260
ggcgtgagga	gaaacggctg	cggcgcctgg	aaaagaagcg	ccgttacgct	cagaggctgc	4320
cctactatgc	tacctactgt	cccacaaggc	tgctcatcca	ctccatgtgc	accagccact	4380
acctggacat	cttcattacc	ttcatcatct	gcctcaatgt	tgtcaccatg	tccttgagac	4440
actacaacca	gcctacatcc	ctagagacag	cccttaagta	ctgcaactac	atgttcacca	4500
ctgtgtttgt	gctggaggct	gtgctgaagc	tgggtggcatt	tggcctgagg	cgtttcttca	4560
aggaccgatg	gaaccagctg	gacctggcca	ttgtgctgct	gtccgtcatg	ggcatcacac	4620
tggaggagat	cgagatcaat	gccgcccttc	ccatcaaccc	caccatcatc	cgtatcatgc	4680
gtgttctgcg	tatcgcccgg	gtgttgaagc	tattgaagat	ggccacagga	atgcggggccc	4740
tgctggacac	agtggtagag	gctctgcccc	aggtgggcaa	cctgggcctg	ctcttcatgc	4800

tgctcttctt catctatgct gctctgggag tggagctctt cggaaagctg gtctgcaatg 4860
 acgagaaccc gtgtgaggggt atgagccggc acgccacctt tgaaaactct gctagggcct 4920
 tcctcacgct cttccagggtc tccacaggcg ataactggaa tggaattatg aaggacaccc 4980
 tgcgagactg tacccatgat gagcgcacgt gcctaagcag cctgcagtgt gtgtcaccgc 5040
 tctactttgt gagcttcgtg ctcacagctc agttcgtgct catcaacgtg gtgggtggccg 5100
 tgctgatgaa acatctggat gacagcaaca aggaggccca ggaggatgca gagatggatg 5160
 ctgagatcga gctggagatg gcccatggct ccggcccctg ccctggcccc tgccctgggtc 5220
 cctgcccctg cccctgcccc tgcccctgtt ctggcccagag gtgcccacta gttacctggg 5280
 gctcgggggc gatggatcgg gaggggcagg tgctggaggc acaccgagag tcacctgtgc 5340
 gcactgctat caggtgctgg acaccgagag tcacctgtgc cggcactgct attctccagc 5400
 ccaggagacc ctgtggctgg acaggggtctc tttaatcatc aaggactcct tggaggggga 5460
 gctgaccatc attgacaacc tgtctgggtc cgtcttccac cactacgct cactgacggc 5520
 tgtggcaagt gtcaccatga caagcaagag gtgcagctgg ctgagacaga ggccttctcc 5580
 ctgaactcag acaggtcttc atccatcctg ctgggggatg acctgagtct tgaggacccc 5640
 acggcctcgc acagggcccc aaaggagagc aagggtgaac aataaagagc ctccggagcc 5700
 catgcaggct ggagacctgg atgaatgcaa aaaaa 5735

<210> 28

<211> 1792

<212> PRT

<213> rat

<400> 28

Met Ala Asp Ser Asn Leu Pro Pro Ser Ser Ala Ala Ala Pro Ala Pro
 1 5 10 15

Glu Pro Gly Ile Thr Glu Gln Pro Gly Pro Arg Ser Pro Pro Pro Ser
 20 25 30

Pro Pro Gly Leu Glu Glu Pro Leu Glu Gly Thr Asn Pro Asp Val Pro
 35 40 45

His Pro Asp Leu Ala Pro Val Ala Phe Phe Cys Leu Arg Gln Thr Thr
 50 55 60

Ser Pro Arg Asn Trp Cys Ile Lys Met Val Cys Asn Pro Trp Phe Glu
 65 70 75 80

Cys Val Ser Met Leu Val Ile Leu Leu Asn Cys Val Thr Leu Gly Met
 85 90 95

Tyr Gln Pro Cys Asp Asp Met Glu Cys Leu Ser Asp Arg Cys Lys Ile
 100 105 110

Leu Gln Val Phe Asp Asp Phe Ile Phe Ile Phe Phe Ala Met Glu Met
 115 120 125

Val Leu Lys Met Val Ala Leu Gly Ile Phe Gly Lys Lys Cys Tyr Leu

130	135	140														
Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val Met Ala Gly Met																
145	150	155														160
Val Glu Tyr Ser Leu Asp Leu Gln Asn Ile Asn Leu Ser Ala Ile Arg																
	165	170														175
Thr Val Arg Val Leu Arg Pro Leu Lys Ala Ile Asn Arg Val Pro Ser																
	180	185														190
Leu Arg Ile Leu Val Asn Leu Leu Leu Asp Thr Leu Pro Met Leu Gly																
	195	200														205
Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile Phe Gly Ile Ile																
	210	215														220
Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg Cys Phe Leu Glu																
	225	230														240
Glu Asn Phe Thr Ile Gln Gly Asp Val Ala Leu Pro Pro Tyr Tyr Gln																
	245	250														255
Pro Glu Glu Asp Asp Glu Met Pro Phe Ile Cys Ser Leu Thr Gly Asp																
	260	265														270
Asn Gly Ile Met Gly Cys His Glu Ile Pro Pro Leu Lys Glu Gln Gly																
	275	280														285
Arg Glu Val Cys Leu Ser Lys Asp Asp Val Tyr Asp Phe Gly Ala Gly																
	290	295														300
Arg Gln Asp Leu Asn Ala Ser Gly Leu Cys Val Asn Trp Asn Arg Tyr																
	305	310														320
Tyr Asn Val Cys Arg Thr Gly Asn Ala Asn Pro His Lys Gly Ala Ile																
	325	330														335
Asn Phe Asp Asn Ile Gly Tyr Ala Trp Ile Val Ile Phe Gln Val Ile																
	340	345														350
Thr Leu Glu Gly Trp Val Glu Ile Met Tyr Tyr Val Met Asp Ala His																
	355	360														365
Ser Phe Tyr Asn Phe Ile Leu Leu Ile Ile Val Gly Ser Phe Phe Met																
	370	375														380
Ile Asn Leu Cys Leu Val Leu Ile Ala Thr Gln Phe Ser Glu Thr Lys																

385					390					395					400
Gln	Arg	Asn	His	Arg	Leu	Met	Leu	Glu	Gln	Arg	Gln	Arg	Tyr	Leu	Ser
				405					410					415	
Ser	Ser	Thr	Val	Ala	Ser	Tyr	Ala	Glu	Pro	Gly	Asp	Cys	Tyr	Glu	Glu
			420					425					430		
Ile	Phe	Gln	Tyr	Val	Cys	His	Ile	Leu	Arg	Lys	Ala	Lys	Arg	Arg	Ala
		435					440					445			
Leu	Gly	Leu	Tyr	Gln	Ala	Leu	Gln	Asn	Arg	Arg	Gln	Ala	Met	Gly	Pro
	450					455					460				
Gly	Thr	Pro	Ala	Pro	Ala	Lys	Pro	Gly	Pro	His	Ala	Lys	Glu	Pro	Ser
465					470					475					480
His	Ser	Lys	Leu	Cys	Pro	Arg	His	Ser	Pro	Leu	Asp	Pro	Thr	Pro	His
			485						490					495	
Thr	Leu	Val	Gln	Pro	Ile	Ser	Ala	Ile	Leu	Ala	Ser	Tyr	Pro	Ser	Ser
			500					505					510		
Cys	Pro	His	Cys	Gln	His	Glu	Ala	Gly	Arg	Arg	Pro	Ser	Gly	Leu	Gly
		515					520					525			
Ser	Thr	Asp	Ser	Gly	Gln	Glu	Gly	Ser	Gly	Ser	Gly	Gly	Ser	Ala	Glu
	530					535					540				
Ala	Glu	Ala	Asn	Gly	Asp	Gly	Leu	Gln	Ser	Arg	Glu	Asp	Gly	Val	Ser
545					550					555					560
Ser	Asp	Leu	Gly	Lys	Glu	Glu	Glu	Gln	Glu	Asp	Gly	Ala	Ala	Arg	Leu
				565					570					575	
Cys	Gly	Asp	Val	Trp	Arg	Glu	Thr	Arg	Lys	Lys	Leu	Arg	Gly	Ile	Val
			580					585					590		
Asp	Ser	Lys	Tyr	Phe	Asn	Arg	Gly	Ile	Met	Met	Ala	Ile	Leu	Val	Asn
		595					600					605			
Thr	Val	Ser	Met	Gly	Ile	Glu	His	His	Glu	Gln	Pro	Glu	Glu	Leu	Thr
	610					615					620				
Asn	Ile	Leu	Glu	Ile	Cys	Asn	Val	Val	Phe	Thr	Ser	Met	Phe	Ala	Leu
625					630					635					640
Glu	Met	Ile	Leu	Lys	Leu	Ala	Ala	Phe	Gly	Leu	Phe	Asp	Tyr	Leu	Arg

900	905	910
Arg Met Ser Tyr Asp Gln Arg Ser Leu Ser Ser Ser Arg Ser Ser Tyr		
915	920	925
Tyr Gly Pro Gly Gly Arg Ser Gly Thr Trp Ala Ser Arg Arg Ser Ser		
930	935	940
Trp Asn Ser Leu Lys His Lys Pro Pro Ser Ala Glu His Glu Ser Leu		
945	950	955 960
Leu Ser Gly Glu Gly Gly Gly Ser Cys Val Arg Ala Cys Glu Gly Ala		
	965 970	975
Arg Glu Glu Ala Pro Thr Arg Thr Ala Pro Leu His Ala Pro His Arg		
	980 985	990
His His Ala His His Gly Pro His Leu Ala His Arg His Arg His His		
	995 1000	1005
Arg Arg Thr Leu Ser Leu Asp Thr Arg Asp Ser Val Asp Leu Gly Glu		
	1010 1015	1020
Leu Val Pro Val Val Gly Ala His Ser Arg Ala Ala Trp Arg Gly Ala		
1025	1030 1035	1040
Gly Gln Ala Pro Gly His Glu Asp Cys Asn Gly Arg Met Pro Asn Met		
	1045 1050	1055
Ala Lys Asp Val Phe Thr Lys Met Asp Asp Arg Arg Asp Arg Gly Glu		
	1060 1065	1070
Asp Glu Glu Glu Ile Asp Tyr Thr Leu Cys Phe Arg Val Arg Lys Met		
	1075 1080	1085
Ile Cys Cys Val Tyr Lys Pro Asp Trp Cys Glu Val Arg Glu Asp Trp		
	1090 1095	1100
Ser Val Tyr Leu Phe Ser Pro Glu Asn Lys Phe Arg Ile Leu Cys Gln		
1105	1110 1115	1120
Thr Ile Ile Ala His Lys Leu Phe Asp Tyr Val Val Leu Ala Phe Ile		
	1125 1130	1135
Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro Gln Ile Glu Ala		
	1140 1145	1150
Gly Ser Thr Glu Arg Ile Phe Leu Thr Val Ser Asn Tyr Ile Phe Thr		

09641257-070600

1410	1415	1420
Thr Tyr Cys Pro Thr Arg Leu Leu Ile His Ser Met Cys Thr Ser His		
1425	1430	1435 1440
Tyr Leu Asp Ile Phe Ile Thr Phe Ile Ile Cys Leu Asn Val Val Thr		
1445	1450	1455
Met Ser Leu Glu His Tyr Asn Gln Pro Thr Ser Leu Glu Thr Ala Leu		
1460	1465	1470
Lys Tyr Cys Asn Tyr Met Phe Thr Thr Val Phe Val Leu Glu Ala Val		
1475	1480	1485
Leu Lys Leu Val Ala Phe Gly Leu Arg Arg Phe Phe Lys Asp Arg Trp		
1490	1495	1500
Asn Gln Leu Asp Leu Ala Ile Val Leu Leu Ser Val Met Gly Ile Thr		
1505	1510	1515 1520
Leu Glu Glu Ile Glu Ile Asn Ala Ala Leu Pro Ile Asn Pro Thr Ile		
1525	1530	1535
Ile Arg Ile Met Arg Val Leu Arg Ile Ala Arg Val Leu Lys Leu Leu		
1540	1545	1550
Lys Met Ala Thr Gly Met Arg Ala Leu Leu Asp Thr Val Val Gln Ala		
1555	1560	1565
Leu Pro Gln Val Gly Asn Leu Gly Leu Leu Phe Met Leu Leu Phe Phe		
1570	1575	1580
Ile Tyr Ala Ala Leu Gly Val Glu Leu Phe Gly Lys Leu Val Cys Asn		
1585	1590	1595 1600
Asp Glu Asn Pro Cys Glu Gly Met Ser Arg His Ala Thr Phe Glu Asn		
1605	1610	1615
Ser Ala Arg Ala Phe Leu Thr Leu Phe Gln Val Ser Thr Gly Asp Asn		
1620	1625	1630
Trp Asn Gly Ile Met Lys Asp Thr Leu Arg Asp Cys Thr His Asp Glu		
1635	1640	1645
Arg Thr Cys Leu Ser Ser Leu Gln Phe Val Ser Pro Leu Tyr Phe Val		
1650	1655	1660
Ser Phe Val Leu Thr Ala Gln Phe Val Leu Ile Asn Val Val Val Ala		

1665	1670	1675	1680
Val Leu Met Lys His Leu Asp Asp Ser Asn Lys Glu Ala Gln Glu Asp			
	1685	1690	1695
Ala Glu Met Asp Ala Glu Ile Glu Leu Glu Met Ala His Gly Ser Gly			
	1700	1705	1710
Pro Cys Pro Gly Pro Cys Pro Gly Pro Cys Pro Cys Pro Cys Pro Cys			
	1715	1720	1725
Pro Cys Ser Gly Pro Arg Cys Pro Leu Val Thr Trp Gly Ser Gly Ala			
	1730	1735	1740
Met Asp Arg Glu Gly Gln Val Leu Glu Ala His Arg Glu Ser Pro Val			
	1745	1750	1755
			1760
Arg Thr Ala Ile Arg Cys Trp Thr Pro Arg Val Thr Cys Ala Gly Thr			
	1765	1770	1775
Ala Ile Leu Gln Pro Arg Arg Pro Cys Gly Trp Thr Gly Ser Leu Glx			
	1780	1785	1790

<210> 29
 <211> 540
 <212> DNA
 <213> rat

<400> 29
 aagcttctct gagccaggca gctgctatga ggagctactc aagtacctgg tgtacatcct 60
 ccgaaaagca gcccgaggc tggcccagggt ctctagggct ataggcgtgc gggctgggct 120
 gctcagcagc ccagtggccc gtagtgggca ggagccccag ccagtggca gctgcactcg 180
 ctcacaccgt cgtctgtctg tccaccacct ggtccaccac catcaccacc accatcacca 240
 ctaccacctg ggtaatggga cgctcagagt tccccgggccc agcccagaga tccaggacag 300
 ggatgccaat gggctctcgcc ggctcatgct accaccaccc tctacacca ctccctctgg 360
 gggccctccg aggggtgcgg agtctgtaca cagcttctac catgctgact gccacttgga 420
 gccagtccgt tgccaggcac cccctcccag atgcccacgc gaggcacatc gtaggactgt 480
 gggtagtggg aaggtgtacc ccactgtgca taccagccct ccaccagaga tactgaagga 540

<210> 30
 <211> 2212
 <212> DNA
 <213> HUMAN

<400> 30

```

gtgaggggga gccggccggc tggcccggga agccccaggg gcgcagggga agcgggactc 60
gcgccggggcg ggggtttccct gcgccccggc gcccgcgggg cagcatgccc ctgcggggcag 120
ggggagctgg gctgaactgg ccctcccggg ggctcagctt gcgccctaga gccaccaga 180
tgtgcccccg ccggggcccc cgggttgctt gaggacacct cctctgaggg gcgccgcttg 240
ccctctcccg gatcgcccgg ggccccggct ggccagagga tggacgagga ggaggatgga 300
gcgggcgccg aggagtcggg acagccccgg agcttcatgc ggctcaacga cctgtcgggg 360
gccggggggcc ggccggggggc ggggtcagca gaaaaggacc cgggcagcgc ggactccgag 420
gcggagggggc tgccgtacct ggcgctggcc ccggtggttt tcttctactt gagccaggac 480
agccgcccgc ggagctgggt tctccgcacg gtctgtaacc cctggtttga gcgcatcagc 540
atgttggtca tccttctcaa ctgcgtgacc ctgggcatgt tccggccatg cgaggacatc 600
gcctgtgact ccagcgctg ccggatcctg caggcctttg atgacttcat ctttgccttc 660
tttgccgtgg agatgggtgg gaagatgggt gccttgggca tctttgggaa aaagtgttac 720
ctgggagaca cttggaaccg gcttgacttt ttcacgtca tcgcagggat gctggagtac 780
tcgctggacc tgcagaacgt cagcttctca gctgtcagga cagtccgtgt gctgcgaccg 840
ctcagggcca ttaaccgggt gccagcatg cgcaccttg tcacgttgct gctggatacg 900
ctgcccacgc tgggcaacgt cctgctgctc tgcttcttcg tcttcttcat cttcggcatc 960
gtcggcgctc agctgtgggc agggctgctt cggaaccgat gcttcctacc tgagaatttc 1020
agcctcccc tgagcgtgga cctggagcgc tattaccaga cagagaacga ggatgagagc 1080
cccttcatct gctcccagcc acgcgagaac ggcacgcggc cctgcagaag cgtgcccacg 1140
ctgcgcgggg acggggggcg tggcccacct tgcggtctgg actatgaggc ctacaacagc 1200
tccagcaaca ccacctgtgt caactggaac cagtactaca ccaactgctc agcggggggag 1260
cacaaccct tcaagggcgc catcaacttt gacaacattg gctatgcctg gatcgccatc 1320
ttccaggtca tcacgctgga gggctgggtc gacatcatgt actttgtgat ggatgctcat 1380
tccttctaca atttcatcta cttcatctc ctcatcatcg tgggctcctt cttcatgatc 1440
aacctgtgcc tgggtggtgat tgccacgcag ttctcagaga ccaagcagcg ggaaagccag 1500
ctgatgcggg agcagcgtgt gcggttcctg tccaacgcca gcaccctggc tagcttctct 1560
gagcccggca gctgctatga ggagctgctc aagtacctgg tgtacatcct tcgtaaggca 1620
gccgcagggc tggctcaggt ctctcgggca gcaggtgtgc gggttgggct gctcagcagc 1680
ccagcaccct tcggggggcca ggagaccag cccagcagca gctgctctcg ctcccaccgc 1740
cgcctatccg tccaccacct ggtgcaccac caccaccacc atcaccacca ctaccacctg 1800
ggcaatggga cgctcagggc ccccggggc agcccggaga tccaggacag ggatgccaat 1860
gggtcccgcg ggctcatgct gccaccacc tcgacgcctg ccctctccgg ggccccccct 1920
ggtggcgagc agtctgtgca cagcttctac catgccgact gccacttaga gccagtccgc 1980
tgccaggcgc ccctcccag gtcccatct gaggcacccg gcaggactgt gggcagcggg 2040
aaggtgtatc ccaccgtgca caccagccct ccaccggaga cgctgaagga gaaggcacta 2100
gtagagggtg ctgccagctc tgggccccca accctcacca gcctcaacat cccaccggg 2160
ccctacagct ccatgcacaa gctgctggag acacagagta caggtgcctg cc 2212

```

<210> 31

<211> 644

<212> PRT

<213> HUMAN

<400> 31

Met Asp Glu Glu Glu Asp Gly Ala Gly Ala Glu Glu Ser Gly Gln Pro

1

5

10

15

Arg Ser Phe Met Arg Leu Asn Asp Leu Ser Gly Ala Gly Gly Arg Pro
 20 25 30
 Gly Pro Gly Ser Ala Glu Lys Asp Pro Gly Ser Ala Asp Ser Glu Ala
 35 40 45
 Glu Gly Leu Pro Tyr Pro Ala Leu Ala Pro Val Val Phe Phe Tyr Leu
 50 55 60
 Ser Gln Asp Ser Arg Pro Arg Ser Trp Cys Leu Arg Thr Val Cys Asn
 65 70 75 80
 Pro Trp Phe Glu Arg Ile Ser Met Leu Val Ile Leu Leu Asn Cys Val
 85 90 95
 Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Ile Ala Cys Asp Ser Gln
 100 105 110
 Arg Cys Arg Ile Leu Gln Ala Phe Asp Asp Phe Ile Phe Ala Phe Phe
 115 120 125
 Ala Val Glu Met Val Val Lys Met Val Ala Leu Gly Ile Phe Gly Lys
 130 135 140
 Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe Phe Ile Val
 145 150 155 160
 Ile Ala Gly Met Leu Glu Tyr Ser Leu Asp Leu Gln Asn Val Ser Phe
 165 170 175
 Ser Ala Val Arg Thr Val Arg Val Leu Arg Pro Leu Arg Ala Ile Asn
 180 185 190
 Arg Val Pro Ser Met Arg Ile Leu Val Thr Leu Leu Leu Asp Thr Leu
 195 200 205
 Pro Met Leu Gly Asn Val Leu Leu Leu Cys Phe Phe Val Phe Phe Ile
 210 215 220
 Phe Gly Ile Val Gly Val Gln Leu Trp Ala Gly Leu Leu Arg Asn Arg
 225 230 235 240
 Cys Phe Leu Pro Glu Asn Phe Ser Leu Pro Leu Ser Val Asp Leu Glu
 245 250 255
 Arg Tyr Tyr Gln Thr Glu Asn Glu Asp Glu Ser Pro Phe Ile Cys Ser
 260 265 270

Gln Pro Arg Glu Asn Gly Met Arg Ser Cys Arg Ser Val Pro Thr Leu
 275 280 285
 Arg Gly Asp Gly Gly Gly Gly Pro Pro Cys Gly Leu Asp Tyr Glu Ala
 290 295 300
 Tyr Asn Ser Ser Ser Asn Thr Thr Cys Val Asn Trp Asn Gln Tyr Tyr
 305 310 315 320
 Thr Asn Cys Ser Ala Gly Glu His Asn Pro Phe Lys Gly Ala Ile Asn
 325 330 335
 Phe Asp Asn Ile Gly Tyr Ala Trp Ile Ala Ile Phe Gln Val Ile Thr
 340 345 350
 Leu Glu Gly Trp Val Asp Ile Met Tyr Phe Val Met Asp Ala His Ser
 355 360 365
 Phe Tyr Asn Phe Ile Tyr Phe Ile Leu Leu Ile Ile Val Gly Ser Phe
 370 375 380
 Phe Met Ile Asn Leu Cys Leu Val Val Ile Ala Thr Gln Phe Ser Glu
 385 390 395 400
 Thr Lys Gln Arg Glu Ser Gln Leu Met Arg Glu Gln Arg Val Arg Phe
 405 410 415
 Leu Ser Asn Ala Ser Thr Leu Ala Ser Phe Ser Glu Pro Gly Ser Cys
 420 425 430
 Tyr Glu Glu Leu Leu Lys Tyr Leu Val Tyr Ile Leu Arg Lys Ala Ala
 435 440 445
 Arg Arg Leu Ala Gln Val Ser Arg Ala Ala Gly Val Arg Val Gly Leu
 450 455 460
 Leu Ser Ser Pro Ala Pro Leu Gly Gly Gln Glu Thr Gln Pro Ser Ser
 465 470 475 480
 Ser Cys Ser Arg Ser His Arg Arg Leu Ser Val His His Leu Val His
 485 490 495
 His His His His His His His Tyr His Leu Gly Asn Gly Thr Leu
 500 505 510
 Arg Ala Pro Arg Ala Ser Pro Glu Ile Gln Asp Arg Asp Ala Asn Gly
 515 520 525

Ser Arg Arg Leu Met Leu Pro Pro Pro Ser Thr Pro Ala Leu Ser Gly
530 535 540

Ala Pro Pro Gly Gly Ala Glu Ser Val His Ser Phe Tyr His Ala Asp
545 550 555 560

Cys His Leu Glu Pro Val Arg Cys Gln Ala Pro Pro Pro Arg Ser Pro
565 570 575

Ser Glu Ala Ser Gly Arg Thr Val Gly Ser Gly Lys Val Tyr Pro Thr
580 585 590

Val His Thr Ser Pro Pro Pro Glu Thr Leu Lys Glu Lys Ala Leu Val
595 600 605

Glu Val Ala Ala Ser Ser Gly Pro Pro Thr Leu Thr Ser Leu Asn Ile
610 615 620

Pro Pro Gly Pro Tyr Ser Ser Met His Lys Leu Leu Glu Thr Gln Ser
625 630 635 640

Thr Gly Ala Cys

<210> 32
<211> 1608
<212> DNA
<213> HUMAN

<400> 32
atgcccgcgg ggacgccgcc ggccagcaga gcgaggtgct gccggccgcc accatgaccg 60
agggcgcacg ggccgccgac gaggtccggg tgcccctggg cgccgccccc cctggccctg 120
cggcggttggg gggggcggtcc ccggagagcc ccggggcgcc gggacgcgag gcggagcggg 180
ggtccgagct cggcggtgtca ccctccgaga gcccggcggc cgagcgcggc gcggagctgg 240
gtgccgacga ggagcagcgc gtcccgtacc cggccttggc ggccacggtc ttcttctgcc 300
tcggtcagac cacgcggccg cgcagctggt gcctccggct ggtctgcaac ccatggttcg 360
agcacgtgag catgctggta atcatgctca actgcgtgac cctgggcatg ttccggccct 420
gtgaggacgt tgagtgcggc tccgagcgt gcaacatcct ggaggccttt gacgccttca 480
ttttcgcctt ttttgcggtg gagatggtca tcaagatggt ggccttgggg ctgttcgggc 540
agaagtgtta cctgggtgac acgtggaaca ggctggattt cttcatcgtc gtggcgggca 600
tgatggagta ctcgttggac ggacacaacg tgagcctctc ggctatcagg accgtgcggg 660
tgctgcggcc cctccgcgcc atcaaccgcg tgcctagcat gcggatcctg gtcactctgc 720
tgctggatac gctgcccacg ctcgggaacg tccttctgct gtgcttcttc gtcttcttca 780
ttttcggcat cggtggcgtc cagctctggg ctggcctcct gcggaaccgc tgcttcctgg 840
acagtgcctt tgtcaggaac aacaacctga ccttcctgcg gccgtactac cagacggagg 900
agggcgagga gaaccggttc atctgctcct cacgccgaga caacggcatg cagaagtgct 960
cgcacatccc cggccgccgc gagctgcgca tgccctgcac cctgggctgg gaggcctaca 1020

cgcagccgca ggccgagggg gtgggcgctg cacgcaacgc ctgcatcaac tggaaccagt 1080
 actacaacgt gtgccgctcg ggtgactcca acccccacaa cggtgccatc aacttcgaca 1140
 acatcggcta cgcctggatc gccatcttcc aggtgatcac gctggaaggc tgggtggaca 1200
 tcatgtacta cgtcatggac gccactcat tctacaactt catctatttc atcctgctca 1260
 tcatcgtggg ctccttcttc atgatcaacc tgtgcctggg ggtgattgcc acgcagttct 1320
 cggagacgaa gcagcgggag agtcagctga tgcgggagca gcgggcacgc cacctgtcca 1380
 acgacagcac gctggccagc ttctccgagc ctggcagctg ctacgaagag ctgctgaagt 1440
 acgtgggcca catattccgc aaggtcaagc ggcgagctt gcgcctctac gcccgctggc 1500
 agagccgctg gcgcaagaag gtggacccca gtgctgtgca aggccagggt cccgggcacc 1560
 gccagcgccg ggcaggcagg cacacagcct cggtgcacca cctggtct 1608

<210> 33
 <211> 518
 <212> PRT
 <213> HUMAN

<400> 33
 Met Thr Glu Gly Ala Arg Ala Ala Asp Glu Val Arg Val Pro Leu Gly
 1 5 10 15
 Ala Pro Pro Pro Gly Pro Ala Ala Leu Val Gly Ala Ser Pro Glu Ser
 20 25 30
 Pro Gly Ala Pro Gly Arg Glu Ala Glu Arg Gly Ser Glu Leu Gly Val
 35 40 45
 Ser Pro Ser Glu Ser Pro Ala Ala Glu Arg Gly Ala Glu Leu Gly Ala
 50 55 60
 Asp Glu Glu Gln Arg Val Pro Tyr Pro Ala Leu Ala Ala Thr Val Phe
 65 70 75 80
 Phe Cys Leu Gly Gln Thr Thr Arg Pro Arg Ser Trp Cys Leu Arg Leu
 85 90 95
 Val Cys Asn Pro Trp Phe Glu His Val Ser Met Leu Val Ile Met Leu
 100 105 110
 Asn Cys Val Thr Leu Gly Met Phe Arg Pro Cys Glu Asp Val Glu Cys
 115 120 125
 Gly Ser Glu Arg Cys Asn Ile Leu Glu Ala Phe Asp Ala Phe Ile Phe
 130 135 140
 Ala Phe Phe Ala Val Glu Met Val Ile Lys Met Val Ala Leu Gly Leu
 145 150 155 160
 Phe Gly Gln Lys Cys Tyr Leu Gly Asp Thr Trp Asn Arg Leu Asp Phe

				165				170					175			
Phe	Ile	Val	Val	Ala	Gly	Met	Met	Glu	Tyr	Ser	Leu	Asp	Gly	His	Asn	
			180					185					190			
Val	Ser	Leu	Ser	Ala	Ile	Arg	Thr	Val	Arg	Val	Leu	Arg	Pro	Leu	Arg	
		195					200					205				
Ala	Ile	Asn	Arg	Val	Pro	Ser	Met	Arg	Ile	Leu	Val	Thr	Leu	Leu	Leu	
	210					215					220					
Asp	Thr	Leu	Pro	Met	Leu	Gly	Asn	Val	Leu	Leu	Leu	Cys	Phe	Phe	Val	
225					230					235					240	
Phe	Phe	Ile	Phe	Gly	Ile	Val	Gly	Val	Gln	Leu	Trp	Ala	Gly	Leu	Leu	
				245					250					255		
Arg	Asn	Arg	Cys	Phe	Leu	Asp	Ser	Ala	Phe	Val	Arg	Asn	Asn	Asn	Leu	
			260					265					270			
Thr	Phe	Leu	Arg	Pro	Tyr	Tyr	Gln	Thr	Glu	Glu	Gly	Glu	Glu	Asn	Pro	
	275						280					285				
Phe	Ile	Cys	Ser	Ser	Arg	Arg	Asp	Asn	Gly	Met	Gln	Lys	Cys	Ser	His	
	290					295					300					
Ile	Pro	Gly	Arg	Arg	Glu	Leu	Arg	Met	Pro	Cys	Thr	Leu	Gly	Trp	Glu	
305					310					315					320	
Ala	Tyr	Thr	Gln	Pro	Gln	Ala	Glu	Gly	Val	Gly	Ala	Ala	Arg	Asn	Ala	
				325					330					335		
Cys	Ile	Asn	Trp	Asn	Gln	Tyr	Tyr	Asn	Val	Cys	Arg	Ser	Gly	Asp	Ser	
			340					345					350			
Asn	Pro	His	Asn	Gly	Ala	Ile	Asn	Phe	Asp	Asn	Ile	Gly	Tyr	Ala	Trp	
		355					360					365				
Ile	Ala	Ile	Phe	Gln	Val	Ile	Thr	Leu	Glu	Gly	Trp	Val	Asp	Ile	Met	
	370					375					380					
Tyr	Tyr	Val	Met	Asp	Ala	His	Ser	Phe	Tyr	Asn	Phe	Ile	Tyr	Phe	Ile	
385					390					395					400	
Leu	Leu	Ile	Ile	Val	Gly	Ser	Phe	Phe	Met	Ile	Asn	Leu	Cys	Leu	Val	
				405					410					415		
Val	Ile	Ala	Thr	Gln	Phe	Ser	Glu	Thr	Lys	Gln	Arg	Glu	Ser	Gln	Leu	

420	425	430
Met Arg Glu Gln Arg Ala Arg His Leu Ser Asn Asp Ser Thr Leu Ala		
435	440	445
Ser Phe Ser Glu Pro Gly Ser Cys Tyr Glu Glu Leu Leu Lys Tyr Val		
450	455	460
Gly His Ile Phe Arg Lys Val Lys Arg Arg Ser Leu Arg Leu Tyr Ala		
465	470	475 480
Arg Trp Gln Ser Arg Trp Arg Lys Lys Val Asp Pro Ser Ala Val Gln		
485	490	495
Gly Gln Gly Pro Gly His Arg Gln Arg Arg Ala Gly Arg His Thr Ala		
500	505	510
Ser Val His His Leu Val		
515		

<210> 34
 <211> 1080
 <212> DNA
 <213> HUMAN

<400> 34

```

gcagtgtcat gtctctaggg aggatgagct atgaccagcg ctccctgtcc agctcccgga 60
gctcctacta cgggccatgg ggccgcagcg cggcctgggc cagccgtcgc tccagctgga 120
acagcctcaa gcacaagccg ccgtcggcgg agcatgagtc cctgtctctt gcggagcgcg 180
gcggcggcgc ccgggtctgc gaggttgccg cggacgaggg gccgccgcgg gccgcacccc 240
tgcacacccc acacgcccac cacattcatc acgggcccga tctggcgcac cgccaccgcc 300
accaccgccg gacgctgtcc ctgcacaaca gggactcggg ggacctggcc gagctgggtgc 360
ccgcggtggg cggccacccc cgggcccgcct ggagggcggc aggcccggcc cccgggcatg 420
aggactgcaa tggcaggatg cccagcatcg ccaaagacgt cttcaccaag atgggcgacc 480
gcgggggatcg cggggaggat gaggaggaaa tcgactacac cctgtgcttc cgcgtccgca 540
agatgatcga cgtctataag cccgactggg gcgaggtccg cgaagactgg tctgtctacc 600
tcttctctcc cgagaacagg ttccgggtcc tgtgtcagac cattattgcc cacaaactct 660
tcgactacgt cgtcctggcc ttcatctttc tcaactgcat caccatcgcc ctggagcggc 720
ctcagatcga ggccggcagc accgaacgca tctttctcac cgtgtccaac tacatcttca 780
cggccatctt cgtgggagag atgacattga aggtagtctc gctgggcctg tacttcggcg 840
agcaggcgta cctacgcagc agctggaacg tgctggatgg ctttcttgtc ttcgtgtcca 900
tcatcgacat cgtgggtgtcc ctggcctcag ccgggggagc caagatcttg ggggtcctcc 960
gagtcttgcg gtcctgcgc accctacgcc ccctgcgtgt catcagccgg gcgccgggcc 1020
tgaagctggg ggtggagaca ctcatctcct ccctcaagcc catcggcaac atcgtgctca 1080
```

<210> 35
 <211> 359

<212> PRT
<213> HUMAN

<400> 35

Ser Val Met Ser Leu Gly Arg Met Ser Tyr Asp Gln Arg Ser Leu Ser
1 5 10 15

Ser Ser Arg Ser Ser Tyr Tyr Gly Pro Trp Gly Arg Ser Ala Ala Trp
20 25 30

Ala Ser Arg Arg Ser Ser Trp Asn Ser Leu Lys His Lys Pro Pro Ser
35 40 45

Ala Glu His Glu Ser Leu Leu Ser Ala Glu Arg Gly Gly Gly Ala Arg
50 55 60

Val Cys Glu Val Ala Ala Asp Glu Gly Pro Pro Arg Ala Ala Pro Leu
65 70 75 80

His Thr Pro His Ala His His Ile His His Gly Pro His Leu Ala His
85 90 95

Arg His Arg His His Arg Arg Thr Leu Ser Leu Asp Asn Arg Asp Ser
100 105 110

Val Asp Leu Ala Glu Leu Val Pro Ala Val Gly Ala His Pro Arg Ala
115 120 125

Ala Trp Arg Ala Ala Gly Pro Ala Pro Gly His Glu Asp Cys Asn Gly
130 135 140

Arg Met Pro Ser Ile Ala Lys Asp Val Phe Thr Lys Met Gly Asp Arg
145 150 155 160

Gly Asp Arg Gly Glu Asp Glu Glu Glu Ile Asp Tyr Thr Leu Cys Phe
165 170 175

Arg Val Arg Lys Met Ile Asp Val Tyr Lys Pro Asp Trp Cys Glu Val
180 185 190

Arg Glu Asp Trp Ser Val Tyr Leu Phe Ser Pro Glu Asn Arg Phe Arg
195 200 205

Val Leu Cys Gln Thr Ile Ile Ala His Lys Leu Phe Asp Tyr Val Val
210 215 220

Leu Ala Phe Ile Phe Leu Asn Cys Ile Thr Ile Ala Leu Glu Arg Pro
225 230 235 240

Gln Ile Glu Ala Gly Ser Thr Glu Arg Ile Phe Leu Thr Val Ser Asn
245 250 255

Tyr Ile Phe Thr Ala Ile Phe Val Gly Glu Met Thr Leu Lys Val Val
260 265 270

Ser Leu Gly Leu Tyr Phe Gly Glu Gln Ala Tyr Leu Arg Ser Ser Trp
275 280 285

Asn Val Leu Asp Gly Phe Leu Val Phe Val Ser Ile Ile Asp Ile Val
290 295 300

Val Ser Leu Ala Ser Ala Gly Gly Ala Lys Ile Leu Gly Val Leu Arg
305 310 315 320

Val Leu Arg Leu Leu Arg Thr Leu Arg Pro Leu Arg Val Ile Ser Arg
325 330 335

Ala Pro Gly Leu Lys Leu Val Val Glu Thr Leu Ile Ser Ser Leu Lys
340 345 350

Pro Ile Gly Asn Ile Val Leu
355